



Catalog of Tapered Roller Bearings

The SKET Bearing Company



TYPE TS



外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
9.525	31.991	10.008	10.785	7.938	1.3	1.3	SKET	A2037 / A2126	15.0	13.50	26.00	29.00	1.3	1.3	0.05
11.986	31.991	10.008	10.785	7.938	0.8	1.3	SKET	A2047 / A2126	18.0	16.50	26.00	29.00	0.8	1.3	0.04
12.000	27.000	13.000	12.000	11.000	0.5	0.3	SKET	TD-CR0105 / CR010	16.0	15.00	26.00	28.00	0.5	0.3	0.04
	27.000	13.000	12.000	11.000	0.5	0.3	SKET	TD-CR0105 / CR0103	16.0	15.00	26.00	28.00	0.5	0.3	0.04
12.680	34.988	10.998	10.988	8.730	0.8	1.3	SKET	A4049 / A4138	17.5	17.50	29.00	32.00	0.8	1.3	0.06
12.700	34.988	10.998	10.988	8.730	1.3	1.3	SKET	00050 / 00150	18.5	17.00	29.00	32.00	1.3	1.3	0.05
12.700	38.100	13.495	14.072	11.112	1.5	0.8	SKET	00050 / 00150	19.0	16.50	33.00	34.00	1.5	0.8	0.08
14.989	34.988	10.998	10.988	8.730	0.8	1.3	SKET	A4059 / A4138	19.5	19.00	29.00	32.00	0.8	1.3	0.05
15.000	30.000	13.000	12.000	11.000	1.0	0.3	SKET	TD-CR0259 / 0256	20.0	18.00	26.00	27.00	1.0	0.3	0.04
	34.988	10.998	10.785	8.500	0.8	1.3	SKET	C101	20.0	18.00	30.00	32.00	0.8	1.3	0.05
	35.000	11.000	10.750	8.500	1.0	1.3	SKET	CBK-170B	20.0	18.00	30.00	32.00	1.0	1.3	0.05
	35.000	11.750	11.000	10.000	0.6	0.6	SKET	30202	20.0	19.50	29.00	33.00	0.6	0.6	0.05
	35.000	15.000	14.250	11.750	1.0	0.3	SKET	TD-RV-70FC	20.0	18.00	31.00	32.00	1.0	0.3	0.07
	42.000	12.900	13.500	10.000	2.0	1.5	SKET	CBK-257	22.0	18.00	37.00	39.00	2.0	1.5	0.10
	42.000	13.000	13.500	10.000	1.2	1.3	SKET	639211 / 639213	20.0	18.00	38.00	39.50	1.2	1.3	0.10
	42.000	13.000	13.500	10.000	1.0	1.5	SKET	C102 (CBK257)	20.0	18.00	37.00	39.00	1.0	1.5	0.10
42.000	14.250	13.000	11.000	1.0	1.0	SKET	30302	20.5	19.00	36.50	38.00	1.0	1.0	0.10	
15.875	34.988	10.998	10.988	8.712	1.3	1.3	SKET	L21549 / L21511	21.5	19.50	29.00	32.50	1.3	1.3	0.05
	39.992	12.014	11.153	9.525	1.3	1.3	SKET	A6062 / A6157	22.0	20.50	34.00	37.00	1.3	1.3	0.08
	41.275	14.288	14.681	11.112	1.3	2.0	SKET	03062 / 03162	21.5	20.00	34.00	37.00	1.3	2.0	0.09
	42.862	14.288	14.288	9.525	1.5	1.5	SKET	11590 / 11520	24.5	22.50	34.50	39.50	1.5	1.5	0.10
	42.862	16.670	16.670	13.495	1.5	1.5	SKET	17580 / 17520	23.0	21.00	36.00	39.00	1.5	1.5	0.11
	44.450	15.494	14.381	11.430	1.5	1.5	SKET	05062 / 05175	23.0	21.00	38.00	42.50	1.5	1.5	0.12
	47.000	14.381	14.381	11.112	1.5	1.3	SKET	05062 / 05185	23.0	21.00	40.50	42.50	1.5	1.3	0.13
	49.225	19.845	21.539	14.288	0.8	1.3	SKET	09062 / 09195	22.0	22.00	42.00	44.50	0.8	1.3	0.20
53.975	22.225	21.839	15.875	0.8	2.3	SKET	21063 / 21212	29.0	23.00	43.00	50.00	0.8	2.3	0.26	
15.987	46.975	21.000	21.000	16.000	1.0	2.0	SKET	HM81649 / HM81610	27.5	23.00	37.50	43.00	1.0	2.0	0.18
16.993	39.992	12.014	11.153	9.525	0.8	1.3	SKET	A6067 / A6157	22.0	20.50	34.00	37.00	0.8	1.3	0.07
	47.000	14.381	14.381	11.112	1.5	1.3	SKET	05006 / 05185	24.5	22.00	40.50	42.50	1.5	1.3	0.12
	47.000	14.381	14.381	11.112	1.5	1.3	SKET	05066 / 05185	24.5	22.00	40.50	42.50	1.5	1.3	0.13

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
17.000	40.000	13.250	12.000	11.000	1.0	1.0	SKET	30203	23.0	22.50	33.00	37.00	1.0	1.0	0.08
	40.000	17.250	16.000	14.000	1.0	1.0	SKET	32203	23.0	22.00	34.00	37.00	1.0	1.0	0.11
	47.000	15.250	14.000	12.000	1.0	1.0	SKET	30303	22.5	21.50	41.50	42.50	1.0	1.0	0.13
	47.000	15.250	14.000	10.500	1.5	1.5	SKET	30303D	23.0	22.00	41.00	43.00	1.5	1.5	0.11
	47.000	15.250	15.000	10.500	1.5	1.5	SKET	TR0305A	23.0	22.00	41.00	43.00	1.5	1.5	0.13
	47.000	15.250	15.000	11.000	1.0	1.0	SKET	TR0305C-9	23.0	22.00	41.00	43.00	1.0	1.0	0.14
	47.000	20.250	19.000	16.000	1.0	1.0	SKET	32303	25.0	22.50	43.00	48.00	1.0	1.0	0.18
17.455	36.525	11.112	11.112	7.938	1.5	1.5	SKET	A5069 / A5144	23.5	21.50	30.00	33.50	1.5	1.5	0.05
17.462	39.878	13.843	14.605	10.668	1.3	1.3	SKET	LM11749 / LM11710	23.0	21.00	34.00	37.00	1.3	1.3	0.08
	44.450	12.700	11.908	9.525	1.5	1.5	SKET	4C-6	24.5	22.50	38.00	41.00	1.5	1.5	0.09
19.050	39.992	12.014	11.153	9.525	1.0	1.3	SKET	A6075 / A6157	24.0	23.00	34.00	37.00	1.0	1.3	0.07
	41.275	11.905	11.153	8.730	1.0	1.3	SKET	A6075 / A6162	24.0	23.00	34.00	37.00	1.0	1.3	0.07
	44.450	12.700	11.908	9.525	1.5	1.5	SKET	4A-6	25.5	23.50	38.00	41.00	1.5	1.5	0.09
	45.237	15.494	16.637	12.065	1.3	1.3	SKET	LM11949 / LM11910	25.0	23.50	39.50	41.50	1.3	1.3	0.12
	45.237	15.494	16.637	12.065	0.7	0.7	SKET	LM11949X / LM11910X	24.5	23.50	40.00	42.00	0.7	0.7	0.14
	45.237	15.494	16.637	12.065	0.7	0.7	SKET	7804	24.5	23.50	40.00	42.00	0.7	0.7	0.14
	46.000	15.494	16.637	12.065	1.3	1.3	SKET	LM11949RS / LM11910	24.5	23.50	40.00	42.00	1.3	1.3	0.14
	47.000	14.381	14.381	11.112	1.3	1.3	SKET	05075 / 05185	25.0	23.50	40.50	42.50	1.3	1.3	0.12
	49.154	18.968	11.908	15.875	1.5	0.8	SKET	4A-06	25.5	23.50	38.00	41.00	1.5	0.8	0.17
	49.225	18.034	19.050	14.288	1.3	1.3	SKET	09067 / 09195	25.5	24.00	42.00	44.50	1.3	1.3	0.19
	49.225	19.845	21.539	14.288	1.5	1.3	SKET	09074 / 09195	26.0	24.00	42.00	44.50	1.5	1.3	0.19
	49.225	19.845	21.539	14.288	1.3	1.3	SKET	09078 / 09195	25.5	24.00	42.00	44.50	1.3	1.3	0.18
	49.225	21.209	19.050	17.462	1.3	1.3	SKET	09067 / 09194	25.5	24.00	39.00	44.50	1.3	1.3	0.18
	49.225	21.209	19.050	17.462	1.3	1.5	SKET	09067 / 09196	25.5	24.00	41.50	44.50	1.3	1.5	0.19
	49.225	23.020	21.539	17.462	1.5	1.3	SKET	09074 / 09194	26.0	24.00	39.00	44.50	1.5	1.3	0.20
	49.225	23.020	21.539	17.462	1.5	1.5	SKET	09074 / 09196	26.0	24.00	41.50	44.50	1.5	1.5	0.20
	53.975	22.225	21.839	15.875	1.5	2.3	SKET	21075 / 21212	31.5	26.00	43.00	50.00	1.5	2.3	0.24
53.975	22.225	21.839	15.875	1.5	2.3	SKET	21075A / 21213	30.0	26.00	43.00	50.00	1.5	2.3	0.24	
56.896	19.368	19.837	15.875	1.5	1.3	SKET	1775 / 1729	27.0	25.00	49.00	51.00	1.5	1.3	0.26	
19.987	47.000	14.381	14.381	11.112	1.5	1.3	SKET	05079 / 05185	26.5	24.00	41.00	43.00	1.5	1.3	0.11

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
20.000	42.000	15.000	15.000	12.000	0.6	0.6	SKET	32004X	26.5	25.50	37.00	39.50	0.6	0.6	0.10
	42.000	15.000	15.000	12.000	2.0	0.6	SKET	32004XR	28.0	25.50	37.00	39.50	2.0	0.6	0.10
	42.000	15.000	15.000	12.000	2.0	1.0	SKET	32004XRZ	28.0	25.50	37.00	39.50	2.0	1.0	0.10
	42.000	15.000	15.000	12.000	2.0	1.0	SKET	XAA32004XAAA32004	28.0	25.50	37.00	39.50	2.0	1.0	0.10
	42.000	15.000	15.000	12.000	1.0	0.5	SKET	TO-R20-17	26.5	25.50	37.00	39.50	1.0	0.5	0.10
	43.000	13.200	12.000	11.000	3.0	1.5	SKET	CBK-173	30.0	24.00	36.00	39.00	3.0	1.5	0.09
	43.000	13.250	12.000	11.000	2.5	1.5	SKET	TPD003	29.0	24.00	36.00	39.00	2.5	1.5	0.09
	47.000	11.800	12.000	11.500	1.0	1.0	SKET	R20-11X	28.0	24.00	42.00	44.00	1.0	1.0	0.09
	47.000	14.800	15.000	11.500	0.8	0.5	SKET	TD-ST2047B / BYRI	27.0	25.50	39.00	44.00	0.8	0.5	0.14
	47.000	15.250	14.000	12.000	1.0	1.0	SKET	30204	27.0	25.50	39.00	44.00	1.0	1.0	0.13
	47.000	19.250	18.000	15.000	1.0	1.0	SKET	32204	25.5	27.00	39.00	43.00	1.0	1.0	0.20
	47.000	19.250	18.000	15.000	1.0	1.0	SKET	32204C	25.5	27.00	39.00	43.00	1.0	1.0	0.20
	47.000	19.250	18.000	15.000	0.3	0.3	SKET	32204R	25.5	27.00	39.00	43.00	0.3	0.3	0.16
	50.005	13.495	14.260	9.525	1.5	1.0	SKET	07079 / 07196	28.0	27.00	44.50	47.00	1.5	1.0	0.14
	51.994	15.011	14.260	12.700	1.5	1.3	SKET	07079 / 07204	31.0	29.00	45.00	48.00	1.5	1.3	0.17
	52.000	16.250	15.000	13.000	1.5	1.5	SKET	30304	28.5	28.00	44.00	47.00	1.5	1.5	0.17
52.000	16.250	16.000	12.000	1.5	1.5	SKET	30304C	28.5	28.00	44.00	48.00	1.5	1.5	0.16	
52.000	16.250	15.000	11.000	1.5	1.5	SKET	31304	27.0	27.00	45.00	48.00	1.5	1.5	0.17	
52.000	22.250	21.000	18.000	1.5	1.5	SKET	32304	28.5	28.00	43.00	47.00	1.5	1.5	0.23	
20.625	49.225	19.845	21.539	14.288	1.5	1.3	SKET	09081 / 09195	27.5	25.50	42.00	44.50	1.5	1.3	0.17
	49.225	23.020	21.539	17.462	1.5	1.5	SKET	09081 / 09196	27.5	25.50	41.50	44.50	1.5	1.5	0.19
20.638	49.225	19.845	19.845	15.875	1.5	1.5	SKET	12580 / 12520	28.5	26.00	42.50	45.50	1.5	1.5	0.18
21.430	45.237	15.494	16.637	12.065	1.3	1.3	SKET	LM12748 / LM12710	27.5	26.00	39.50	42.00	1.3	1.3	0.12
	50.005	17.526	18.288	13.970	1.3	1.3	SKET	M12649 / M12610	29.0	25.50	44.00	46.00	1.3	1.3	0.16
21.500	47.000	15.250	14.000	10.450	1.0	1.0	SKET	E10030204A / EC12771	29.0	25.50	42.00	44.00	1.0	1.0	0.12
21.986	41.000	14.480	14.684	11.400	0.8	0.8	SKET	C508	28.5	27.00	36.00	38.50	0.8	0.8	0.09
21.987	45.237	15.494	16.637	12.065	1.3	1.3	SKET	LM12749 / LM12710	27.5	26.00	40.00	42.00	1.3	1.3	0.12
	45.974	15.494	16.637	12.065	1.3	1.3	SKET	LM12749 / LM12711	27.5	26.00	40.00	42.50	1.3	1.3	0.12
22.000	41.000	14.400	14.400	11.400	1.0	1.0	SKET	JL22349 / JL22310	28.0	24.00	37.00	38.50	1.0	1.0	0.08
	44.000	15.000	15.000	11.500	0.6	0.6	SKET	320 / 22X	31.0	26.00	38.00	42.00	0.6	0.6	0.10

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
22.0001	44.000	15.000	15.000	11.500	1.0	1.0	SKET	320 / 22XF	31.0	26.00	38.00	42.00	1.0	1.0	0.10
	45.000	6.500	16.600	12.000	1.5	1.5	SKET	XC06536CD / JXC06536DC	27.5	26.00	40.00	42.00	1.5	1.5	0.11
	47.000	11.800	12.000	11.500	1.0	1.0	SKET	R22-1X / R20-11X	30.0	26.00	42.00	44.00	1.0	1.0	0.10
	50.000	15.250	14.000	12.000	1.0	1.0	SKET	302 / 22	32.0	28.00	43.00	47.00	1.0	1.0	0.13
	50.000	15.250	14.000	12.000	1.0	1.0	SKET	302 / 22C	32.0	28.00	43.00	47.00	1.0	1.0	0.13
	50.000	19.250	18.000	15.000	1.0	1.0	SKET	322 / 22	32.0	27.00	42.00	47.00	1.0	1.0	0.18
	50.000	19.250	18.000	15.000	1.0	1.0	SKET	322 / 22C	32.0	27.00	42.00	47.00	1.0	1.0	0.18
	56.000	17.250	16.000	14.000	1.5	1.5	SKET	303 / 22	34.0	29.00	45.00	53.00	1.5	1.5	0.20
	56.000	17.250	16.000	13.000	1.5	1.5	SKET	303 / 22C	34.0	29.00	45.00	53.00	1.5	1.5	0.20
	56.000	22.250	21.000	17.000	1.5	1.5	SKET	323 / 22C	36.0	29.00	45.00	54.00	1.5	1.5	0.26
22.225	42.070	11.176	11.176	8.636	1.3	1.3	SKET	LL52549 / LL52510	27.5	26.00	36.50	39.50	1.3	1.3	0.07
	50.005	13.495	14.260	9.525	1.3	1.0	SKET	07087 / 07196	28.0	27.00	44.50	47.00	1.3	1.0	0.12
	50.005	13.495	14.260	9.525	1.5	1.0	SKET	07087X / 07196	28.0	27.00	44.50	47.00	1.5	1.0	0.13
	50.005	17.526	18.288	13.970	1.3	1.3	SKET	M12648 / M12610	28.5	26.50	44.00	46.00	1.3	1.3	0.17
	50.800	14.100	20.168	12.450	2.0	1.8	SKET	NP880810 / NP419272	27.0	26.00	44.00	46.00	2.0	1.8	0.16
	50.800	15.011	14.260	12.700	1.3	1.5	SKET	07087 / 07210X	27.5	26.00	40.00	42.50	1.3	1.5	0.15
	50.800	15.011	14.260	12.700	1.5	1.5	SKET	07087X / 07210X	27.5	26.00	40.00	42.50	1.5	1.5	0.15
	51.994	15.011	14.260	12.700	1.3	1.3	SKET	07087 / 07204	28.0	27.00	45.00	48.00	1.3	1.3	0.16
	52.388	19.368	20.168	14.288	1.5	1.5	SKET	1380 / 1328	30.0	27.00	45.00	48.50	1.5	1.5	0.20
	53.975	19.368	20.168	14.288	1.5	1.5	SKET	1380 / 1329	30.0	27.00	46.00	49.00	1.5	1.5	0.22
	56.896	19.368	19.837	15.875	1.3	1.3	SKET	1755 / 1729	29.0	27.50	49.00	51.00	1.3	1.3	0.25
	57.150	22.225	22.225	17.462	0.8	1.5	SKET	1280 / 1220	29.5	29.00	49.00	52.00	0.8	1.5	0.28
	58.738	19.050	19.355	15.080	0.8	1.3	SKET	1975 / 1932	29.0	28.00	52.00	54.00	0.8	1.3	0.26
	66.421	23.812	25.433	19.050	1.5	1.3	SKET	2684 / 2631	29.0	31.50	58.00	60.00	1.5	1.3	0.46
22.500	41.000	12.300	11.200	8.600	0.6	0.6	SKET	22.5H-41H	28.0	24.00	37.00	38.50	0.6	0.6	0.06
22.606	47.000	15.500	15.500	12.000	1.5	1.0	SKET	LM72849 / LM72810	30.0	28.00	40.50	44.00	1.5	1.0	0.12
23.000	51.994	15.011	14.260	12.700	3.0	1.3	SKET	639175 / 639172	32.0	28.00	45.00	48.00	3.0	1.3	0.15
	52.000	15.000	14.260	12.700	3.2	2.0	SKET	CBK-258	32.0	28.00	45.00	48.00	3.2	2.0	0.15
	52.000	15.011	14.260	12.700	3.0	1.5	SKET	C183 (CBK258)	32.0	28.00	45.00	48.00	3.0	1.5	0.15
	58.000	18.250	16.500	15.000	0.8	0.8	SKET	ST2358	32.0	28.00	51.00	54.00	0.8	0.8	0.24

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
23.000	58.000	18.400	15.300	14.000	1.3	1.3	SKET	NP481266 / NP821971	32.0	28.00	51.00	54.00	1.3	1.3	0.23
23.812	49.154	18.262	11.908	15.088	0.8	0.4	SKET	4T-7	25.5	23.50	38.00	41.00	0.8	0.4	0.15
	49.154	25.382	11.908	22.225	0.8	0.8	SKET	4T-7A	25.5	23.50	38.00	41.00	0.8	0.8	0.20
	50.005	13.495	14.260	9.525	1.5	1.0	SKET	07093 / 07196	30.5	28.50	44.50	47.00	1.5	1.0	0.12
	50.292	14.224	14.732	10.668	1.5	1.3	SKET	L44640 / L44610	30.5	28.50	44.50	47.00	1.5	1.3	0.14
	56.896	19.367	19.837	15.875	0.8	1.3	SKET	1779 / 1729	29.5	28.50	49.00	51.00	0.8	1.3	0.24
	56.896	19.368	19.837	15.850	0.8	1.5	SKET	1779 / 1729X	29.5	28.50	49.00	51.00	0.8	1.5	0.21
	61.912	28.575	30.416	23.812	2.3	3.3	SKET	3659 / 3620	35.5	31.50	52.00	58.00	2.3	3.3	0.43
	63.500	21.691	21.463	14.681	1.5	2.3	SKET	23092 / 23250X	38.5	34.50	53.00	63.00	1.5	2.3	0.37
	65.088	22.225	21.463	15.875	1.5	1.5	SKET	23092 / 23256	38.5	34.50	53.00	63.00	1.5	1.5	0.37
69.723	19.050	18.923	19.050	2.3	1.5	SKET	26093 / 26274	33.0	29.00	61.00	64.00	2.3	1.5	0.40	
24.000	41.000	12.300	11.200	8.600	0.6	0.6	SKET	24H-41H	28.0	26.00	36.00	38.00	0.6	0.6	0.06
	55.000	25.000	25.000	21.000	2.0	2.0	SKET	JHM33449 / JLM33410	35.0	30.00	47.00	52.00	2.0	2.0	0.29
24.981	50.005	13.495	14.260	9.525	1.5	1.0	SKET	07098 / 07196	31.0	29.00	44.50	47.00	1.5	1.0	0.11
	51.994	15.011	14.260	12.700	1.5	1.3	SKET	07098 / 07204	31.0	29.00	45.00	48.00	1.5	1.3	0.15
	52.001	15.011	14.260	12.700	1.5	2.0	SKET	07098 / 07205	31.0	29.00	44.50	48.00	1.5	2.0	0.15
	62.000	16.002	16.566	14.288	1.5	1.5	SKET	17098 / 17244	33.0	30.50	54.00	57.00	1.5	1.5	0.25
25.000	43.000	11.100	11.200	8.300	0.6	0.6	SKET	25M1-43Y1	32.0	29.00	38.00	40.00	0.6	0.6	0.06
	45.000	14.500	14.200	8.900	0.6	0.6	SKET	25A-45A	32.0	29.00	40.00	42.00	0.6	0.6	0.08
	46.035	11.500	11.200	8.900	0.6	0.6	SKET	25M1-46M	32.0	29.00	39.00	42.00	0.6	0.6	0.06
	47.000	15.000	15.000	11.500	0.6	0.6	SKET	32005X	30.0	29.50	40.00	44.00	0.6	0.6	0.12
	47.000	15.000	15.000	11.500	特殊	0.6	SKET	32005XR	30.0	29.50	40.00	44.00	特殊	0.6	0.11
	47.000	15.000	15.000	11.500	特殊	1.0	SKET	32005XRZ	30.0	29.50	40.00	44.00	特殊	1.0	0.11
	47.000	15.000	15.000	11.500	3.3	1.0	SKET	XAA32005X / YAA32005X	30.0	29.50	40.00	44.00	3.3	1.0	0.11
	47.000	17.000	17.000	14.000	0.6	0.6	SKET	33005	29.5	30.00	41.00	44.00	0.6	0.6	0.13
	48.000	13.000	12.500	9.200	1.0	0.6	SKET	25YM-48Y	32.0	29.00	42.00	45.00	1.0	0.6	0.10
	48.000	15.200	14.300	10.900	1.0	0.6	SKET	25Y-48YS	32.0	29.00	42.00	45.00	1.0	0.6	0.11
	48.000	15.800	15.100	10.900	1.0	0.6	SKET	25S-48YS	32.0	29.00	42.00	45.00	1.0	0.6	0.12
	50.005	13.495	14.260	9.525	1.5	1.0	SKET	07097 / 07196	31.0	29.00	44.50	47.00	1.5	1.0	0.12
	51.994	15.011	14.260	12.700	1.5	1.3	SKET	07097 / 07204	31.0	29.00	45.00	48.00	1.5	1.3	0.15

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
25.000	52.000	16.250	15.000	13.000	1.0	1.0	SKET	30205	30.5	29.00	44.00	48.00	1.0	1.0	0.16
	52.000	19.250	18.000	16.000	1.0	1.0	SKET	32205	31.0	31.00	43.00	48.00	1.0	1.0	0.19
	52.000	19.250	18.000	15.000	1.0	1.0	SKET	32205B	31.0	31.00	43.00	48.00	1.0	1.0	0.19
	52.000	21.000	19.750	13.000	5.6	1.5	SKET	R25-90X41Z	32.0	29.00	45.00	49.00	5.6	1.5	0.17
	52.000	22.000	22.000	18.000	1.0	1.0	SKET	33205	30.5	30.00	43.00	49.00	1.0	1.0	0.22
	52.000	23.750	22.500	13.000	5.6	1.0	SKET	527605E	30.0	28.50	45.00	49.00	5.6	1.0	0.20
	62.000	18.250	17.000	15.000	1.5	1.5	SKET	30305	33.0	34.00	54.00	57.00	1.5	1.5	0.26
	62.000	18.250	17.000	13.000	1.5	1.5	SKET	31305	33.0	34.00	47.00	58.00	1.5	1.5	0.26
	62.000	18.250	17.000	13.000	1.5	1.5	SKET	30305D	34.0	33.00	47.00	58.00	1.5	1.5	0.26
	62.000	18.250	17.000	14.000	1.0	1.0	SKET	TR0506R	32.5	30.00	55.00	57.00	1.0	1.0	0.26
62.000	25.250	24.000	20.000	1.5	1.5	SKET	32305	35.0	31.50	52.00	57.00	1.5	1.5	0.36	
25.159	50.005	13.495	14.260	9.525	1.5	1.0	SKET	07096 / 07196	31.5	29.50	44.50	47.00	1.5	1.0	0.11
25.400	50.005	13.495	14.260	9.525	1.0	1.0	SKET	07100 / 07196	30.5	29.50	44.50	47.00	1.0	1.0	0.11
	50.005	13.495	14.260	9.525	1.5	1.0	SKET	07100S / 07196	31.0	29.50	44.50	47.00	1.5	1.0	0.12
	50.292	14.224	14.732	10.668	3.5	1.3	SKET	L44642 / L44610	36.0	29.50	44.50	47.00	3.5	1.3	0.11
	50.292	14.224	14.732	10.668	1.3	1.3	SKET	L44643 / L44610	32.0	30.00	44.50	47.00	1.3	1.3	0.12
	50.292	14.224	14.732	10.668	1.3	1.3	SKET	L44643RS / L44610	32.0	30.00	44.50	47.00	1.3	1.3	0.12
	50.800	15.011	14.260	12.700	1.5	1.0	SKET	07100S / 07196	31.0	29.50	45.00	48.00	1.5	1.0	0.12
	50.800	15.011	14.260	12.700	1.5	1.5	SKET	07100S / 07210X	31.0	29.50	45.00	48.00	1.5	1.5	0.13
	51.994	15.011	14.260	12.700	1.0	1.3	SKET	07100 / 07204	30.5	29.50	45.00	48.00	1.0	1.3	0.14
	56.896	19.368	19.837	15.875	0.8	1.3	SKET	1780 / 1729	31.0	30.00	49.00	51.00	0.8	1.3	0.23
	57.150	17.462	17.462	13.495	1.3	1.5	SKET	15578 / 15520	32.5	30.50	51.00	54.00	1.3	1.5	0.22
	57.150	19.431	19.431	14.732	1.5	1.5	SKET	M84548 / M84510	36.0	33.00	48.50	54.00	1.5	1.5	0.23
	57.150	19.845	19.355	15.875	1.3	1.5	SKET	1986 / 1922	32.5	30.50	51.00	53.50	1.3	1.5	0.24
	58.738	19.050	19.355	15.080	1.3	1.3	SKET	1986 / 1932	32.5	30.50	52.00	54.00	1.3	1.3	0.24
	59.530	23.368	23.114	18.288	0.8	1.5	SKET	M84249 / M84210	36.0	32.50	49.50	56.00	0.8	1.5	0.32
	60.325	19.842	17.462	15.875	1.3	1.5	SKET	15578 / 15523	32.5	30.50	51.00	54.00	1.3	1.5	0.27
	60.325	19.845	19.355	15.875	1.3	1.3	SKET	1986 / 1931	32.5	30.50	52.00	55.00	1.3	1.3	0.24
	61.912	19.050	20.638	14.288	3.5	2.0	SKET	15100 / 15243	38.0	31.50	55.00	58.00	3.5	2.0	0.29
61.912	19.050	20.638	14.288	0.8	2.0	SKET	15101 / 15243	32.5	31.50	54.00	58.00	0.8	2.0	0.29	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
	62.000	19.050	20.638	14.288	3.5	1.3	SKET	15100 / 15245	38.0	31.50	55.00	58.00	3.5	1.3	0.29
	62.000	19.050	20.638	14.288	0.8	1.3	SKET	15101 / 15245	32.5	31.50	55.00	58.00	0.8	1.3	0.29
25.400	62.000	19.050	20.638	14.288	1.5	1.3	SKET	15102 / 15245	34.0	31.50	58.00	55.00	1.5	1.3	0.29
	62.000	19.431	19.431	14.732	1.5	1.5	SKET	NP16243 / NP570491	38.0	31.50	55.00	58.00	1.5	1.5	0.291
	62.000	20.638	20.638	15.875	0.8	1.3	SKET	15101 / 15244	32.5	31.50	55.00	58.00	0.8	1.3	0.30
	63.500	20.638	20.638	15.875	3.5	1.3	SKET	15100 / 15250	38.0	31.50	55.00	58.00	3.5	1.3	0.32
	63.500	20.638	20.638	15.875	3.5	1.5	SKET	15100 / 15250X	38.0	31.50	55.00	58.00	3.5	1.5	0.32
	63.500	20.638	20.638	15.875	0.8	1.3	SKET	15101 / 15250	32.5	31.50	56.00	59.00	0.8	1.3	0.32
	63.500	20.638	20.638	15.875	0.8	1.5	SKET	15101 / 15250X	32.5	31.50	56.00	59.00	0.8	1.5	0.32
	64.292	21.433	21.433	16.670	1.5	1.5	SKET	M86643 / M86610	38.0	36.50	54.00	61.00	1.5	1.5	0.36
	65.088	22.225	21.463	15.875	1.5	1.5	SKET	23100 / 23256	39.0	34.50	53.00	63.00	1.5	1.5	0.36
	66.421	23.812	25.433	19.050	1.3	1.3	SKET	2687 / 2631	33.5	31.50	58.00	60.00	1.3	1.3	0.44
	68.262	22.225	22.225	17.462	0.8	1.5	SKET	02473 / 02420	34.5	33.50	59.00	63.00	0.8	1.5	0.43
	68.262	22.225	22.225	17.462	0.8	2.3	SKET	M88036 / M88011	37.0	36.50	57.00	65.00	0.8	2.3	0.43
	72.233	25.400	25.400	19.842	0.8	2.3	SKET	HM88630 / HM88610	39.5	39.50	60.00	69.00	0.8	2.3	0.59
	72.626	24.608	24.257	17.462	2.3	1.5	SKET	41100 / 41286	41.0	36.50	61.00	68.00	2.3	1.5	0.50
72.626	30.162	29.997	23.812	0.8	3.3	SKET	3189 / 3120	35.5	35.00	61.00	67.00	0.8	3.3	0.64	
25.987	57.150	17.463	17.462	13.495	3.5	1.5	SKET	15579X / 15520	33.0	31.00	51.00	54.00	3.5	1.5	0.212
26.000	47.000	15.000	15.000	11.500	0.6	0.6	SKET	320 / 26X	33.0	30.00	41.50	44.50	0.6	0.6	0.12
	48.500	15.000	14.300	10.900	1.0	0.6	SKET	26-485H	33.0	30.00	42.50	45.50	1.0	0.6	0.110
	52.000	15.000	14.260	12.700	3.2	2.0	SKET	CBK-171	35.0	30.00	36.00	48.00	3.2	2.0	0.14
	52.000	15.011	14.260	12.700	2.9	1.5	SKET	C107 (CBK1711)	34.0	30.00	36.00	48.00	2.9	1.5	0.14
	57.150	17.462	17.462	13.495	3.6	1.6	SKET	639154 / Q	33.0	31.00	51.00	54.00	3.6	1.6	0.21
	57.150	17.462	17.462	13.495	3.6	2.0	SKET	639154X	33.0	31.00	51.00	54.00	3.6	2.0	0.21
	57.150	17.462	17.462	13.495	4.5	1.5	SKET	C121	38.0	30.00	50.00	53.00	4.5	1.5	0.212
	57.150	17.462	17.550	13.900	1.5	1.0	SKET	SK6-7805	33.0	30.00	45.00	49.00	1.5	1.0	0.16
	57.150	17.462	17.462	13.900	3.6	1.0	SKET	6-7805Y	33.0	30.00	45.00	49.00	3.6	1.0	0.21
57.150	21.100	20.000	15.000	1.0	1.0	SKET	7805	32.0	29.00	45.00	49.00	1.0	1.0	0.19	
26.157	61.913	19.050	20.638	14.288	0.8	2.0	SKET	15103 / 15243	33.0	32.50	58.00	55.00	0.8	2.0	0.29
	62.000	19.050	20.638	14.288	0.8	1.3	SKET	15103 / 15245	33.0	32.50	58.00	55.00	0.8	1.3	0.29

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
26.157	62.000	19.050	19.939	14.288	0.8	1.3	SKET	15103S / 15245	33.0	32.50	58.00	55.00	0.8	1.3	0.22
26.162	63.100	23.812	25.433	19.050	1.5	0.8	SKET	2682 / 2630	34.5	32.00	57.00	59.00	1.5	0.8	0.38
	66.421	23.812	25.433	19.050	1.5	1.3	SKET	2682 / 2631	34.5	32.00	58.00	60.00	1.5	1.3	0.43
26.975	58.738	19.050	19.355	15.080	0.8	1.3	SKET	1987 / 1932	32.5	30.50	52.00	54.00	0.8	1.3	0.24
26.988	50.292	14.224	14.732	10.668	3.5	1.3	SKET	L44649 / L44610	37.5	31.00	44.50	47.00	3.5	1.3	0.11
	50.292	14.224	19.431	14.732	1.5	1.5	SKET	M84549 / M84510	37.0	34.00	48.50	54.00	1.5	1.5	0.12
	57.150	17.463	17.462	13.495	3.5	1.5	SKET	15580 / 15520	38.5	32.00	49.00	52.00	3.5	1.5	0.21
	60.325	19.842	17.462	15.875	3.5	1.5	SKET	15580 / 15523	38.5	32.00	51.00	54.00	3.5	1.5	0.25
	60.325	19.842	19.355	15.875	3.5	1.5	SKET	1997X / 1922	37.5	31.50	51.00	53.50	3.5	1.5	0.23
	62.000	19.050	20.638	14.288	0.8	1.3	SKET	15106 / 15245	33.5	33.00	55.00	58.00	0.8	1.3	0.28
	63.500	20.638	20.638	15.875	0.8	1.2	SKET	15106 / 15250	33.5	33.00	56.00	59.00	0.8	1.2	0.32
	63.500	20.638	20.638	15.875	0.8	1.6	SKET	15106 / 15250X	33.5	33.00	56.00	59.00	0.8	1.6	0.32
27.000	48.000	14.000	14.000	9.500	1.0	0.6	SKET	27S-48KS	34.0	31.00	42.00	44.00	1.0	0.6	0.090
	48.500	15.000	14.300	10.900	1.0	0.6	SKET	27-485H	34.0	31.00	42.00	44.00	1.0	0.6	0.090
	49.000	15.000	15.000	11.500	3.3	1.0	SKET	ST2749	36.0	31.00	44.50	48.00	3.3	1.0	0.118
28.000	50.292	14.000	16.670	10.668	3.5	2.7	SKET	28KW01AG501G	39.0	32.50	44.50	48.00	3.5	2.7	0.110
	50.292	14.000	18.800	10.668	3.5	0.5	SKET	28KW04G / 01G	39.0	32.50	44.50	48.00	3.5	0.5	0.120
	50.292	14.220	16.720	10.668	特殊	2.0	SKET	ST2850 / L45410YA1	39.0	32.50	44.50	48.00	特殊	2.0	0.120
	50.292	14.224	18.650	10.668	3.50	2.0	SKET	TF28KW04g / 01g	39.0	32.50	44.50	48.00	3.50	2.0	0.127
	52.000	15.800	18.500	12.000	3.5	2.0	SKET	28KW02G	39.0	32.50	55.50	49.00	3.5	2.0	0.150
	52.000	16.000	16.000	12.000	1.0	1.0	SKET	320 / 28X	38.0	32.00	45.00	50.00	1.0	1.0	0.150
	52.000	16.000	16.000	12.000	1.5	1.5	SKET	320 / 28XF	38.0	32.00	45.00	50.00	1.5	1.5	0.140
	52.000	16.000	18.500	12.000	3.5	1.5	SKET	TR285216g	38.0	32.00	45.00	50.00	3.5	1.5	0.140
	57.150	17.462	17.462	13.495	3.6	1.6	SKET	639297 / 639154	39.0	33.00	51.00	53.00	3.6	1.6	0.201
	57.150	17.462	17.462	13.495	3.5	1.5	SKET	J15585 / 15520	39.0	33.00	51.00	53.00	3.5	1.5	0.210
	58.000	17.250	16.000	12.000	1.5	1.5	SKET	302 / 28	39.0	34.00	50.50	55.50	1.5	1.5	0.197
	58.000	17.250	16.000	12.000	1.0	1.0	SKET	302 / 28C	38.0	33.00	50.00	55.00	1.0	1.0	0.20
	58.000	20.250	19.000	16.000	1.0	1.0	SKET	322 / 28	38.0	33.00	50.00	56.00	1.0	1.0	0.24
58.000	20.250	19.000	16.000	1.0	1.0	SKET	322 / 28C	38.0	33.00	50.00	56.00	1.0	1.0	0.24	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
28.000	68.000	19.750	18.000	15.000	1.5	1.5	SKET	303 / 28	40.0	37.00	58.00	64.00	1.5	1.5	0.33
	68.000	19.750	18.000	14.000	1.5	1.5	SKET	303 / 28C	40.0	37.00	58.00	64.00	1.5	1.5	0.33
	68.000	19.750	18.000	16.000	1.5	1.5	SKET	303 / 28F	40.0	37.00	58.00	64.50	1.5	1.5	0.34
	68.000	25.750	24.000	19.000	1.5	1.5	SKET	323 / 28C	42.0	34.00	56.00	65.00	1.5	1.5	0.44
28.005	46.035	11.500	10.600	8.500	0.6	0.6	SKET	28M-46Y	35.0	32.50	42.00	44.00	0.6	0.6	0.08
28.575	56.896	19.845	19.355	15.875	0.8	0.8	SKET	1985 / 1930	34.0	33.50	51.00	54.00	0.8	0.8	0.21
	57.150	17.462	17.462	13.495	3.5	1.5	SKET	15590 / 15520	39.5	33.50	51.00	53.00	3.5	1.5	0.19
	57.150	19.845	19.355	15.875	0.8	1.5	SKET	1985 / 1922	34.0	33.50	51.00	53.50	0.8	1.5	0.22
	57.150	19.845	19.355	15.875	3.5	1.5	SKET	1988 / 1922	39.5	33.50	51.00	53.50	3.5	1.5	0.17
	58.738	19.050	19.355	15.080	0.8	1.3	SKET	1985 / 1932	34.0	33.50	52.00	54.00	0.8	1.3	0.22
	58.738	19.050	19.355	15.080	3.5	1.3	SKET	1988 / 1932	39.5	33.50	52.00	54.00	3.5	1.3	0.22
	59.131	15.875	16.764	11.811	特殊	1.3	SKET	LM67043 / LM67010	40.0	33.50	52.00	56.00	特殊	1.3	0.21
	60.325	19.842	17.462	15.875	3.5	1.5	SKET	15590 / 15523	39.5	33.50	51.00	54.00	3.5	1.5	0.25
	60.325	19.845	19.355	15.875	0.8	1.3	SKET	1985 / 1931	34.0	33.50	52.00	55.00	0.8	1.3	0.25
	62.000	19.050	20.638	14.288	3.5	1.3	SKET	15112 / 15245	40.0	34.00	55.00	58.00	3.5	1.3	0.27
	62.000	19.050	20.638	14.288	0.8	1.3	SKET	15113 / 15245	34.5	34.00	55.00	58.00	0.8	1.3	0.27
	63.500	20.638	20.638	15.875	3.5	1.2	SKET	15112 / 15250	40.0	34.00	56.00	59.00	3.5	1.2	0.31
	63.500	20.638	20.638	15.875	3.5	1.5	SKET	15112 / 15250X	40.0	34.00	56.00	59.00	3.5	1.5	0.30
	64.292	21.433	21.433	16.670	1.5	1.5	SKET	M86647 / M86610	40.0	38.00	54.00	61.00	1.5	1.5	0.34
	66.421	19.052	18.974	15.875	1.5	1.5	SKET	24112 / 24261	36.0	35.00	60.00	63.00	1.5	1.5	0.35
	66.421	23.812	25.433	19.050	1.3	1.3	SKET	2689 / 2631	36.0	34.00	58.00	60.00	1.3	1.3	0.41
	68.262	22.225	22.225	17.462	0.8	1.5	SKET	02474 / 02420	36.0	35.00	60.00	63.00	0.8	1.5	0.40
	68.262	22.225	23.812	17.462	0.8	1.5	SKET	2474 / 2420	36.0	35.00	60.00	63.00	0.8	1.5	0.41
	69.850	23.812	25.357	19.050	2.3	1.3	SKET	2578 / 2523	39.0	35.00	61.00	64.00	2.3	1.3	0.47
	72.000	19.000	18.923	15.875	1.5	1.5	SKET	26112 / 26283	37.0	35.00	62.00	65.00	1.5	1.5	0.38
72.000	19.000	18.923	15.875	1.5	2.0	SKET	26112 / 26283S	37.0	35.00	62.00	65.00	1.5	2.0	0.38	
72.626	24.608	24.257	17.462	4.8	1.5	SKET	41125 / 41286	48.0	36.50	61.00	68.00	4.8	1.5	0.46	
72.626	24.608	24.257	17.462	1.5	1.5	SKET	41126 / 41286	41.5	36.50	61.00	68.00	1.5	1.5	0.46	
72.626	30.162	29.997	23.812	3.5	3.3	SKET	3192 / 3120	43.5	37.00	61.00	67.00	3.5	3.3	0.61	
72.626	30.162	29.997	23.812	1.3	3.3	SKET	3198 / 3120	37.0	39.00	67.00	61.00	1.3	3.3	0.61	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
28.575	72.626	30.162	29.997	23.812	1.3	0.8	SKET	3198 / 3130	37.0	39.00	67.00	63.00	1.3	0.8	0.62
	73.025	22.225	22.225	17.462	0.8	3.3	SKET	02872 / 02820	37.5	37.00	62.00	68.00	0.8	3.3	0.50
	79.375	25.400	24.074	17.462	0.8	1.5	SKET	43112 / 43312	42.5	41.50	67.00	74.00	0.8	1.5	0.60
29.000	50.292	14.224	17.520	10.668	3.5	1.3	SKET	329013A / Q	39.0	33.00	44.50	48.00	3.5	1.3	0.11
	50.292	14.224	14.732	10.668	3.5	1.3	SKET	L45449 / L45410	39.5	33.00	44.50	48.00	3.5	1.3	0.11
	50.292	14.224	17.500	10.668	2.3	1.3	SKET	C426	39.5	33.00	44.50	48.00	2.3	1.3	0.11
29.367	66.421	23.812	25.433	19.050	3.5	1.3	SKET	2690 / 2631	41.0	35.00	58.00	60.00	3.5	1.3	0.40
29.987	62.000	16.002	16.566	14.288	1.5	1.5	SKET	17118 / 17244	37.0	34.50	54.00	57.00	1.5	1.5	0.22
	62.000	19.050	20.638	14.288	1.3	1.3	SKET	15117 / 15245	36.6	35.00	55.00	58.00	1.3	1.3	0.26
30.000	48.000	12.000	12.200	8.500	1.0	0.6	SKET	30YM1 / 48Y1	38.0	34.00	44.00	45.00	1.0	0.6	0.08
	48.000	13.000	12.500	9.200	1.0	0.6	SKET	30YM / 48Y	38.0	34.00	44.00	45.00	1.0	0.6	0.08
	48.000	14.000	14.800	9.500	1.0	0.6	SKET	30K-48KS	38.0	34.00	44.00	45.00	1.0	0.6	0.08
	48.000	15.000	15.000	9.500	1.0	0.6	SKET	30Y-48KS	38.0	34.00	44.00	45.00	1.0	0.6	0.10
	50.000	14.200	14.800	10.700	1.0	1.0	SKET	30-50H	38.0	34.00	45.00	47.00	1.0	1.0	0.10
	51.000	15.000	15.000	11.500	1.0	1.0	SKET	CR / 0627	38.0	34.00	46.50	48.00	1.0	1.0	0.12
	52.000	16.000	16.000	11.500	1.0	1.0	SKET	CR / 0643	38.0	34.00	46.50	49.00	1.0	1.0	0.13
	52.000	17.000	17.000	11.300	1.0	1.0	SKET	30KW-52K	38.0	34.00	47.00	49.00	1.0	1.0	0.13
	55.000	17.000	17.000	13.000	1.0	1.0	SKET	32006X	36.0	35.00	48.00	52.00	1.0	1.0	0.17
	55.000	20.000	20.000	16.000	1.0	1.0	SKET	33006	35.0	36.00	48.00	52.00	1.0	1.0	0.20
	58.000	20.000	20.000	15.500	1.5	1.3	SKET	RV-320E	37.0	35.00	50.00	54.00	1.5	1.3	0.24
	62.000	17.250	16.000	14.000	1.0	1.0	SKET	30206	37.0	35.00	53.00	56.50	1.0	1.0	0.24
	62.000	17.250	16.000	12.000	1.0	1.0	SKET	30206C	37.0	35.00	53.00	56.50	1.0	1.0	0.24
	62.000	17.250	16.000	14.000	特殊	1.0	SKET	515979 / 30206A	38.0	37.00	53.00	57.00	特殊	1.0	0.23
	62.000	18.000	18.000	14.000	1.5	1.5	SKET	32007X30 / 32007X	40.5	40.00	54.00	59.00	1.5	1.5	0.25
	62.000	21.250	20.000	17.000	1.0	1.0	SKET	32206	37.0	35.50	52.00	58.00	1.0	1.0	0.28
	62.000	25.000	25.000	19.500	1.0	1.0	SKET	33206	35.0	36.00	53.00	57.50	1.0	1.0	0.35
	63.500	20.638	20.638	15.875	1.3	1.3	SKET	15117 / 15250	36.5	35.00	56.00	59.00	1.3	1.3	0.30
	65.000	21.650	22.000	17.000	1.5	0.3	SKET	ST3065	39.0	35.00	58.00	61.00	1.5	0.3	0.34
	69.012	19.620	19.583	15.875	1.5	1.3	SKET	14117 / 14274	43.0	40.00	60.00	63.00	1.5	1.3	0.36
69.012	19.845	19.583	15.875	3.5	1.3	SKET	14117A / 14276	43.0	40.00	60.00	63.00	3.5	1.3	0.36	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
30.000	69.012	19.845	19.202	15.875	0.8	3.3	SKET	14118 / 14274	37.0	36.50	60.00	63.00	0.8	3.3	0.35
	72.000	19.000	18.923	15.875	1.5	1.5	SKET	26118 / 26283	38.0	36.00	62.00	65.00	1.5	1.5	0.39
	72.000	20.500	23.000	16.500	1.5	1.5	SKET	TRA0607	38.0	34.00	63.00	69.00	1.5	1.5	0.38
	72.000	20.650	19.000	16.000	0.3	1.5	SKET	H30306C	38.0	35.50	64.00	66.00	0.3	1.5	0.39
	72.000	20.750	19.000	16.000	1.5	1.5	SKET	30306	38.0	35.50	64.00	66.00	1.5	1.5	0.40
	72.000	20.750	19.000	14.000	1.5	1.5	SKET	30306C	38.0	35.50	64.00	66.00	1.5	1.5	0.38
	72.000	20.750	19.000	14.000	1.5	1.5	SKET	31306	39.0	38.00	55.00	58.00	1.5	1.5	0.38
	72.000	20.750	19.000	14.000	1.5	1.5	SKET	30306D	39.0	38.00	55.00	58.00	1.5	1.5	0.38
	72.000	24.000	23.000	16.500	0.5	1.5	SKET	T5FC030	36.0	36.00	64.00	68.00	0.5	1.5	0.45
	72.000	24.000	19.000	16.000	2.2	2.2	SKET	TR0607J-1-N	38.0	34.00	63.00	69.00	2.2	2.2	0.38
	72.000	28.750	27.000	23.000	1.5	1.5	SKET	32306	39.5	37.00	62.00	66.00	1.5	1.5	0.57
	72.000	28.750	27.000	23.000	2.0	2.0	SKET	32306C	39.5	37.00	62.00	66.00	2.0	2.0	0.59
	72.000	28.750	27.000	23.000	1.5	1.5	SKET	32306-KL	39.5	37.00	62.00	66.00	1.5	1.5	0.57
	72.000	28.750	27.000	23.000	2.0	2.0	SKET	32306C	39.0	37.00	58.00	66.00	2.0	2.0	0.59
	72.000	29.370	27.783	23.020	1.3	3.3	SKET	JHM88540 / JHM88513	44.5	42.50	58.00	69.00	1.3	3.3	0.61
72.000	39.370	27.783	20.020	1.3	3.3	SKET	JLM88540Z / JLM88510Z	44.5	42.50	58.00	69.00	1.3	3.3	0.61	
72.085	22.385	19.202	18.415	0.8	2.4	SKET	14118 / 14283	37.0	36.50	60.00	65.00	0.8	2.4	0.43	
30.112	62.000	19.050	20.638	14.288	0.8	1.3	SKET	15116 / 15245	36.0	35.50	55.00	58.00	0.8	1.3	0.26
30.162	58.738	14.684	15.080	10.716	3.5	1.0	SKET	08118 / 08231	41.5	35.00	52.00	55.00	3.5	1.0	0.18
	62.000	16.002	16.566	14.288	1.5	1.5	SKET	17119 / 17244	37.0	34.50	54.00	57.00	1.5	1.5	0.23
	62.000	17.455	16.566	15.977	1.5	1.5	SKET	17119 / 17245AX	37.0	34.50	54.00	57.00	1.5	1.5	0.23
	62.000	33.797	34.925	14.288	0.8	1.5	SKET	17116D / 17244	37.0	34.50	54.00	57.00	0.8	1.5	0.29
	64.292	21.433	21.433	16.670	1.5	1.5	SKET	M86649 / M86610	41.0	38.20	54.00	61.00	1.5	1.5	0.33
	64.292	21.433	21.433	16.670	0.6	1.5	SKET	M86649A / M86610	40.0	38.20	54.00	61.00	0.6	1.5	0.34
	68.262	22.225	22.225	17.462	2.3	1.5	SKET	M88043 / M88010	43.5	39.50	58.00	65.00	2.3	1.5	0.41
	68.262	22.225	22.225	17.462	2.3	2.3	SKET	M88043 / M88011	43.5	39.50	57.00	65.00	2.3	2.3	0.37
	69.850	23.812	25.357	19.050	0.8	1.3	SKET	2559 / 2523	37.0	36.50	61.00	64.00	0.8	1.3	0.47
	72.626	30.162	29.997	23.812	0.8	3.3	SKET	3187 / 3120	39.0	38.50	61.00	67.00	0.8	3.3	0.60
	76.200	20.637	20.940	15.507	1.5	1.3	SKET	28118 / 28300	45.0	42.00	63.00	70.00	1.5	1.3	0.40
76.200	24.608	24.074	16.670	1.5	3.3	SKET	43118 / 43300	45.0	42.00	64.00	73.00	1.5	3.3	0.53	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
30.163	69.850	23.812	25.357	19.050	2.3	1.3	SKET	2558 / 2523	40.0	36.50	61.00	64.00	2.3	1.3	0.46
30.213	62.000	19.050	20.638	14.288	3.5	1.3	SKET	15118 / 15245	41.5	35.50	55.00	58.00	3.5	1.3	0.26
	62.000	19.050	20.638	14.288	1.5	1.3	SKET	15119 / 15245	37.5	35.50	55.00	58.00	1.5	1.3	0.26
	62.000	19.050	20.638	14.288	0.8	1.3	SKET	15120 / 15245	36.0	35.50	55.00	58.00	0.8	1.3	0.26
	63.500	20.638	20.638	15.875	3.6	1.2	SKET	15118 / 15250	41.5	35.50	56.00	59.00	3.6	1.2	0.29
	63.500	20.638	20.638	15.875	3.6	1.6	SKET	15118 / 15250X	41.5	35.50	55.00	59.00	3.6	1.6	0.29
30.226	69.012	19.050	19.583	14.288	0.8	3.3	SKET	14116 / 14272	38.0	36.50	60.00	63.00	0.8	3.3	0.35
	69.012	19.845	19.583	15.875	0.8	3.3	SKET	14116 / 14274	38.0	36.50	60.00	63.00	0.8	3.3	0.35
	69.012	19.845	19.583	15.875	0.8	1.3	SKET	14116 / 14276	38.0	36.50	60.00	63.00	0.8	1.3	0.36
	72.085	22.385	19.583	18.415	0.8	2.3	SKET	14116 / 14283	38.0	36.50	60.00	65.00	0.8	2.3	0.44
30.955	64.292	21.433	21.433	16.670	1.5	1.5	SKET	M86648A / M86610	42.0	38.00	54.00	61.00	1.5	1.5	0.32
31.750	53.975	15.300	15.000	12.000	1.5	1.0	SKET	31KW01	37.0	35.50	49.00	51.00	1.5	1.0	0.14
	54.010	15.011	15.000	12.000	3.3	1.3	SKET	0687 / 0671	40.0	38.00	47.00	50.00	3.3	1.3	0.14
	58.738	14.684	15.080	10.716	1.0	1.0	SKET	08125 / 08231	36.0	37.50	55.00	52.00	1.0	1.0	0.16
	58.877	6.833	16.764	11.811	特殊	1.3	SKET	LM67048Z / LM67010BA	42.5	36.00	52.00	56.00	特殊	1.3	0.17
	59.131	15.875	18.570	11.811	特殊	0.3	SKET	LM67045 / LM67010	42.5	36.00	52.00	56.00	特殊	0.3	0.19
	59.131	15.875	16.764	11.811	特殊	1.3	SKET	LM67048 / LM67010	42.5	36.00	52.00	56.00	特殊	1.3	0.17
	59.131	15.875	16.764	11.811	特殊	1.3	SKET	LM67048RS / LM67010	42.5	36.00	52.00	56.00	特殊	1.3	0.17
	59.131	15.875	16.76	11.811	0.8	1.3	SKET	LM67049A / LM67010	40.0	36.00	52.00	56.00	0.8	1.3	0.18
	59.131	15.875	16.764	11.811	0.3	0.5	SKET	LM67049AX / LM67010X	40.0	36.00	52.00	56.00	0.3	0.5	0.18
	61.912	18.161	19.050	14.288	特殊	2.0	SKET	15123 / 15243	42.5	36.50	55.00	58.00	特殊	2.0	0.24
	61.986	15.875	16.764	11.811	特殊	1.3	SKET	LM67048 / LM67014	42.5	36.00	52.00	56.00	特殊	1.3	0.20
	61.986	15.875	16.764	11.811	0.8	1.3	SKET	LM67049A / LM67014	40.0	36.00	52.00	56.00	0.8	1.3	0.20
	62.000	18.161	19.050	14.288	特殊	1.3	SKET	15123 / 15245	42.5	36.50	55.00	58.00	特殊	1.3	0.23
	62.000	19.050	20.638	14.288	3.5	1.3	SKET	15125 / 15245	42.5	36.50	55.00	58.00	3.5	1.3	0.24
	62.000	19.050	20.638	14.288	0.8	1.3	SKET	15126 / 15245	37.0	36.50	55.00	58.00	0.8	1.3	0.25
	62.000	19.749	19.050	15.875	特殊	1.3	SKET	15123 / 15244	42.5	36.50	55.00	58.00	特殊	1.3	0.25
	63.500	19.749	19.050	15.875	特殊	1.5	SKET	15123 / 15250X	42.5	36.50	55.00	58.00	特殊	1.5	0.27
	63.500	20.638	20.638	15.875	0.8	1.3	SKET	15126 / 15250	37.0	36.50	56.00	59.00	0.8	1.3	0.29
63.500	20.638	20.638	15.875	0.8	1.5	SKET	15126 / 15250X	37.0	36.50	56.00	59.00	0.8	1.5	0.28	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
31.750	66.421	25.400	25.357	20.638	0.8	3.3	SKET	2580 / 2520	38.5	37.50	57.00	62.00	0.8	3.3	0.39
	68.262	22.225	22.225	17.462	3.5	1.5	SKET	02475 / 02420	44.4	38.50	60.00	63.00	3.5	1.5	0.37
	68.262	22.225	22.225	17.462	0.8	1.5	SKET	02476 / 02420	39.0	38.50	59.00	63.00	0.8	1.5	0.38
	68.262	22.225	22.225	17.462	1.5	0.8	SKET	16579 / 16522	37.0	36.00	58.00	65.00	1.5	0.8	0.35
	68.262	22.225	22.225	17.462	1.5	1.5	SKET	M88046 / M88010	43.0	40.50	58.00	65.00	1.5	1.5	0.40
	68.262	26.988	26.988	22.225	1.5	1.5	SKET	23491 / 23420	41.0	39.00	59.00	64.00	1.5	1.5	0.49
	69.012	19.845	19.583	15.875	0.8	1.3	SKET	14124 / 14274	41.5	37.50	60.00	63.00	0.8	1.3	0.34
	69.012	19.845	19.583	15.875	0.8	1.3	SKET	14124 / 14276	38.5	37.50	60.00	63.00	0.8	1.3	0.35
	69.012	19.845	19.583	15.875	3.5	3.3	SKET	14125A / 14274	44.0	37.50	60.00	63.00	3.5	3.3	0.34
	69.012	19.845	19.583	15.875	3.5	1.3	SKET	14125A / 14276	44.0	37.50	60.00	63.00	3.5	1.3	0.34
	69.012	26.982	26.721	15.875	4.3	3.3	SKET	14123AA / 14274	41.5	37.50	60.00	63.00	4.3	3.3	0.42
	69.012	26.983	26.721	15.875	4.3	1.3	SKET	14123AA / 14276	41.5	37.50	60.00	63.00	4.3	1.3	0.39
	69.850	23.812	25.357	19.050	0.8	1.3	SKET	2580 / 2523	38.5	37.50	61.00	64.00	0.8	1.3	0.44
	69.850	23.812	25.357	19.050	0.8	1.5	SKET	2580 / 2523S	38.5	37.50	61.00	63.00	0.8	1.5	0.44
	69.850	23.812	25.357	19.050	3.5	1.3	SKET	2582 / 2523	44.0	37.50	61.00	64.00	3.5	1.3	0.44
	72.085	22.385	19.583	15.875	3.5	2.3	SKET	14125A / 14283	44.0	37.50	60.00	65.00	3.5	2.3	0.38
	72.626	30.162	29.997	23.812	0.8	3.3	SKET	3188 / 3120	40.0	39.50	61.00	67.00	0.8	3.3	0.58
	72.626	30.162	29.997	23.812	1.5	3.3	SKET	3188S / 3120	41.5	39.50	61.00	67.00	1.5	3.3	0.59
	72.626	30.162	29.997	23.812	3.5	3.3	SKET	3193 / 3120	45.5	39.50	61.00	67.00	3.5	3.3	0.57
	73.025	22.225	22.225	17.462	3.5	3.3	SKET	02875 / 02820	39.5	38.50	62.00	68.00	3.5	3.3	0.44
	73.025	22.225	22.225	17.462	0.8	3.3	SKET	02876 / 02820	40.0	39.50	62.00	68.00	0.8	3.3	0.45
	73.025	22.225	23.812	17.462	0.8	3.3	SKET	2879 / 2820	39.5	38.50	63.00	68.00	0.8	3.3	0.46
	73.025	29.370	27.783	23.020	1.3	3.3	SKET	HM88542 / HM88510	45.5	42.50	59.00	70.00	1.3	3.3	0.61
	73.025	29.370	27.783	23.020	1.3	0.8	SKET	HM88542 / HM88511	45.5	42.50	62.00	70.00	1.3	0.8	0.62
	73.812	29.370	27.783	23.020	1.3	3.3	SKET	HM88542 / HM88512	45.5	42.50	60.00	60.00	1.3	3.3	0.63
	76.200	25.400	25.400	19.842	0.8	0.8	SKET	568331	39.0	36.00	70.00	72.00	0.8	0.8	0.57
	76.200	29.370	28.575	23.020	0.8	3.3	SKET	HM89440 / HM89410	45.5	44.50	62.00	73.00	0.8	3.3	0.68
	79.375	25.400	24.074	17.462	1.5	1.5	SKET	43125 / 43312	44.0	41.50	67.00	74.00	1.5	1.5	0.57
79.375	29.370	29.771	23.812	1.3	3.3	SKET	3476 / 3420	43.0	41.00	67.00	74.00	1.3	3.3	0.74	
80.000	21.000	22.403	17.826	0.8	1.3	SKET	346 / 332	40.0	39.50	73.00	75.00	0.8	1.3	0.57	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
32.000	53.000	14.501	15.000	11.500	特殊	1.3	SKET	JL26749 / JL26710	40.0	36.00	47.00	49.00	特殊	1.3	0.14
	58.000	17.000	17.000	13.000	1.0	1.0	SKET	320 / 32X	42.0	36.00	50.00	56.00	1.0	1.0	0.19
	58.000	17.000	17.000	13.000	1.0	1.0	SKET	320 / 32XF	44.0	36.00	50.00	56.00	1.0	1.0	0.19
	58.000	17.000	17.000	13.000	3.2	1.0	SKET	320 / 32XR	44.0	36.00	50.00	56.00	3.2	1.0	0.19
	65.000	18.250	17.000	15.000	1.0	1.0	SKET	302 / 32	42.0	38.00	58.00	61.00	1.0	1.0	0.27
	65.000	18.250	17.000	14.000	1.0	1.0	SKET	302 / 32C	42.0	38.00	58.00	63.00	1.0	1.0	0.27
	65.000	22.250	21.000	18.000	1.0	1.0	SKET	322 / 32	42.0	38.00	55.00	61.00	1.0	1.0	0.33
	65.000	22.250	21.000	17.000	1.0	1.0	SKET	322 / 32C	42.0	38.00	53.00	63.00	1.0	1.0	0.33
	65.000	27.250	16.000	15.000	4.5	1.5	SKET	32KW02 / 11B	42.0	36.00	58.00	60.00	4.5	1.5	0.30
	72.233	25.400	25.400	19.842	3.3	2.3	SKET	HM88638 / HM88610	48.5	42.50	60.00	69.00	3.3	2.3	0.53
	75.000	21.750	20.000	17.000	1.5	1.5	SKET	303 / 32	44.0	42.00	65.00	69.00	1.5	1.5	0.45
	75.000	21.750	20.000	16.000	1.5	1.5	SKET	303 / 32C	44.0	42.00	63.00	69.00	1.5	1.5	0.46
	75.000	29.750	28.000	22.000	1.5	1.5	SKET	323 / 32C	46.0	40.00	62.00	72.00	1.5	1.5	0.62
	75.000	29.750	28.000	23.000	2.0	2.0	SKET	76 / 32B	46.0	40.00	62.00	72.00	2.0	2.0	0.62
	75.000	29.750	28.000	23.000	2.2	2.2	SKET	TR0608A	40.0	36.00	65.00	69.00	2.2	2.2	0.66
	75.000	29.750	28.000	23.000	1.5	1.5	SKET	TR0608A-N	40.0	36.00	65.00	69.00	1.5	1.5	0.62
76.200	19.000	18.923	15.875	2.0	1.5	SKET	26126X / 26300	39.0	36.00	70.00	72.00	2.0	1.5	0.39	
33.338	66.421	25.400	25.357	20.638	3.5	3.3	SKET	2585 / 2520	45.0	39.00	57.00	62.40	3.5	3.3	0.39
	66.675	20.638	20.638	15.875	3.5	1.5	SKET	1680 / 1620	44.5	38.50	61.00	58.00	3.5	1.5	0.32
	68.262	22.225	22.225	17.462	0.8	1.5	SKET	M88048 / M88010	42.5	41.00	58.00	65.00	0.8	1.5	0.37
	69.012	19.845	19.583	15.875	3.6	3.2	SKET	14130 / 14274	45.0	38.50	59.00	63.00	3.6	3.2	0.33
	69.012	19.845	19.583	15.875	3.5	1.3	SKET	14130 / 14276	45.0	38.50	60.00	63.00	3.5	1.3	0.33
	69.012	19.845	19.583	15.875	0.8	3.2	SKET	14131 / 14274	39.5	38.50	59.00	63.00	0.8	3.2	0.33
	69.012	19.845	19.583	15.875	0.8	1.3	SKET	14131 / 14276	39.5	38.50	60.00	63.00	0.8	1.3	0.34
	69.850	23.812	25.357	19.050	0.8	1.3	SKET	2581 / 2523	39.5	39.00	61.00	64.00	0.8	1.3	0.43
	69.850	23.812	25.357	19.050	3.5	1.3	SKET	2585 / 2523	45.0	39.00	61.00	64.00	3.5	1.3	0.42
	69.850	23.812	25.357	19.050	3.5	1.5	SKET	2585 / 2523S	45.0	39.00	61.00	64.00	3.5	1.5	0.43
	71.996	19.845	19.583	15.875	1.5	1.3	SKET	14130 / 14284	45.0	38.50	61.00	64.00	1.5	1.3	0.34
	72.000	19.000	20.638	14.237	3.5	1.5	SKET	16131 / 16282	45.0	39.00	62.00	65.00	3.5	1.5	0.33

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
33.338	72.000	19.000	18.923	15.875	3.5	1.5	SKET	26131 / 26283	44.5	38.50	62.00	65.00	3.5	1.5	0.34
	72.626	30.162	29.997	23.812	3.5	3.3	SKET	3196 / 3120	47.0	40.50	61.00	67.00	3.5	3.3	0.55
	72.626	30.162	29.997	23.812	0.8	3.3	SKET	3197 / 3120	41.5	40.50	61.00	67.00	0.8	3.3	0.57
	73.025	29.370	27.783	23.020	0.8	3.3	SKET	HM88547 / HM88510	45.5	42.50	59.00	70.00	0.8	3.3	0.59
	76.200	23.812	25.654	19.050	3.5	3.3	SKET	2785 / 2720	46.0	40.00	66.00	70.00	3.5	3.3	0.55
	76.200	23.812	25.654	19.050	1.5	3.3	SKET	2790 / 2720	42.0	40.00	66.00	70.00	1.5	3.3	0.55
	76.200	29.370	28.575	23.812	0.8	3.3	SKET	31590 / 31520	43.0	42.50	64.00	72.00	0.8	3.3	0.65
	76.200	29.370	28.575	23.020	0.8	3.3	SKET	639337A	45.5	42.50	62.00	72.00	0.8	3.3	0.68
	76.200	29.370	28.575	23.020	0.8	3.3	SKET	HM89443 / HM89410	46.5	44.50	62.00	73.00	0.8	3.3	0.66
	76.200	29.370	28.575	23.020	3.8	3.3	SKET	HM89444 / HM89410	53.0	44.50	62.00	73.00	3.8	3.3	0.66
	76.200	29.370	28.575	23.020	3.8	0.8	SKET	HM89444 / HM89411	53.0	44.50	65.00	73.00	3.8	0.8	0.68
	79.375	25.400	24.074	17.462	3.5	1.5	SKET	43131 / 43312	51.0	42.00	67.00	74.00	3.5	1.5	0.55
	79.375	25.400	24.074	17.462	2.0	1.5	SKET	43132 / 43312	48.0	42.00	67.00	74.00	2.0	1.5	0.56
	85.000	19.000	18.923	15.875	3.5	1.6	SKET	26131 / 26334	45.0	39.00	76.00	80.00	3.5	1.6	0.40
	85.000	19.000	18.923	15.875	1.5	1.6	SKET	26132 / 26334	45.0	39.00	76.00	80.00	1.5	1.6	0.40
88.500	25.400	23.698	17.462	2.0	1.5	SKET	44131 / 44348	51.0	48.00	75.00	84.00	2.0	1.5	0.76	
34	51.000	12.000	12.000	8.000	1.0	1.0	SKET	34W / 51W	38.0	37.00	45.00	48.00	1.0	1.0	0.10
	62.000	18.000	18.000	14.000	1.5	1.5	SKET	32007X34 / 32007XF	40.5	40.00	54.00	59.00	1.5	1.5	0.23
34.925	65.088	18.034	18.288	13.970	特殊	1.3	SKET	LM48548 / LM48510	46.0	40.0	58.00	61.00	特殊	1.3	0.26
	65.088	18.034	18.288	13.970	0.8	1.3	SKET	LM48548A / LM48510	42.0	40.50	58.00	61.00	0.8	1.3	0.25
	65.088	20.320	18.288	16.256	特殊	1.3	SKET	LM48548 / LM48511	46.0	40.0	58.00	61.00	特殊	1.3	0.28
	65.088	21.082	18.288	17.018	特殊	1.6	SKET	LM48548 / LM48511A	46.0	40.0	58.00	61.00	特殊	1.6	0.28
	65.088	21.082	18.288	17.018	0.8	1.6	SKET	LM48548A / LM48511A	42.0	40.50	58.00	61.00	0.8	1.6	0.28
	66.675	20.638	20.638	16.670	3.5	2.3	SKET	M38549 / M38510	46.5	40.00	58.00	62.00	3.5	2.3	0.32
	68.262	18.034	18.288	13.970	特殊	1.2	SKET	LM48548 / LM48514XP	46.0	40.00	59.00	62.00	特殊	1.2	0.25
	68.262	20.638	20.638	15.875	3.5	2.3	SKET	14585 / 14525	46.0	40.00	59.00	63.00	3.5	2.3	0.32
	68.956	19.845	19.583	15.875	1.5	3.3	SKET	14137A / 14274A	40.89	42.93	63.00	58.93	1.5	3.3	0.30
	69.012	19.050	19.583	14.288	1.5	3.3	SKET	14137A / 14272	40.89	42.93	63.00	58.93	1.5	3.3	0.30
	69.012	19.337	19.583	16.955	1.5	0.0	SKET	14137A / 14273	40.89	42.93	63.00	55.88	1.5	3.3	0.30
	69.012	19.845	19.583	15.875	1.5	3.2	SKET	14137A / 14274	42.0	40.00	60.00	63.00	1.5	3.2	0.30
	69.012	19.845	19.583	15.875	1.5	1.3	SKET	14137A / 14276	42.0	40.00	60.00	63.00	1.5	1.3	0.32
	69.012	19.845	19.845	19.583	0.5	1.3	SKET	14137AS / 14276	42.0	40.00	60.00	63.00	0.5	1.3	0.32
69.012	19.845	19.583	15.875	3.6	3.2	SKET	14138A / 14274	46.0	40.00	60.00	63.00	3.6	3.2	0.32	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
34.925	69.012	19.845	19.583	15.875	3.5	1.3	SKET	14138A / 14276	46.0	40.00	60.00	63.00	3.5	1.3	0.32
	69.012	22.385	19.583	18.415	1.5	2.3	SKET	14137A / 14277	40.89	42.93	63.00	58.93	1.5	2.3	0.40
	69.012	26.721	26.721	15.875	0.8	1.2	SKET	14136A / 14276	40.0	38.00	60.00	63.00	0.8	1.2	0.32
	69.850	19.845	19.583	15.875	1.5	1.5	SKET	14137A / 14275A	40.89	42.93	65.00	59.94	0.8	1.2	0.30
	71.990	19.000	20.638	14.195	3.5		SKET	16137 / 16282	47.0	40.50	63.00	67.00	3.5		0.32
	71.996	19.002	19.583	15.032	1.5	1.5	SKET	14137A / 14282	40.89	42.93	66.00	62.00	1.5	1.5	0.40
	71.996	22.385	19.583	18.415	1.5	2.3	SKET	14137A / 14284	40.89	42.93	66.00	59.94	1.5	2.3	0.40
	72.085	22.385	19.583	18.415	1.5	2.3	SKET	14137A / 14283	40.89	42.93	66.00	59.94	1.5	2.3	0.40
	72.085	22.385	19.583	18.415	3.5	1.3	SKET	14138A / 14283	46.0	40.00	60.00	63.00	3.5	1.3	0.36
	72.233	25.400	25.400	19.842	2.3	2.3	SKET	HM88649 / HM88610	48.5	42.50	60.00	69.00	2.3	2.3	0.50
	72.238	20.638	20.638	15.875	3.5	0.8	SKET	16137 / 16283	47.0	40.50	61.00	67.00	3.5	0.8	0.32
	72.238	20.638	20.638	15.875	3.5	1.3	SKET	16137 / 16284	47.0	40.50	63.00	67.00	3.5	1.3	0.38
	73.025	22.225	22.225	17.462	3.5	3.3	SKET	02877 / 02820	48.5	42.00	62.00	68.00	3.5	3.3	0.41
	73.025	22.225	22.225	17.462	0.8	3.3	SKET	02878 / 02820	42.5	42.00	62.00	68.00	0.8	3.3	0.42
	73.025	22.225	23.812	17.462	0.8	3.3	SKET	2878 / 2820	42.0	41.00	63.00	68.00	0.8	3.3	0.43
	73.025	23.812	24.608	19.050	1.5	2.3	SKET	25877 / 25820	43.0	40.50	64.00	68.00	1.5	2.3	0.46
	73.025	23.812	24.608	19.050	1.5	0.8	SKET	25877 / 25821	43.0	40.50	65.00	68.00	1.5	0.8	0.46
	73.025	23.812	24.608	19.050	3.5	2.3	SKET	25878 / 25820	47.0	40.50	64.00	68.00	3.5	2.3	0.47
	73.025	23.812	24.608	19.050	3.5	0.8	SKET	25878 / 25821	47.0	40.50	65.00	68.00	3.5	0.8	0.46
	73.025	23.812	25.654	19.050	0.8	0.8	SKET	2793 / 2735X	42.0	41.00	66.00	69.00	0.8	0.8	0.48
	73.025	26.988	26.975	22.225	3.6	1.6	SKET	23690 / 23620	49.0	42.00	64.00	68.00	3.6	1.6	0.57
	73.025	27.000	25.400	21.443	3.5	1.5	SKET	HM88649A / HM88613	51.0	43.00	62.00	69.00	3.5	1.5	0.52
	76.200	20.638	20.940	15.507	1.6	1.2	SKET	28137 / 28300	43.5	41.00	68.00	71.00	1.6	1.2	0.38
	76.200	20.638	20.940	15.507	1.5	1.5	SKET	28137 / 28300X	43.5	41.00	68.00	71.00	1.5	1.5	0.38
	76.200	23.812	25.654	19.050	5.0	3.3	SKET	2786 / 2720	51.0	41.00	66.00	70.00	5.0	3.3	0.52
	76.200	23.812	25.654	19.050	0.8	3.3	SKET	2793 / 2720	42.0	41.00	66.00	70.00	0.8	3.3	0.53
	76.200	23.812	25.654	19.050	0.8	0.8	SKET	2793 / 2729	42.0	41.00	68.00	70.00	0.8	0.8	0.53
	76.200	23.812	25.654	19.050	3.5	3.3	SKET	2796 / 2720	47.5	41.00	66.00	70.00	3.5	3.3	0.53
	76.200	29.370	28.575	23.020	3.5	3.3	SKET	639338A	51.0	44.00	62.00	72.00	3.5	3.3	0.65
	76.200	29.370	28.575	23.020	3.5	3.3	SKET	TDS-HM89446 / 10	51.0	44.00	62.00	72.00	3.5	3.3	0.65
76.200	29.370	28.575	23.812	3.5	3.3	SKET	31593 / 31520	50.0	43.50	64.00	72.00	3.5	3.3	0.61	
76.200	29.370	28.575	23.812	1.5	3.3	SKET	31594 / 31520	46.0	43.50	64.00	72.00	1.5	3.3	0.62	
76.200	29.370	28.575	23.812	1.5	1.3	SKET	31594 / 31521	46.0	43.50	66.00	72.00	1.5	1.3	0.63	
76.200	29.370	29.845	23.812	1.5	3.3	SKET	36137 / 36300	45.0	42.50	66.00	71.00	1.5	3.3	0.61	
76.200	29.370	28.575	23.020	3.5	3.3	SKET	HM89446 / HM89410	53.0	44.50	62.00	73.00	3.5	3.3	0.64	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
34.925	76.200	29.370	28.575	23.020	3.5	0.8	SKET	HM89446 / HM89411	53.0	44.50	65.00	73.00	3.5	0.8	0.66
	76.200	29.370	28.575	23.020	0.8	0.8	SKET	HM89446A / HM89411	53.0	44.50	65.00	73.00	0.8	0.8	0.66
	77.788	19.845	19.583	15.875	1.5	1.3	SKET	14137A / 14299	40.89	42.93	66.50	64.00	1.5	1.3	0.50
	79.375	29.370	29.771	23.812	3.5	3.3	SKET	3478 / 3420	50.0	43.50	67.00	74.00	3.5	3.3	0.70
	80.035	21.433	20.940	15.875	1.5	1.5	SKET	28137 / 28317	43.5	41.00	69.00	73.00	1.5	1.5	0.50
	80.035	24.608	23.698	18.512	0.8	1.5	SKET	27875 / 27820	48.0	42.00	72.00	75.00	0.8	1.5	0.55
	80.167	29.370	30.391	23.812	3.5	3.3	SKET	3379 / 3320	48.0	41.50	70.00	75.00	3.5	3.3	0.71
	85.725	30.162	30.162	23.812	3.5	3.3	SKET	3872 / 3820	53.0	46.00	73.00	81.00	3.5	3.3	0.90
	87.312	30.162	30.886	23.812	3.6	3.2	SKET	3581 / 3525	48.0	45.50	75.00	81.00	3.6	3.2	0.85
	95.250	27.782	29.900	22.225	0.8	2.3	SKET	449 / 432	44.0	43.50	83.00	87.00	0.8	2.3	1.07
34.976	66.675	15.875	16.520	11.908	1.5	0.8	SKET	19138 / 19262	42.5	40.50	61.00	65.00	1.5	0.8	0.28
	68.262	15.875	16.520	11.908	1.5	1.5	SKET	19138 / 19268	42.5	40.50	61.00	65.00	1.5	1.5	0.27
	69.012	19.845	19.583	15.875	1.3	1.3	SKET	14139 / 14276	41.5	40.00	60.00	63.00	1.3	1.3	0.32
	72.000	17.018	16.520	14.288	1.5	1.5	SKET	19138 / 19283	42.5	40.50	63.00	66.00	1.5	1.5	0.32
	72.085	22.385	19.583	18.415	1.3	2.3	SKET	14139 / 14283	41.5	40.00	60.00	65.00	1.3	2.3	0.41
	80.000	21.006	20.940	15.875	1.5	1.5	SKET	28138 / 28315	43.5	41.00	69.00	73.00	1.5	1.5	0.51
	80.035	46.040	20.940	34.925	1.5	0.8	SKET	28138 / 28314XD	43.5	41.00	69.00	73.00	1.5	0.8	0.45
34.987	59.975	15.875	16.764	11.938	特殊	1.2	SKET	L68149 / L68111Z	45.5	39.00	53.00	56.00	特殊	1.2	0.18
	65.088	15.875	16.764	11.938	特殊	1.3	SKET	L68149 / L68116	45.5	39.00	54.00	57.00	特殊	1.3	0.22
34.988	59.131	15.875	16.764	11.938	特殊	1.3	SKET	L68149 / L68110	45.5	39.00	53.00	56.00	特殊	1.3	0.17
	59.947	13.000	18.500	13.000	2.0	1.0	SKET	328227	45.0	39.00	53.00	54.00	2.0	1.0	0.16
	61.973	16.700	17.000	13.600	特殊	1.0	SKET	LM78349 / LM78310	46.0	40.00	55.00	59.00	特殊	1.0	0.21
	61.973	16.700	17.000	13.600	特殊	1.5	SKET	LM78349 / LM78310A	46.0	40.00	54.00	59.00	特殊	1.5	0.19
	61.973	16.700	17.000	13.600	1.5	1.5	SKET	LM78349A / LM78310A	42.0	39.50	54.00	59.00	1.5	1.5	0.20
	61.973	18.000	17.000	15.000	特殊	1.5	SKET	LM78349 / LM78310C	46.0	40.00	56.00	59.00	特殊	1.5	0.20
	61.973	18.000	17.000	15.000	1.5	1.5	SKET	LM78349A / LM78310C	42.0	39.50	56.00	59.00	1.5	1.5	0.22
	85.000	20.638	21.000	17.462	1.0	1.3	SKET	TR070902 / 354A	45.0	39.00	77.00	80.00	1.0	1.3	0.60
35.000	55.000	14.000	14.000	11.500	0.6	0.6	SKET	32907	39.0	40.00	49.00	52.00	0.6	0.6	0.24
	60.000	5.500	18.500	13.000	2.0	1.3	SKET	BT1B639337CA / Q	42.0	39.00	54.00	57.00	2.0	1.3	0.16
	60.000	13.000	18.500	13.000	2.0	1.0	SKET	328227CA / Q	45.0	39.00	53.00	54.00	2.0	1.0	0.16
	60.000	15.875	18.460	11.938	2.0	1.3	SKET	JL68145 / JL68111Z	45.4	39.00	53.00	53.00	2.0	1.3	0.19

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
35.000	60.000	15.875	16.764	11.938	特殊	1.5	SKET	JL68149 / JL68111Z	45.5	39.00	53.00	53.00	特殊	1.5	0.18
	62.000	18.000	18.000	14.000	1.0	1.0	SKET	32007X	40.5	41.50	55.00	59.00	1.0	1.0	0.23
	62.000	18.000	18.000	14.000	特殊	1.5	SKET	32007XRZ	40.5	41.50	55.00	59.00	特殊	1.5	0.22
	62.000	18.000	18.000	14.000	3.0	1.0	SKET	NP316592 / 32007X	44.0	40.00	54.00	59.00	3.0	1.0	0.21
	62.000	18.000	18.000	14.000	3.6	1.0	SKET	NP897593 / 857890	45.5--	39.00	54.00	59.00	3.6	1.0	0.22
	62.000	21.000	21.000	17.000	1.0	1.0	SKET	33007	40.0	41.00	55.00	59.00	1.0	1.0	0.25
	64.800	18.000	20.600	14.000	2.3	1.3	SKET	U298 / U261L	41.0	41.00	58.00	61.00	2.3	1.3	0.206
	65.000	15.875	16.764	11.938	特殊	1.3	SKET	JL68149 / JL68116	45.5	39.00	53.00	53.00	特殊	1.3	0.22
	65.000	18.000	18.288	13.970	特殊	1.3	SKET	30607	45.0	41.00	58.00	61.00	特殊	1.3	0.260
	65.987	20.638	20.638	16.670	3.5	2.3	SKET	M38547 / M38511	46.0	39.50	59.00	61.00	3.5	2.3	0.30
	70.000	24.000	23.500	19.000	2.0	1.5	SKET	JS3549A / JS3510	47.0	42.00	60.00	67.00	2.0	1.5	0.43
	72.000	18.250	17.000	15.000	1.5	1.5	SKET	30207	40.0	42.50	64.00	67.00	1.5	1.5	0.33
	72.000	18.250	17.000	13.000	1.5	1.5	SKET	30207C	40.0	42.50	64.00	67.00	1.5	1.5	0.33
	72.000	24.250	23.000	19.000	1.5	1.5	SKET	32207	41.5	43.50	63.00	67.00	1.5	1.5	0.45
	72.000	24.250	23.000	18.000	1.5	1.5	SKET	32207C	41.5	43.50	63.00	67.00	1.5	1.5	0.45
	72.000	24.250	23.800	20.000	1.5	0.5	SKET	TD-CR-07A28	45.0	39.00	65.00	68.00	1.5	0.5	0.46
	72.000	28.000	28.000	22.000	1.5	1.5	SKET	33207	42.0	42.00	61.00	68.00	1.5	1.5	0.53
	73.025	26.988	26.975	22.225	3.5	1.5	SKET	23691 / 23620	49.0	42.00	63.00	68.00	3.5	1.5	0.51
	73.025	26.988	26.975	22.225	3.5	0.8	SKET	23691 / 23621	49.0	42.00	63.00	68.00	3.5	0.8	0.52
	79.375	23.812	25.400	19.050	0.8	0.8	SKET	26883 / 26822	42.5	42.00	71.00	74.00	0.8	0.8	0.60
	80.000	18.250	17.000	15.000	1.5	1.5	SKET	30207 / 80F	40.0	42.50	64.00	67.00	1.5	1.5	0.44
	80.000	21.000	22.403	17.826	0.8	1.3	SKET	339 / 332	42.5	41.50	73.00	75.00	0.8	1.3	0.53
	80.000	22.750	21.000	18.000	2.0	1.5	SKET	30307	45.0	45.00	70.00	74.00	2.0	1.5	0.52
	80.000	22.750	21.000	16.000	2.0	1.5	SKET	30307C	45.0	45.00	70.00	74.00	2.0	1.5	0.52
	80.000	22.750	21.000	15.000	2.0	1.5	SKET	31307	45.0	44.00	66.00	76.00	2.0	1.5	0.53
	80.000	22.750	21.000	15.000	2.0	1.5	SKET	30307D	45.0	44.00	66.00	76.00	2.0	1.5	0.53
80.000	23.813	25.400	19.050	0.8	1.3	SKET	26883 / 26824	42.5	42.00	70.00	74.00	0.8	1.3	0.55	
80.000	29.150	28.500	22.000	2.0	2.0	SKET	35KC802	40.0	38.00	73.00	75.00	2.0	2.0	0.61	
80.000	29.500	30.500	23.500	3.5	3.5	SKET	TR070803	47.0	43.00	70.00	76.00	3.5	3.5	1.00	
80.000	29.500	30.500	23.500	2.0	2.0	SKET	TR070803C	47.0	43.00	70.00	76.00	2.0	2.0	0.70	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
35.000	80.000	32.750	31.000	25.000	2.0	1.5	SKET	32307	43.0	44.00	66.00	74.00	2.0	1.5	0.76
	80.000	32.750	31.000	25.000	2.0	1.5	SKET	32307BC	43.0	44.00	66.00	74.00	2.0	1.5	0.81
	80.000	32.750	31.000	24.000	0.5	2.5	SKET	TR070803J-N	47.0	43.00	70.00	76.00	0.5	2.5	0.80
	80.000	32.750	31.000	25.000	2.0	1.5	SKET	R35-23g / 32307CgN	47.0	43.00	70.00	76.00	2.0	1.5	0.81
	89.000	38.000	38.000	27.500	1.0	1.5	SKET	T5GD035	47.0	43.00	80.00	86.00	1.0	1.5	1.20
	89.000	38.200	38.000	27.500	1.5	1.5	SKET	TR070904	47.0	43.00	80.00	86.00	1.5	1.5	1.20
35.128	65.088	18.034	18.288	13.970	0.8	1.3	SKET	LM48545 / LM48510	41.5	41.00	58.00	61.00	0.8	1.3	0.25
35.717	72.233	25.400	25.400	19.842	3.5	2.3	SKET	HM88648 / HM88610	52.0	43.00	60.00	69.00	3.5	2.3	0.48
	72.626	25.400	25.400	19.842	3.5	3.3	SKET	HM88648 / HM88611AS	52.0	43.00	59.00	69.00	3.5	3.3	0.48
36.487	73.025	23.812	24.608	19.050	1.5	0.8	SKET	25880 / 25821	44.0	42.00	65.00	68.00	1.5	0.8	0.45
	73.025	23.812	25.654	19.050	3.6	0.8	SKET	2794 / 2735X	49.0	42.50	66.00	69.00	3.6	0.8	0.48
	73.025	23.813	24.608	19.050	1.6	2.4	SKET	25880 / 25820	44.0	42.00	64.00	68.00	1.6	2.4	0.46
	76.200	23.812	25.654	19.050	1.5	3.3	SKET	2780 / 2720	44.5	42.50	66.00	70.00	1.5	3.3	0.52
	76.200	23.812	25.654	19.050	3.5	3.3	SKET	2794 / 2720	49.0	42.50	66.00	70.00	3.5	3.3	0.51
36.512	72.238	20.638	20.638	19.050	3.5	1.3	SKET	16143 / 16284	46.0	41.00	63.00	67.00	3.5	1.3	0.362
	76.200	29.370	28.575	23.812	3.5	3.3	SKET	31597 / 31520	51.0	44.50	64.00	72.00	3.5	3.3	0.59
	76.200	29.370	28.575	23.020	0.8	3.3	SKET	HM89448 / HM89410	48.5	44.50	62.00	73.00	0.8	3.3	0.62
	76.200	29.370	28.575	23.020	3.5	3.3	SKET	HM89449 / HM89410	54.0	44.50	62.00	73.00	3.5	3.3	0.62
	76.200	29.370	28.575	23.020	3.5	0.8	SKET	HM89449 / HM89411	54.0	44.50	65.00	73.00	3.5	0.8	0.63
	79.375	23.812	25.400	19.050	0.8	0.8	SKET	26877 / 26822	44.0	43.00	71.00	74.00	0.8	0.8	0.59
	79.375	29.370	29.771	23.812	0.8	3.3	SKET	3479 / 3420	45.5	44.50	67.00	74.00	0.8	3.3	0.68
	79.375	29.370	28.829	22.664	3.5	3.3	SKET	HM89249 / HM89210	55.0	44.00	66.00	75.00	3.5	3.3	1.02
	80.167	25.400	25.400	20.638	0.8	3.3	SKET	26877 / 26820	44.0	43.00	71.00	74.00	0.8	3.3	0.59
	81.973	23.876	25.400	19.114	3.5	1.0	SKET	25570 / 25518	51.0	45.00	73.00	76.00	3.5	1.0	0.63
	82.931	23.812	25.400	19.050	3.5	0.8	SKET	25570 / 25520	51.0	45.00	74.00	77.00	3.5	0.8	0.65
	85.725	30.162	30.162	23.812	0.8	3.3	SKET	3878 / 3820	47.0	48.00	73.00	81.00	0.8	3.3	0.89
88.500	25.400	23.698	17.462	2.3	1.5	SKET	44143 / 44348	54.0	50.00	75.00	84.00	2.3	1.5	0.72	
36.513	93.663	31.750	31.750	26.195	1.6	3.2	SKET	46143 / 46368	48.5	46.50	79.00	87.00	1.6	3.2	1.14
37.000	72.000	18.250	17.000	15.000	2.0	2.0	SKET	30207 / 37F	40.0	42.50	64.00	67.00	2.0	2.0	0.32
	72.000	18.250	17.000	15.000	2.0	2.0	SKET	30207 / 37F	43.0	42.50	64.00	67.00	2.0	2.0	0.30

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
38.000	63.000	17.000	19.000	13.550	特殊	1.3	SKET	JL69345 / JL69310Z	49.0	42.40	56.00	56.00	特殊	1.3	0.20
	63.000	17.000	17.000	13.500	3.3	1.3	SKET	JL69348Z / JL69310Z	48.0	42.50	56.00	56.00	3.3	1.3	0.20
	63.000	17.000	17.000	13.500	特殊	1.3	SKET	JL69349 / JL69310	49.0	42.50	56.00	56.00	特殊	1.3	0.19
	63.000	17.000	17.000	13.500	1.3	1.3	SKET	JL69349A / JL69310	44.5	43.00	56.00	56.00	1.3	1.3	0.21
	90.000	35.250	33.000	27.000	2.5	2.0	SKET	32308F / 38	36.0	49.00	73.00	73.00	2.5	2.0	1.2
38.100	63.500	12.700	11.908	9.525	1.5	0.8	SKET	13889 / 13830	45.0	42.50	59.00	59.00	1.5	0.8	0.14
	65.088	12.700	11.908	9.525	1.5	0.8	SKET	13889 / 13836	45.0	42.50	59.00	59.00	1.5	0.8	0.15
	65.088	18.034	18.288	13.970	2.3	1.5	SKET	57207 / LM29710	46.0	42.50	59.00	59.00	2.3	1.5	0.22
	65.088	18.034	21.139	13.970	特殊	1.3	SKET	57410S / LM29710S	49.0	42.50	59.00	59.00	特殊	1.3	0.23
	65.088	18.034	18.288	13.970	特殊	1.3	SKET	LM29748 / LM29710	49.0	42.50	59.00	59.00	特殊	1.3	0.22
	65.088	18.034	18.288	13.970	3.5	1.3	SKET	LM29748RS / LM29710	49.0	42.50	59.00	59.00	3.5	1.3	0.22
	65.088	18.034	18.288	13.970	2.3	1.3	SKET	LM29749 / LM29710	46.0	42.50	59.00	59.00	2.3	1.3	0.22
	65.088	18.034	21.100	13.970	2.3	1.5	SKET	TF38KW01	46.0	42.50	59.00	59.00	2.3	1.5	0.22
	65.088	19.812	18.288	15.748	2.3	1.3	SKET	LM29749 / LM29711	46.0	42.50	58.00	58.00	2.3	1.3	0.24
	68.262	15.875	16.520	11.908	1.5	1.5	SKET	19150 / 19268	45.0	43.00	61.00	61.00	1.5	1.5	0.24
	68.262	19.997	16.520	16.030	1.5	1.5	SKET	19150 / 19269	45.0	43.00	60.00	60.00	1.5	1.5	0.27
	69.012	19.050	19.050	15.083	3.5	0.8	SKET	13685L / 13620	49.5	43.00	62.00	62.00	3.5	0.8	0.30
	69.012	19.050	19.050	15.083	3.5	2.3	SKET	13685 / 13621	49.5	43.00	61.00	61.00	3.5	2.3	0.28
	69.012	19.050	19.050	15.083	2.0	0.8	SKET	13687 / 13620	46.5	43.00	62.00	62.00	2.0	0.8	0.29
	69.012	19.050	19.050	15.083	2.0	2.3	SKET	13687 / 13621	46.5	43.00	61.00	61.00	2.0	2.3	0.29
	69.012	19.050	19.050	15.083	3.5	2.3	SKET	13685 / 13621	49.5	43.00	61.00	61.00	3.5	2.3	0.28
	69.012	26.195	26.195	15.083	1.6	2.4	SKET	13686 / 13621	46.0	43.00	61.00	61.00	1.6	2.4	0.36
	71.438	15.875	16.520	11.908	1.5	1.0	SKET	19150 / 19281	45.0	43.00	63.00	63.00	1.5	1.0	0.27
	72.000	17.018	16.520	14.288	1.5	1.5	SKET	19150 / 19283	45.0	43.00	63.00	63.00	1.5	1.5	0.30
	72.000	19.000	20.638	14.237	3.5	1.5	SKET	16150 / 16282	49.5	43.00	63.00	63.00	3.5	1.5	0.33
	72.238	20.638	20.638	15.875	3.5	1.3	SKET	16150 / 16284	49.5	43.00	63.00	63.00	3.5	1.3	0.35
	72.238	23.812	20.638	19.050	3.6	2.4	SKET	16150 / 16283	49.5	43.00	61.00	61.00	3.6	2.4	0.38
	73.025	23.812	25.654	19.050	3.5	0.8	SKET	2788 / 2735X	50.0	43.50	66.00	66.00	3.5	0.8	0.45
76.200	20.638	20.940	15.507	1.5	1.3	SKET	28150 / 28300	45.5	43.50	68.00	68.00	1.5	1.3	0.40	
76.200	23.812	25.654	19.050	4.3	3.3	SKET	2776 / 2720	52.0	43.50	66.00	66.00	4.3	3.3	0.49	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
38.100	76.200	23.812	25.654	19.050	5.5	3.3	SKET	2777 / 2720	54.0	43.50	66.00	70.00	5.5	3.3	0.48
	76.200	23.812	25.654	19.050	3.5	3.3	SKET	2788 / 2720	50.0	43.50	66.00	70.00	3.5	3.3	0.49
	76.200	23.812	25.654	19.050	3.5	0.8	SKET	2788 / 2729	50.0	43.50	68.00	70.00	3.5	0.8	0.50
	76.200	23.812	25.654	19.050	1.5	0.8	SKET	2788A / 2729	50.0	43.50	68.00	70.00	1.5	0.8	0.50
	76.200	23.812	25.654	19.050	3.5	3.3	SKET	2788A / 2720	46.0	43.50	66.00	70.00	3.5	3.3	0.49
	76.200	23.812	25.654	19.050	1.5	0.8	SKET	2788A / 2729	46.0	43.50	68.00	70.00	1.5	0.8	0.50
	79.375	23.812	25.400	19.050	0.8	0.8	SKET	26878 / 26822	45.0	44.50	71.00	74.00	0.8	0.8	0.57
	79.375	29.370	29.771	23.812	3.5	3.3	SKET	3490 / 3420	52.0	45.50	67.00	74.00	3.5	3.3	0.65
	80.000	21.006	20.940	15.875	1.5	1.5	SKET	28150 / 28315	45.5	43.50	69.00	73.00	1.5	1.5	0.46
	80.000	21.006	20.940	15.875	1.5	2.0	SKET	28150 / 28315A	45.5	43.50	69.00	73.00	1.5	2.0	0.46
	80.035	21.432	20.940	15.875	1.6	1.6	SKET	28150 / 28317	45.5	43.50	69.00	73.00	1.6	1.6	0.54
	80.035	23.812	23.698	17.462	3.5	1.5	SKET	27881 / 27821	53.0	47.00	68.00	75.00	3.5	1.5	0.53
	80.035	24.608	23.698	18.512	0.8	1.5	SKET	27880 / 27820	48.0	47.00	68.00	75.00	0.8	1.5	0.56
	80.035	24.608	23.698	18.512	3.5	1.5	SKET	27881 / 27820	53.0	47.00	68.00	75.00	3.5	1.5	0.55
	80.167	25.400	25.400	20.638	0.8	3.2	SKET	26878 / 26820	45.0	44.50	69.00	74.00	0.8	3.2	0.61
	80.167	29.370	25.400	24.608	0.8	3.3	SKET	26878 / 26821	45.0	44.50	69.00	74.00	0.8	3.3	0.70
	80.167	29.370	30.391	23.812	3.5	3.3	SKET	3381 / 3320	51.0	44.50	70.00	75.00	3.5	3.3	0.67
	82.550	29.370	28.575	23.020	0.8	3.3	SKET	HM801346 / HM801310	51.0	49.10	68.00	78.00	0.8	3.3	0.76
	82.550	29.370	28.575	23.020	2.3	3.3	SKET	HM801346X / HM801310	54.0	49.10	68.00	78.00	2.3	3.3	0.53
	82.931	23.812	25.400	19.050	0.8	0.8	SKET	25572 / 25520	46.0	46.00	74.00	77.00	0.8	0.8	0.64
	85.725	30.162	30.162	23.812	0.8	3.3	SKET	3875 / 3820	49.5	48.50	73.00	81.00	0.8	3.3	0.87
	85.725	30.162	30.162	23.812	3.5	3.3	SKET	3876 / 3820	55.0	48.50	73.00	81.00	3.5	3.3	0.87
	87.312	30.162	30.886	23.812	1.5	3.3	SKET	3580 / 3525	48.0	45.50	75.00	81.00	1.5	3.3	0.87
	88.500	25.400	23.698	17.462	2.3	1.5	SKET	44150 / 44348	55.0	51.00	75.00	84.00	2.3	1.5	0.71
	88.500	26.988	29.083	22.225	3.5	1.5	SKET	418 / 414	51.0	44.50	77.00	80.00	3.5	1.5	0.82
	90.488	39.688	40.386	33.338	1.5	3.3	SKET	4375 / 4335	51.0	48.50	77.00	85.00	1.5	3.3	1.30
95.250	27.783	28.575	22.225	3.5	2.3	SKET	33880 / 33821	54.0	48.00	85.00	90.00	3.5	2.3	1.05	
95.250	27.783	29.900	22.225	0.8	2.3	SKET	440 / 432	46.5	45.50	83.00	87.00	0.8	2.3	1.03	
95.250	30.958	28.300	20.638	1.5	0.8	SKET	53150 / 53375	55.0	53.00	81.00	89.00	1.5	0.8	1.04	
101.600	34.925	36.068	26.988	3.5	3.3	SKET	525 / 522	54.0	48.00	89.00	95.00	3.5	3.3	1.47	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
38.496	71.438	15.875	16.520	11.908	1.3	1.0	SKET	19153X / 19281	48.0	43.00	62.00	66.00	1.3	1.0	0.11
	71.438	17.462	16.520	15.875	1.3	1.5	SKET	19153X / 19282	48.0	43.00	62.00	66.00	1.3	1.5	0.14
	72.000	17.018	16.520	14.288	1.3	1.5	SKET	19153X / 19283	48.0	43.00	62.00	66.00	1.3	1.5	0.13
38.500	68.000	18.250	16.500	15.000	2.0	1.5	SKET	038KC68	47.0	46.00	62.00	64.00	2.0	1.5	0.26
	72.000	18.250	16.500	15.000	2.0	1.5	SKET	TR080702J	47.0	46.00	66.00	68.00	2.0	1.5	0.31
	72.000	19.500	18.000	15.500	2.3	1.5	SKET	NP276760 / 167395	47.0	46.00	66.00	68.00	2.3	1.5	0.34
39.000	72.000	21.400	20.638	16.764	3.3	0.8	SKET	639330 / 639315A	51.0	44.50	63.00	67.00	3.3	0.8	0.35
	72.014	21.400	20.638	16.637	3.5	0.4	SKET	J16154 / J16285	51.0	44.50	63.00	67.00	3.5	0.4	0.35
39.688	73.025	16.667	17.462	12.700	0.8	1.5	SKET	18587 / 18520	45.0	45.50	66.00	69.00	0.8	1.5	0.29
	73.025	19.250	22.100	18.500	2.5	1.3	SKET	M399	48.0	48.00	65.00	69.00	2.5	1.3	0.36
	73.025	19.395	22.100	18.500	2.3	1.3	SKET	U399 / U360L	48.0	48.00	65.00	69.00	2.3	1.3	0.36
	73.025	23.812	25.654	19.050	3.6	0.8	SKET	2789 / 2735X	52.0	45.00	66.00	69.00	3.6	0.8	0.47
	73.025	25.654	22.098	21.336	0.8	2.4	SKET	M201047 / M201011	48.0	45.50	64.00	69.00	0.8	2.4	0.45
	76.000	19.250	22.100	14.732	2.3	1.3	SKET	M365L	48.0	48.00	65.00	69.00	2.3	1.3	0.46
	76.200	23.812	25.654	19.050	3.5	3.3	SKET	2789 / 2720	52.0	45.00	66.00	70.00	3.5	3.3	0.47
	76.200	23.812	25.654	19.050	3.6	0.8	SKET	2789 / 2729	52.0	45.00	68.00	70.00	3.6	0.8	0.48
	77.534	29.370	30.391	23.812	3.5	3.3	SKET	3382 / 3321	52.0	45.50	68.00	75.00	3.5	3.3	0.61
	79.375	23.812	25.400	19.050	1.5	0.8	SKET	26880 / 26822	48.0	45.50	71.00	74.00	1.5	0.8	0.55
	79.375	23.812	25.400	19.050	3.5	0.8	SKET	26881 / 26822	52.0	45.50	71.00	74.00	3.5	0.8	0.54
	79.976	19.395	22.100	20.100	2.3	1.3	SKET	U399A / U365L	48.0	48.00	66.00	70.00	2.3	1.3	0.45
	80.035	29.370	30.391	23.812	3.5	1.5	SKET	3382 / 3339	52.0	45.50	71.00	75.00	3.5	1.5	0.66
	80.167	25.400	25.400	20.638	3.5	3.3	SKET	26881 / 26820	52.0	45.50	69.00	74.00	3.5	3.3	0.54
	80.167	29.370	30.391	23.812	3.5	3.3	SKET	3382 / 3320	52.0	45.50	70.00	75.00	3.5	3.3	0.65
	80.167	29.370	30.391	23.812	3.5	0.8	SKET	3382 / 3331	52.0	45.50	72.00	75.00	3.5	0.8	0.66
	80.167	29.370	30.391	23.812	0.8	3.3	SKET	3386 / 3320	46.5	45.50	70.00	75.00	0.8	3.3	0.65
84.138	29.370	30.391	23.812	3.5	3.3	SKET	3382 / 3328	52.0	45.50	72.00	76.00	3.5	3.3	0.75	
88.500	25.400	23.698	17.462	3.5	1.5	SKET	44158 / 44348	58.0	51.00	75.00	84.00	3.5	1.5	0.68	
39.980	80.035	21.433	20.940	15.875	3.5	1.5	SKET	28159 / 28317	51.0	46.00	74.00	76.00	3.5	1.5	0.20
40.000	62.000	15.000	15.000	12.000	0.6	0.6	SKET	32908	44.5	45.00	55.00	59.00	0.6	0.6	0.16
	68.000	8.000	19.000	14.500	1.0	1.0	SKET	TD-BTI-03361QVA621	46.0	45.50	61.00	65.00	1.0	1.0	0.31

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
40.000	68.000	19.000	19.000	14.500	1.0	1.0	SKET	32008X	46.0	45.50	60.00	65.00	1.0	1.0	0.27
	68.000	19.000	19.000	14.500	3.5	1.0	SKET	XAA32008X	46.0	45.50	60.00	65.00	3.5	1.0	0.27
	68.000	22.000	22.000	18.000	1.0	1.0	SKET	33008	45.5	46.00	60.00	65.00	1.0	1.0	0.33
	72.000	19.000	19.000	14.500	1.0	1.0	SKET	32008X1WC	46.0	45.50	60.00	65.00	1.0	1.0	0.33
	72.000	22.500	22.000	17.700	0.6	0.2	SKET	TRB1159.08	55.0	49.00	70.00	68.00	0.6	0.2	0.80
	75.000	26.000	26.000	20.500	1.5	1.5	SKET	33108	48.0	47.00	65.00	71.00	1.5	1.5	0.49
	75.000	26.000	26.000	20.500	3.5	1.5	SKET	XAA33108 / Y33108Z	48.0	47.00	65.00	71.00	3.5	1.5	0.48
	76.200	20.638	20.940	15.507	1.5	1.3	SKET	28158 / 28300	47.5	45.00	68.00	71.00	1.5	1.3	0.38
	80.000	19.750	18.000	16.000	1.5	1.5	SKET	30208	49.0	48.50	69.00	75.00	1.5	1.5	0.41
	80.000	19.750	18.000	14.000	1.5	1.5	SKET	30208C	49.0	48.50	69.00	75.00	1.5	1.5	0.41
	80.000	21.000	22.403	17.826	3.5	1.3	SKET	344 / 332	52.0	45.50	73.00	75.00	3.5	1.3	0.47
	80.000	21.000	22.403	17.826	0.8	1.3	SKET	344A / 332	46.0	45.50	73.00	75.00	0.8	1.3	0.47
	80.000	24.750	23.000	19.000	1.5	1.5	SKET	32208	48.5	48.00	68.00	75.00	1.5	1.5	0.55
	80.000	24.750	23.000	19.000	1.5	1.5	SKET	32208C	48.5	48.00	68.00	75.00	1.5	1.5	0.55
	80.000	29.000	29.000	23.000	1.5	1.5	SKET	TR080803R / TR080803-9	51.0	47.00	71.00	76.00	1.5	1.5	0.68
	80.000	32.000	32.000	25.000	1.5	1.5	SKET	33208	51.0	47.00	70.00	76.00	1.5	1.5	0.75
	80.167	21.006	20.940	15.875	1.5	1.5	SKET	28158 / 18316	47.5	45.00	69.00	72.00	1.5	1.5	0.45
	85.000	7.750	18.000	16.000	1.5	2.0	SKET	L30208	49.0	48.50	69.00	75.00	1.5	2.0	0.43
	85.000	20.638	21.692	17.462	4.0	1.3	SKET	350 / 354A	50.0	46.50	77.00	80.00	4.0	1.3	0.54
	85.000	20.638	21.692	17.462	0.8	1.3	SKET	350A / 354A	47.5	46.50	77.00	80.00	0.8	1.3	0.55
	85.000	33.040	32.500	28.000	2.5	2.0	SKET	JF4049 / JF4010	55.0	49.00	75.00	80.00	2.5	2.0	0.90
	85.725	30.162	30.162	23.812	0.8	3.3	SKET	3879 / 3820	51.0	50.00	73.00	81.00	0.8	3.3	0.84
	85.725	30.162	30.162	23.812	0.8	3.3	SKET	TDS-3879 / 20	55.0	49.00	73.00	81.00	0.8	3.3	0.83
	88.500	26.988	29.083	22.225	3.5	1.5	SKET	420 / 414	52.0	46.00	77.00	80.00	3.5	1.5	0.79
	88.501	25.400	23.698	17.462	2.3	1.5	SKET	44157 / 44348	56.0	51.00	75.00	84.00	2.3	1.5	0.71
	90.000	25.000	23.000	16.000	1.5	2.2	SKET	ST4090	55.0	49.00	78.00	85.00	1.5	2.2	0.90
90.000	25.250	23.000	20.000	2.0	1.5	SKET	30308	50.0	52.00	77.00	82.00	2.0	1.5	0.76	
90.000	25.250	23.000	17.000	2.0	1.5	SKET	30308D	50.0	52.00	77.00	82.00	2.0	1.5	0.76	
90.000	25.250	23.000	17.000	2.0	1.5	SKET	31308	50.0	51.00	71.00	86.00	2.0	1.5	0.76	
90.000	35.250	33.000	27.000	2.0	1.5	SKET	32308	50.0	50.00	73.00	82.00	2.0	1.5	1.01	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
40.000	90.000	35.250	33.000	27.000	2.0	1.5	SKET	32308B	50.0	50.0	73.00	82.00	2.0	1.5	1.10
	90.000	35.250	33.000	26.000	2.0	1.5	SKET	32308C	50.0	50.0	73.00	82.00	2.0	1.5	1.10
	90.000	35.250	33.000	27.000	2.0	1.5	SKET	32308-KL	50.0	50.0	73.00	82.00	2.0	1.5	1.10
	107.950	36.512	36.957	28.575	3.5	3.3	SKET	543 / 532X	57.0	57.0	94.00	100.00	3.5	3.3	1.74
40.483	82.550	29.370	28.575	23.020	3.5	3.3	SKET	HM801349 / HM801310	58.0	58.0	68.00	78.00	3.5	3.3	0.73
40.988	67.975	17.500	18.000	13.500	特殊	1.5	SKET	LM300849 / LM300811	52.0	52.0	61.00	65.00	特殊	1.5	0.23
	67.975	17.500	18.000	13.500	1.5	1.5	SKET	TFS0831A / LM300811	52.0	52.0	61.00	65.00	1.5	1.5	0.24
	68.000	17.500	18.000	13.500	3.6	0.8	SKET	BT1B328612C	52.0	52.0	61.00	65.00	3.6	0.8	0.24
41.000	68.000	19.000	21.000	14.500	2.0	1.0	SKET	JXC18437CA / 32008XZ	46.0	46.0	60.00	65.00	2.0	1.0	0.27
41.275	73.025	16.667	17.462	12.700	3.5	1.5	SKET	18590 / 18520	53.0	53.0	66.00	69.00	3.5	1.5	0.27
	73.025	16.667	17.462	12.700	1.3	1.5	SKET	18591 / 18520	51.0	51.0	66.00	69.00	1.3	1.5	0.28
	73.431	19.558	19.812	14.732	3.5	0.8	SKET	LM501349 / LM501310	53.0	53.0	67.00	70.00	3.5	0.8	0.32
	73.431	20.558	19.812	15.732	3.6	0.8	SKET	2403001 / S504	53.0	53.0	66.00	70.00	3.6	0.8	0.35
	73.431	21.430	19.812	16.604	3.5	0.8	SKET	LM501349 / LM501314	53.0	53.0	66.00	70.00	3.5	0.8	0.34
	73.431	23.012	19.812	18.186	3.6	2.4	SKET	LM501349 / LM501311	53.0	53.0	64.00	70.00	3.6	2.4	0.37
	76.200	18.009	17.384	14.288	1.5	1.5	SKET	11162 / 11300	49.0	49.0	67.00	71.00	1.5	1.5	0.33
	76.200	22.225	23.020	17.462	3.5	0.8	SKET	24780 / 24720	54.0	54.0	68.00	72.00	3.5	0.8	0.41
	76.200	22.225	23.020	17.462	3.5	0.8	SKET	TDS-24780 / 24720	54.0	54.0	68.00	72.00	3.5	0.8	0.43
	76.200	25.400	23.020	20.638	3.6	2.4	SKET	24780 / 24721	54.0	54.0	66.00	72.00	3.6	2.4	0.46
	76.200	25.400	25.400	20.638	3.5	1.5	SKET	26882 / 26823	54.0	54.0	69.00	73.00	3.5	1.5	0.48
	79.375	23.812	25.400	19.050	3.5	0.8	SKET	26882 / 26822	54.0	54.0	71.00	74.00	3.5	0.8	0.52
	79.375	23.812	25.400	19.050	3.5	2.3	SKET	26882 / 26822A	54.0	54.0	69.00	74.00	3.5	2.3	0.52
	79.375	23.812	25.400	19.050	0.8	0.8	SKET	26885 / 26822	48.0	48.0	71.00	74.00	0.8	0.8	0.53
	80.000	18.009	17.384	14.288	1.5	1.5	SKET	11162 / 11315	49.0	49.0	69.00	73.00	1.5	1.5	0.38
	80.000	21.000	22.403	17.826	0.8	1.3	SKET	336 / 332	47.0	47.0	73.00	75.00	0.8	1.3	0.46
	80.000	21.000	22.403	17.826	3.5	1.3	SKET	342 / 332	53.0	53.0	73.00	75.00	3.5	1.3	0.45
	80.000	23.812	25.400	19.050	3.5	1.3	SKET	26882 / 26824	54.0	54.0	70.00	74.00	3.5	1.3	0.53
	80.167	25.400	25.400	20.638	3.5	3.3	SKET	26882 / 26820	54.0	54.0	69.00	74.00	3.5	3.3	0.55
	80.167	29.370	30.391	23.813	3.6	3.2	SKET	3383 / 3320	53.0	53.0	70.00	75.00	3.6	3.2	0.64
80.167	29.370	30.391	23.813	0.8	3.2	SKET	3384 / 3320	47.0	47.0	70.00	75.00	0.8	3.2	0.64	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
41.275	80.167	29.370	30.391	23.812	0.8	1.3	SKET	S3384 / 20YR	47.0	46.50	70.00	75.00	0.8	1.3	0.63
	82.550	26.543	25.654	20.193	3.5	3.3	SKET	M802048 / M802011	57.0	51.00	70.00	79.00	3.5	3.3	0.62
	84.138	30.163	30.886	23.813	3.6	3.2	SKET	3577 / 3520	54.0	48.00	74.00	79.00	3.6	3.2	0.75
	85.725	30.162	30.162	23.812	3.5	3.3	SKET	3877 / 3820	57.0	50.00	73.00	81.00	3.5	3.3	0.82
	85.725	30.162	30.162	23.812	3.5	1.3	SKET	3877 / 3821	57.0	50.00	75.00	81.00	3.5	1.3	0.83
	85.725	30.162	30.162	23.812	0.8	3.3	SKET	3880 / 3820	52.0	50.00	73.00	81.00	0.8	3.3	0.82
	87.312	30.162	30.886	23.812	0.8	3.3	SKET	3576 / 3525	49.0	48.00	75.00	81.00	0.8	3.3	0.82
	87.312	30.162	30.886	23.812	3.5	3.3	SKET	3577 / 3525	54.0	48.00	75.00	81.00	3.5	3.3	0.82
	87.312	30.162	30.886	23.812	1.5	3.3	SKET	3585 / 3525	50.0	48.00	75.00	81.00	1.5	3.3	0.82
	88.500	25.400	25.400	20.638	0.8	0.8	SKET	26885 / 26831	48.0	47.00	80.00	83.00	0.8	0.8	0.40
	88.500	25.400	23.698	17.462	2.3	1.5	SKET	44162 / 44348	57.0	51.00	75.00	84.00	2.3	1.5	0.67
	88.500	26.988	29.083	22.225	3.5	1.5	SKET	419 / 414	54.0	47.00	77.00	80.00	3.5	1.5	0.77
	88.900	20.638	22.225	16.513	3.5	1.3	SKET	365A / 362A	55.0	48.50	81.00	84.00	3.5	1.3	0.62
	88.900	30.162	29.370	23.020	0.8	3.3	SKET	HM803145 / HM803110	54.0	53.00	74.00	85.00	0.8	3.3	0.90
	88.900	30.162	29.370	23.020	3.5	3.3	SKET	HM803146 / HM803110	60.0	53.00	74.00	85.00	3.5	3.3	0.89
	88.900	30.162	29.370	23.020	3.5	0.8	SKET	HM803146 / HM803111	60.0	53.00	76.00	85.00	3.5	0.8	0.90
	90.488	39.688	40.386	33.338	3.5	3.3	SKET	4388 / 4335	57.0	51.00	77.00	85.00	3.5	3.3	1.23
	92.075	26.195	23.812	16.670	3.5	1.5	SKET	M903345 / M903310	60.0	54.00	78.00	88.00	3.5	1.5	0.79
	93.662	31.750	31.750	26.195	0.8	3.3	SKET	46162 / 46368	52.0	51.00	79.00	87.00	0.8	3.3	1.07
	95.250	30.162	29.370	23.020	3.5	3.3	SKET	HM804840 / HM804810	61.0	54.00	81.00	91.00	3.5	3.3	1.06
95.250	30.958	28.300	20.638	1.5	0.8	SKET	53162 / 53375	57.0	53.00	81.00	89.00	1.5	0.8	0.99	
95.250	30.958	28.300	22.225	1.5	0.8	SKET	HM903244 / HM903210	59.0	54.00	81.00	91.00	1.5	0.8	1.05	
95.250	30.958	28.575	22.225	3.5	0.8	SKET	HM903245 / HM903210	63.0	54.00	81.00	91.00	3.5	0.8	1.05	
98.425	30.958	28.300	20.638	1.5	0.8	SKET	53162 / 53387	57.0	53.00	82.00	91.00	1.5	0.8	1.06	
101.600	34.925	36.068	26.988	3.6	3.2	SKET	526 / 522	57.0	50.00	89.00	95.00	3.6	3.2	1.45	
104.775	36.513	36.512	28.575	1.5	3.3	SKET	HM807035 / HM807010	60.0	57.00	89.00	100.00	1.5	3.3	1.69	
104.775	36.513	36.512	28.575	1.5	0.8	SKET	HM807035 / HM807011	60.0	57.00	91.00	100.00	1.5	0.8	1.70	
42.070	90.488	39.688	40.386	33.338	3.5	3.3	SKET	4395 / 4335	58.0	51.50	77.00	85.00	3.5	3.3	1.21
42.862	76.992	17.462	17.145	11.908	1.5	1.5	SKET	12168 / 12303	51.0	48.50	68.00	73.00	1.5	1.5	0.31
	82.550	19.842	19.837	15.080	2.3	1.5	SKET	22168 / 22325	48.5	52.00	76.00	73.00	2.3	1.5	0.44

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
42.862	82.550	26.195	26.988	20.638	3.5	3.3	SKET	22780 / 22720	56.0	50.00	71.00	77.00	3.5	3.3	0.61
	82.550	26.195	26.988	20.638	3.5	0.8	SKET	22780 / 22721	56.0	50.00	72.00	77.00	3.5	0.8	0.65
	82.931	23.812	25.400	19.050	2.3	0.8	SKET	25578 / 25520	53.0	49.50	74.00	77.00	2.3	0.8	0.58
	82.931	23.813	25.400	19.050	3.5	0.8	SKET	25576 / 25520	55.5	49.50	74.00	77.00	3.5	0.8	0.20
	82.931	26.988	25.400	22.225	2.3	2.3	SKET	25578 / 25523	53.0	49.50	72.00	77.00	2.3	2.3	0.63
	83.058	23.812	25.400	19.050	2.3	3.3	SKET	25578 / 25521	53.0	49.50	72.00	77.00	2.3	3.3	0.57
	83.058	23.876	25.400	19.114	2.3	2.0	SKET	25578 / 25522	53.0	49.50	73.00	77.00	2.3	2.0	0.58
	84.988	19.000	19.164	15.875	1.5	1.5	SKET	29168 / 29334	51.0	72.00	78.00	81.00	1.5	1.5	0.19
	87.312	30.162	30.886	23.812	3.5	3.3	SKET	3579 / 3525	56.0	49.50	75.00	81.00	3.5	3.3	0.79
42.875	76.200	25.400	25.400	20.638	3.5	1.5	SKET	26884 / 26823	55.0	48.50	73.00	69.00	3.5	1.5	0.47
	79.375	23.812	25.400	19.050	3.5	0.8	SKET	26884 / 26822	55.0	48.50	71.00	74.00	3.5	0.8	0.50
	79.375	23.812	25.400	19.050	1.5	0.8	SKET	26886 / 26822	51.0	48.50	71.00	74.00	1.5	0.8	0.51
	80.000	21.000	22.403	17.826	3.5	1.3	SKET	3425 / 332	54.0	47.50	73.00	75.00	3.5	1.3	0.43
	80.000	23.852	25.400	19.050	0.8	1.3	SKET	26884 / 26824	55.0	48.50	70.00	74.00	0.8	1.3	0.50
	80.167	25.400	25.400	20.638	3.5	0.8	SKET	26884 / 26830	55.0	48.50	70.00	74.00	3.5	0.8	0.22
	82.931	23.812	25.400	19.050	3.5	0.8	SKET	25577 / 25520	55.0	49.00	74.00	77.00	3.5	0.8	0.58
	82.931	26.988	25.400	22.225	3.6	2.4	SKET	25577 / 25523	55.0	49.00	72.00	77.00	3.6	2.4	0.63
	83.058	23.812	25.400	19.050	3.5	3.3	SKET	25577 / 25521	55.0	49.00	72.00	77.00	3.5	3.3	0.58
83.058	23.876	25.400	19.114	3.5	2.0	SKET	25577 / 25522	55.0	49.00	73.00	77.00	3.5	2.0	0.58	
43.000	74.988	19.368	19.837	14.288	1.5	1.3	SKET	16986 / 16929	41.0	48.50	71.00	67.00	1.5	1.3	0.35
44.450	71.438	12.700	12.700	9.525	1.5	1.5	SKET	LL103049 / LL103010	51.0	48.50	65.00	68.00	1.5	1.5	0.18
	73.025	18.258	18.258	15.083	1.5	1.5	SKET	L102849 / L102810	51.0	49.00	66.00	69.00	1.5	1.5	0.30
	76.992	17.462	17.145	11.908	1.5	1.5	SKET	12175 / 12303	52.0	49.50	68.00	73.00	1.5	1.5	0.30
	79.375	17.462	17.462	13.495	2.8	1.5	SKET	18685 / 18620	54.0	49.50	71.00	74.00	2.8	1.5	0.34
	80.962	19.050	17.462	14.288	0.3	1.5	SKET	13175 / 13318	50.0	50.00	72.00	76.00	0.3	1.5	0.39
	82.931	22.225	23.012	17.462	0.8	0.8	SKET	35176 / 35326	49.5	50.00	78.00	76.00	0.8	0.8	0.49
	82.931	23.812	25.400	19.050	3.5	0.8	SKET	25580 / 25520	57.0	50.00	74.00	77.00	3.5	0.8	0.55
	82.931	23.812	25.400	19.050	0.5	0.8	SKET	25581 / 25520	51.0	50.00	74.00	77.00	0.5	0.8	0.56
	82.931	23.812	25.400	19.050	5.0	0.8	SKET	25582 / 25520	50.0	60.00	74.00	77.00	5.0	0.8	0.55
82.931	23.813	25.400	19.050	5.0	2.3	SKET	25582 / 25524	53.0	51.00	74.00	77.00	5.0	2.3	0.53	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
44.450	82.931	26.988	25.400	22.225	0.5	2.3	SKET	25581 / 25523	51.0	50.00	72.00	77.00	0.5	2.3	0.55
	83.058	23.812	25.400	19.050	3.5	3.3	SKET	25580 / 25521	56.0	51.00	72.00	78.00	3.5	3.3	0.56
	83.058	23.876	25.400	19.114	3.5	2.0	SKET	25580 / 25522	57.0	50.00	73.00	77.00	3.5	2.0	0.56
	84.138	30.162	30.886	23.812	3.5	3.3	SKET	3578 / 3520	57.0	51.00	74.00	80.00	3.5	3.3	0.68
	85.000	20.638	21.692	17.462	2.3	1.3	SKET	355 / 354A	54.0	50.00	77.00	80.00	2.3	1.3	0.50
	85.000	20.638	21.692	17.462	0.8	1.3	SKET	355A / 354A	51.0	50.00	77.00	80.00	0.8	1.3	0.50
	87.312	30.162	30.886	23.812	3.5	3.3	SKET	3578 / 3525	57.0	51.00	75.00	81.00	3.5	3.3	0.76
	87.312	30.162	30.886	23.812	3.3	3.5	SKET	3578 / 3525-SLS	57.0	51.00	75.00	81.00	3.3	3.5	0.78
	87.312	30.162	30.886	23.812	3.5	0.8	SKET	3578 / 3526	57.0	51.00	77.00	81.00	3.5	0.8	0.77
	87.312	30.162	30.886	23.812	3.5	0.8	SKET	3578 / 3526	57.0	51.00	77.00	81.00	3.5	0.8	0.77
	88.900	25.400	25.400	19.050	3.5	3.3	SKET	NP910415 / M804010	54.0	50.00	81.00	91.00	3.5	3.3	0.68
	88.900	30.162	29.370	23.020	3.5	3.3	SKET	HM803149 / HM803110	62.0	53.40	74.00	85.00	3.5	3.3	0.84
	90.119	23.000	21.692	21.808	3.6	2.4	SKET	355X / 352	56.0	50.00	78.00	82.00	3.6	2.4	0.66
	90.119	23.000	21.692	21.808	2.3	2.3	SKET	355 / 352	54.0	50.00	81.00	84.00	2.3	2.3	0.67
	92.075	30.163	29.370	23.020	3.6	3.2	SKET	HM803149 / HM803112	62.0	53.40	75.00	85.00	3.6	3.2	0.92
	93.264	30.162	30.302	23.812	3.5	3.3	SKET	3782 / 3720	58.0	52.00	82.00	88.00	3.5	3.3	0.95
	93.662	31.750	31.750	26.195	0.8	3.3	SKET	46175 / 46368	55.0	54.00	79.00	87.00	0.8	3.3	1.01
	93.662	31.750	31.750	26.195	3.5	3.3	SKET	46176 / 46368	60.0	54.00	79.00	87.00	3.5	3.3	1.01
	93.662	31.750	31.750	25.400	3.5	3.3	SKET	49175 / 49368	59.0	53.00	82.00	87.00	3.5	3.3	1.00
	93.662	31.750	31.750	25.400	0.8	3.3	SKET	49176 / 49368	54.0	53.00	82.00	87.00	0.8	3.3	1.02
	95.250	27.783	28.575	22.225	0.8	2.3	SKET	33885 / 33821	53.0	53.00	85.00	90.00	0.8	2.3	0.96
	95.250	27.783	28.575	22.225	0.8	0.8	SKET	33885 / 33822	53.0	53.00	86.00	90.00	0.8	0.8	0.98
	95.250	27.783	29.900	22.225	3.5	2.3	SKET	438 / 432	57.0	51.00	83.00	85.00	3.5	2.3	0.92
	95.250	27.783	29.900	22.225	3.5	0.8	SKET	438 / 432A	57.0	51.00	84.00	87.00	3.5	0.8	0.93
	95.250	30.162	29.370	23.020	0.8	3.3	SKET	HM804842 / HM804810	57.0	57.00	81.00	91.00	0.8	3.3	1.02
	95.250	30.162	29.370	23.020	3.5	3.3	SKET	HM804843 / HM804810	63.0	57.00	81.00	91.00	3.5	3.3	1.01
95.250	30.958	28.300	20.638	1.3	0.8	SKET	53176 / 53375	59.0	53.00	81.00	89.00	1.3	0.8	0.95	
95.250	30.958	28.300	20.638	1.3	2.3	SKET	53176 / 53377	59.0	53.00	80.00	89.00	1.3	2.3	0.94	
95.250	30.958	28.300	20.638	3.5	0.8	SKET	53177 / 53375	63.0	53.00	81.00	89.00	3.5	0.8	0.94	
95.250	30.958	28.300	20.638	2.0	0.8	SKET	53178 / 53375	60.0	53.00	81.00	89.00	2.0	0.8	0.94	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
44.450	95.250	30.958	28.575	22.225	3.6	1.0	SKET	CBK334	63.0	55.00	89.00	92.00	3.6	1.0	1.00
	95.250	30.958	28.300	22.225	1.3	0.8	SKET	HM903247 / HM903210	61.0	54.00	81.00	91.00	1.3	0.8	1.00
	95.250	30.958	28.575	22.225	3.5	0.8	SKET	HM903249 / HM903210	65.0	54.00	81.00	91.00	3.5	0.8	1.00
	95.250	30.958	28.300	22.225	3.5	0.8	SKET	HM903249A / HM903210	65.0	54.00	81.00	91.00	3.5	0.8	1.00
	98.425	30.958	28.300	20.638	1.3	0.8	SKET	53176 / 53387	59.0	53.00	82.00	91.00	1.3	0.8	1.03
	98.425	30.958	28.301	20.638	3.5	0.8	SKET	53177 / 53387	63.0	53.00	82.00	91.00	3.5	0.8	1.01
	101.600	31.750	31.750	25.400	0.8	3.3	SKET	49576 / 49520	55.0	54.00	88.00	96.00	0.8	3.3	1.23
	101.600	34.926	36.068	26.988	3.5	3.3	SKET	527 / 522	59.0	53.00	89.00	95.00	3.5	3.3	1.35
	103.188	43.658	44.475	36.512	1.3	3.3	SKET	5356 / 5335	58.0	56.00	89.00	97.00	1.3	3.3	1.86
	104.775	30.162	30.958	23.812	0.8	3.3	SKET	45280 / 45220	55.0	54.00	93.00	99.00	0.8	3.3	1.33
	104.775	30.162	29.317	24.605	3.5	3.3	SKET	460 / 453X	60.0	54.00	92.00	98.00	3.5	3.3	1.27
	104.775	36.512	36.512	28.575	3.5	3.3	SKET	59175 / 59412	63.0	56.00	92.00	99.00	3.5	3.3	1.53
	104.775	36.512	36.512	28.575	3.5	3.3	SKET	HM807040 / HM807010	66.0	59.00	89.00	100.00	3.5	3.3	1.62
	107.950	27.783	29.317	22.225	3.5	0.8	SKET	460 / 453A	60.0	54.00	97.00	100.00	3.5	0.8	1.35
	107.950	36.513	36.957	28.575	3.5	3.3	SKET	535 / 532X	60.0	54.00	94.00	100.00	3.5	3.3	1.67
	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55175C / 55437	70.0	64.00	92.00	105.00	3.5	3.3	1.44
	111.125	30.162	26.909	20.638	0.8	3.3	SKET	55176C / 55437	65.0	64.50	92.00	105.00	0.8	3.3	1.44
	111.125	38.100	36.957	30.162	3.5	3.3	SKET	535 / 532A	60.0	54.00	95.00	100.00	3.5	3.3	1.84
	114.300	44.450	44.450	34.925	3.6	3.2	SKET	65385 / 65320	65.0	59.00	97.00	107.00	3.6	3.2	2.35
120.650	41.275	41.275	31.750	3.6	3.2	SKET	615 / 612	62.0	56.00	105.00	110.00	3.6	3.2	0.85	
127.000	50.800	52.388	41.275	3.5	3.3	SKET	6277 / 6220	67.0	60.00	108.00	117.00	3.5	3.3	3.54	
44.869	92.075	24.607	25.400	19.845	3.5	0.8	SKET	28576 / 28521	53.0	51.00	83.00	87.00	3.5	0.8	0.54
44.983	82.931	23.812	25.400	19.050	1.5	0.8	SKET	25584 / 25520	53.0	51.00	74.00	77.00	1.5	0.8	0.55
	82.931	23.812	25.400	19.050	3.5	0.8	SKET	25584A / 25520	53.0	51.00	74.00	77.00	3.5	0.8	0.55
	83.058	23.813	25.400	19.050	1.6	3.2	SKET	25584 / 25521	53.0	51.00	72.00	77.00	1.6	3.2	0.56
	83.058	23.876	25.400	19.114	1.6	2.0	SKET	25584 / 25522	53.0	51.00	73.00	77.00	1.6	2.0	0.56
	84.988	19.000	19.164	15.875	2.0	1.5	SKET	29177 / 29334	54.0	51.00	76.00	80.00	2.0	1.5	0.46
	85.000	23.813	25.400	19.050	1.5	2.3	SKET	25584 / 25526	53.0	51.00	74.00	78.00	1.5	2.3	0.58
93.264	30.162	30.302	23.812	3.5	3.3	SKET	3776 / 3720	59.0	53.00	82.00	88.00	3.5	3.3	0.94	
44.988	82.550	21.974	21.000	15.000	3.5	3.3	SKET	4630 / 4628	57.0	52.00	74.00	78.00	3.5	3.3	0.46

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
44.988	82.931	23.812	25.400	19.050	3.5	0.8	SKET	25584A / 25520	54.0	51.00	74.00	77.00	3.5	0.8	0.55
	85.000	26.988	25.400	22.225	3.5	2.3	SKET	25584A / 25527	54.0	51.00	74.00	78.00	3.5	2.3	0.58
	95.250	30.958	28.575	22.225	3.5	0.8	SKET	HM903248 / HM903210	66.0	54.00	81.00	91.00	3.5	0.8	0.99
	104.986	32.512	31.750	23.368	2.5	2.5	SKET	HM905843 / HM905810	60.0	68.00	86.00	100.00	2.5	2.5	1.38
45.000	68.000	15.000	15.000	12.000	0.6	0.6	SKET	32909	49.0	50.00	61.00	64.00	0.6	0.6	0.19
	75.000	20.000	20.000	15.500	1.0	1.0	SKET	32009X	50.0	51.00	67.00	72.00	1.0	1.0	0.34
	75.000	20.000	20.000	15.500	3.0	1.0	SKET	XAA32009X / 32009X	50.0	51.00	67.00	72.00	3.0	1.0	0.34
	75.000	24.000	24.000	19.000	1.0	1.0	SKET	33009	50.0	51.00	67.00	71.00	1.0	1.0	0.41
	78.000	21.501	24.000	15.000	3.5	2.3	SKET	JLM603048F / JLM603013Z	57.0	50.00	71.00	74.00	3.5	2.3	0.39
	80.000	20.218	26.000	18.000	3.0	2.0	SKET	U497 / U460L	52.0	52.00	72.00	76.00	3.0	2.0	1.17
	80.000	26.000	26.000	20.500	1.5	1.5	SKET	33109	53.0	52.00	69.00	76.00	1.5	1.5	0.55
	85.000	20.638	21.692	17.462	1.5	1.5	SKET	358 / 354	53.0	50.00	77.00	80.00	1.5	1.5	0.50
	85.000	20.638	21.692	17.462	1.5	1.3	SKET	358 / 354A	53.0	50.00	77.00	80.00	1.5	1.3	0.50
	85.000	20.638	21.692	17.462	2.0	1.5	SKET	358X / 354X	56.0	55.00	77.00	80.00	2.0	1.5	0.51
	85.000	20.750	19.000	16.000	1.5	1.5	SKET	30209	53.0	54.00	74.00	80.00	1.5	1.5	0.49
	85.000	24.750	23.000	19.000	1.5	1.5	SKET	32209	53.0	53.00	73.00	81.00	1.5	1.5	0.58
	85.000	24.750	23.500	20.000	1.5	1.5	SKET	127509	53.0	53.00	73.00	81.00	1.5	1.5	0.58
	85.000	24.750	23.500	20.000	2.0	0.3	SKET	127509AK	53.0	53.00	73.00	81.00	2.0	0.3	0.60
	85.000	24.750	23.000	19.000	1.5	1.5	SKET	32209C	53.0		73.00	81.00	1.5	1.5	0.58
	85.000	32.000	32.000	25.000	1.5	1.5	SKET	33209	53.0	52.00	76.00	81.00	1.5	1.5	0.81
	88.900	20.638	22.225	16.513	2.0	1.3	SKET	367 / 362A	55.0	51.00	81.00	84.00	2.0	1.3	0.58
	93.264	20.638	22.225	15.082	0.8	1.3	SKET	376 / 374	54.0	54.00	85.00	88.00	0.8	1.3	0.67
	95.000	29.000	26.500	20.000	2.5	2.5	SKET	7FC045	61.0	53.00	75.00	93.00	2.5	2.5	0.92
	95.000	29.000	26.500	20.000	1.0	2.5	SKET	JW4549 / JW4510	64.0	54.00	78.00	90.00	1.0	2.5	0.91
	95.000	36.000	35.000	30.000	3.0	3.0	SKET	T2ED045	55.0	51.00	85.00	90.00	3.0	3.0	1.19
	95.000	36.000	35.000	30.000	3.0	3.0	SKET	TD-STD4595	55.0	51.00	85.00	90.00	3.0	3.0	1.19
	100.000	27.250	25.000	22.000	2.0	1.5	SKET	30309	55.0	59.00	86.00	93.00	2.0	1.5	1.00
	100.000	27.250	25.000	18.000	2.0	1.5	SKET	31309	55.0	56.00	79.00	96.00	2.0	1.5	0.96
100.000	27.250	25.000	19.000	2.0	1.5	SKET	30309C	55.0	59.00	86.00	93.00	2.0	1.5	1.00	
100.000	27.250	25.000	18.000	2.0	1.5	SKET	30309D	55.0	59.00	86.00	93.00	2.0	1.5	1.00	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
45.000	100.000	31.850	29.000	20.500	2.5	2.5	SKET	30309X2B	55.0	59.00	86.00	93.00	2.5	2.5	1.04
	100.000	38.250	36.000	30.000	2.0	1.5	SKET	32309	55.0	56.00	82.00	93.00	2.0	1.5	1.42
	100.000	38.250	36.000	28.000	2.0	1.5	SKET	32309C	55.0	56.00	82.00	93.00	2.0	1.5	1.42
45.230	79.985	19.842	20.638	15.080	2.0	1.3	SKET	17887 / 17831	50.0	50.00	73.00	76.00	2.0	1.3	0.40
	79.985	19.842	20.638	15.080	2.0	1.3	SKET	R45Z-6	50.0	50.00	73.00	76.00	2.0	1.3	0.387
45.237	84.138	30.163	30.886	23.813	3.6	3.2	SKET	3586 / 3520	58.0	52.00	74.00	79.50	3.6	3.2	0.69
	87.312	30.162	30.886	23.812	3.5	3.3	SKET	3586 / 3525	58.0	52.00	75.00	81.00	3.5	3.3	0.75
45.242	73.431	19.558	19.812	15.748	3.5	0.8	SKET	LM102949 / LM102910	56.0	50.00	68.00	70.00	3.5	0.8	0.31
	77.788	19.842	19.842	15.080	3.5	0.8	SKET	LM603049 / LM603011	57.0	50.00	71.00	74.00	3.5	0.8	0.36
	77.788	21.430	19.842	16.667	3.5	0.8	SKET	LM603049 / LM603012	57.0	50.00	70.00	74.00	3.5	0.8	0.37
	79.974	19.842	19.842	15.080	3.5	0.8	SKET	LM603049 / LM603014	58.0	51.00	71.00	75.00	3.5	0.8	0.39
	79.974	19.842	19.842	15.080	0.8	1.0	SKET	LM603049A / LM603014	58.0	51.00	71.00	75.00	0.8	1.0	0.40
45.618	82.550	23.812	25.400	19.050	3.5	2.0	SKET	25590 / 25519	58.0	51.00	73.00	77.00	3.5	2.0	0.53
	82.931	23.812	25.400	19.050	3.5	0.8	SKET	25590 / 25520	58.0	51.00	74.00	77.00	3.5	0.8	0.54
	82.931	26.988	25.400	22.225	3.5	2.3	SKET	25590 / 25523	58.0	51.00	72.00	77.00	3.5	2.3	0.58
	83.058	23.812	25.400	19.050	3.5	3.3	SKET	25590 / 25521	58.0	51.00	72.00	77.00	3.5	3.3	0.53
	83.058	23.877	25.400	19.114	3.5	2.0	SKET	25590 / 25522	58.0	51.00	73.00	77.00	3.5	2.0	0.54
	85.000	23.812	25.400	19.050	3.5	2.3	SKET	25590 / 25526	58.0	51.00	74.00	78.00	3.5	2.3	0.57
45.987	74.976	18.000	18.000	14.000	2.3	1.5	SKET	LM503349 / LM503310	55.0	51.00	67.00	71.00	2.3	1.5	0.30
	74.976	18.000	18.000	14.000	特殊	1.5	SKET	LM503349A / LM503310	57.0	51.00	67.00	71.00	特殊	1; 5	0.29
	90.975	32.000	32.000	26.500	3.5	3.5	SKET	HM204049 / HM204010	63.0	54.00	79.00	86.00	3.5	3.5	0.94
46.000	75.000	18.000	18.000	14.000	2.3	1.6	SKET	TD-LM503349 / LM503310	57.0	51.00	67.00	71.00	2.3	1.6	0.30
46.038	79.375	17.462	17.462	13.495	2.8	1.5	SKET	18690 / 18620	56.0	51.00	71.00	74.00	2.8	1.5	0.33
	80.962	19.050	17.462	14.288	0.8	1.5	SKET	13181 / 13318	52.0	52.00	72.00	76.00	0.8	1.5	0.37
	82.931	23.812	25.400	19.050	3.5	0.8	SKET	25592 / 25520	58.0	52.00	74.00	77.00	3.5	0.8	0.53
	85.000	20.638	21.692	17.462	3.5	1.3	SKET	359A / 354A	57.0	51.00	77.00	80.00	3.5	1.3	0.48
	85.000	20.638	21.692	17.462	2.3	1.3	SKET	359S / 354A	55.0	51.00	77.00	80.00	2.3	1.3	0.48
	85.000	20.638	21.692	17.462	2.3	1.5	SKET	359S / 354X	55.0	51.00	77.00	80.00	2.3	1.5	0.49
	85.000	25.400	25.608	20.638	3.5	1.3	SKET	2984 / 2924	58.0	52.00	76.00	80.00	3.5	1.3	0.60
90.119	23.000	21.692	21.808	2.3	2.3	SKET	359S / 352	55.0	51.00	78.00	82.00	2.3	2.3	0.64	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
46.038	93.264	30.162	30.302	23.812	3.5	3.3	SKET	3777 / 3720	60.0	53.00	82.00	88.00	3.5	3.3	0.93
	95.250	27.783	29.900	22.225	3.5	2.3	SKET	436 / 432	59.0	52.00	83.00	87.00	3.5	2.3	0.90
	95.250	27.783	29.901	22.225	3.5	0.8	SKET	436 / 432A	59.0	52.00	84.00	87.00	3.5	0.8	0.92
47.000	100.000	43.000	43.000	27.000	2.5	2.5	SKET	306 / 47	55.0	52.00	90.00	94.00	2.5	2.5	1.59
47.625	88.900	20.638	22.225	16.513	3.5	1.3	SKET	369A / 362A	60.0	53.00	81.00	84.00	3.5	1.3	0.54
	88.900	20.638	22.225	16.513	2.3	1.3	SKET	369S / 362A	57.0	53.00	81.00	84.00	2.3	1.3	0.54
	88.900	25.400	25.400	19.050	0.8	3.3	SKET	M804048 / M804010	57.0	56.00	77.00	85.00	0.8	3.3	0.66
	88.900	25.400	25.400	19.050	3.5	3.3	SKET	M804049 / M804010	63.0	56.00	77.00	85.00	3.5	3.3	0.65
	90.000	20.000	22.225	15.875	3.6	2.0	SKET	369A / 362	60.0	53.00	81.00	84.00	3.6	2.0	0.55
	90.000	20.638	22.225	15.875	2.3	1.3	SKET	369S / 362	57.0	53.00	81.00	84.00	2.3	1.3	0.54
	93.264	30.162	30.302	23.812	6.4	3.3	SKET	3778 / 3720	67.0	55.00	82.00	87.00	6.4	3.3	0.88
	93.264	30.162	30.302	23.812	3.5	3.3	SKET	3779 / 3720	61.0	55.00	82.00	88.00	3.5	3.3	0.90
	95.250	30.162	29.370	23.020	3.5	3.3	SKET	HM804846 / HM804810	66.0	57.00	81.00	91.00	3.5	3.3	0.96
	96.838	21.000	21.946	15.875	0.8	0.8	SKET	386A / 382A	56.0	55.00	89.00	92.00	0.8	0.8	0.72
	98.425	21.000	21.946	17.826	0.8	0.8	SKET	386A / 382	56.0	55.00	89.00	92.00	0.8	0.8	0.77
	101.600	34.925	36.068	26.988	3.5	3.3	SKET	528 / 522	62.0	55.00	89.00	95.00	3.5	3.3	1.29
	104.775	30.162	30.958	23.812	3.5	3.3	SKET	45282 / 45220	63.0	57.00	93.00	99.00	3.5	3.3	1.26
	104.775	30.162	29.317	24.605	4.8	3.3	SKET	463 / 453X	65.0	56.00	92.00	98.00	4.8	3.3	1.21
	104.775	30.162	29.317	24.605	0.8	3.3	SKET	467 / 453X	57.0	56.00	92.00	98.00	0.8	3.3	1.22
	107.950	36.513	36.957	28.575	3.6	3.2	SKET	536 / 532X	62.0	56.00	94.00	100.00	3.6	3.2	1.61
	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55187 / 55437	69.0	62.00	92.00	105.00	3.5	3.3	1.33
	111.125	30.162	26.909	20.638	3.6	3.2	SKET	55187C / 55347	69.0	62.00	92.00	105.00	3.6	3.2	1.41
	112.712	30.162	26.909	20.638	3.5	3.3	SKET	55187 / 55443	69.0	62.00	92.00	106.00	3.5	3.3	1.37
	112.712	30.162	26.909	20.638	3.5	3.3	SKET	55187C / 55443	69.0	62.00	92.00	106.00	3.5	3.3	1.47
117.475	33.338	31.750	23.812	3.5	3.3	SKET	66187 / 66462	66.0	62.00	100.00	111.00	3.5	3.3	1.74	
123.825	36.512	32.791	25.400	3.5	3.3	SKET	72187 / 72487	72.0	66.00	102.00	116.00	3.5	3.3	2.08	
123.825	36.512	32.791	25.400	0.8	3.3	SKET	72188C / 72487	69.0	67.00	102.00	116.00	0.8	3.3	2.25	
47.635	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55187C / 55437	69.0	62.00	92.00	105.00	3.5	3.3	1.39
48.412	95.250	30.162	29.370	23.020	2.3	3.3	SKET	HM804848 / HM804810	63.0	57.00	81.00	91.00	2.3	3.3	0.95
	95.250	30.162	29.370	23.020	2.3	0.8	SKET	HM804848 / HM804811	63.0	57.00	83.00	91.00	2.3	0.8	0.96

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
48.412	95.250	30.162	29.370	23.020	2.3	3.3	SKET	HM804848A / HM804810	63.0	57.00	81.00	91.00	2.3	3.3	0.95
	95.250	30.162	29.370	23.020	3.5	3.3	SKET	HM804849 / HM804810	66.0	57.00	81.00	91.00	3.5	3.3	0.95
48.600	88.000	21.500	21.500	16.800	0.5	1.0	SKET	BT1B332987	54.0	53.00	80.00	84.00	0.5	1.0	0.56
49.212	88.900	20.638	22.225	16.513	0.8	1.3	SKET	365S / 362A	55.0	54.00	81.00	84.00	0.8	1.3	0.53
	93.264	30.162	30.302	23.812	3.5	3.3	SKET	3781 / 3720	62.0	56.00	82.00	88.00	3.5	3.3	0.87
	103.188	43.658	44.475	36.512	3.5	3.3	SKET	5395 / 5335	66.0	60.00	89.00	97.00	3.5	3.3	1.73
	104.775	36.512	36.512	28.575	3.5	3.3	SKET	HM807044 / HM807010	69.0	63.00	89.00	100.00	3.5	3.3	1.52
	104.775	36.512	36.512	28.575	3.5	0.8	SKET	HM807044 / HM807011	69.0	63.00	91.00	100.00	3.5	0.8	1.54
	114.300	44.450	44.450	34.925	3.5	3.3	SKET	65390 / 65320	70.0	60.00	97.00	107.00	3.5	3.3	2.18
	114.300	44.450	44.450	36.068	3.5	3.3	SKET	HH506348 / HH506310	71.0	61.00	97.00	107.00	3.5	3.3	2.34
49.987	82.000	17.000	22.225	17.000	0.5	0.8	SKET	LM104947A / LM104910	55.0	55.00	75.00	78.00	0.5	0.8	0.43
	82.550	21.590	22.225	16.510	0.5	1.3	SKET	LM104947A / LM104911	55.0	55.00	75.00	78.00	0.5	1.3	0.44
	89.980	24.750	25.400	19.987	2.3	2.3	SKET	28579 / 28520	60.0	56.00	81.00	86.00	2.3	2.3	0.66
	92.075	24.608	25.400	19.845	2.3	0.8	SKET	28579 / 28521	60.0	56.00	83.00	87.00	2.3	0.8	0.71
	92.075	27.780	25.400	19.845	2.3	2.3	SKET	28579 / 28523	60.0	56.00	84.00	88.00	2.3	2.3	0.70
	114.300	44.450	44.450	36.068	3.5	3.3	SKET	HH506349 / HH506310	72.0	61.00	97.00	107.00	3.5	3.3	2.32
50.000	72.000	15.000	15.000	12.000	0.6	0.6	SKET	32910	54.0	55.00	65.00	69.00	0.6	0.6	0.19
	80.000	20.000	20.000	15.500	3.0	1.0	SKET	32010XR	59.0	56.00	72.00	77.00	3.0	1.0	0.35
	80.000	20.000	20.000	15.500	2.3	1.0	SKET	XAA32010X / Y32010XZ	55.0	56.00	72.00	77.00	2.3	1.0	0.37
	80.000	20.000	20.000	15.500	3.0	1.0	SKET	AB-32010X / 32010X	55.0	56.00	72.00	77.00	3.0	1.0	0.37
	80.000	20.000	20.000	15.500	1.0	1.0	SKET	32010XZ / Y32010XZ	55.0	56.00	72.00	77.00	1.0	1.0	0.37
	80.000	20.000	20.000	15.500	1.0	1.0	SKET	32010X	55.0	56.00	72.00	77.00	1.0	1.0	0.37
	80.000	20.000	20.000	15.500	3.0	1.0	SKET	AB-32010X / 32010X	59.0	56.00	72.00	77.00	3.0	1.0	0.37
	80.000	22.000	20.000	17.500	3.5	1.5	SKET	50KB801	60.0	58.00	72.00	76.00	3.5	1.5	0.39
	80.000	24.000	24.000	19.000	1.0	1.0	SKET	33010	55.0	56.00	72.00	76.00	1.0	1.0	0.45
	82.000	21.500	27.700	17.000	3.0	0.5	SKET	JLM104945 / JLM104910Z	60.0	55.00	76.00	78.00	3.0	0.5	0.45
	82.000	21.500	21.500	17.000	3.0	0.5	SKET	JLM104948 / JLM104910	60.0	55.00	76.00	78.00	3.0	0.5	0.41
	82.000	21.976	22.225	17.000	3.5	0.5	SKET	LM104949 / JLM104910	62.0	55.00	75.00	78.00	3.5	0.5	0.41
	82.550	21.115	21.500	16.510	3.0	1.3	SKET	JLM104948 / JLM104911	60.0	55.00	77.00	79.00	3.0	1.3	0.40
	83.000	20.500	20.500	15.500	3.5	1.0	SKET	T2CC050	60.0	58.00	75.00	79.00	3.5	1.0	0.40

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
50.000	83.000	20.500	20.500	15.500	3.5	1.0	SKET	T2CC050 / T2CC050J	60.0	58.00	75.00	79.00	3.5	1.0	0.40
	83.000	20.700	20.500	15.500	5.0	1.0	SKET	TR100802	62.0	58.00	75.00	79.00	5.0	1.0	0.40
	83.000	24.000	20.500	19.000	4.0	1.3	SKET	50KB8301	60.0	58.00	75.00	79.00	4.0	1.3	0.42
	84.000	22.000	22.000	17.500	3.5	1.5	SKET	JLM704649 / JLM704610	62.0	56.00	76.00	80.00	3.5	1.5	0.45
	85.000	26.000	26.000	20.000	1.5	1.5	SKET	33110	58.0	56.00	74.00	81.00	1.5	1.5	0.60
	88.900	20.638	22.225	16.513	2.0	1.3	SKET	365 / 362A	58.0	55.00	81.00	84.00	2.0	1.3	0.53
	88.900	20.638	22.225	16.513	2.3	1.3	SKET	366 / 362A	59.0	54.00	81.00	84.00	2.3	1.3	0.53
	90.000	20.000	22.225	16.513	2.0	1.3	SKET	365 / 362	58.0	55.00	81.00	84.00	2.0	1.3	0.52
	90.000	21.750	20.000	17.000	1.5	1.5	SKET	30210	58.0	59.00	79.00	85.00	1.5	1.5	0.56
	90.000	21.750	20.000	16.000	1.5	1.5	SKET	30210C	58.0	59.00	79.00	85.00	1.5	1.5	0.56
	90.000	24.750	23.000	19.000	1.5	1.5	SKET	32210	58.0	58.00	78.00	85.00	1.5	1.5	0.62
	90.000	24.750	23.000	18.000	1.5	1.5	SKET	32210C	58.0	58.00	78.00	85.00	1.5	1.5	0.62
	90.000	28.000	28.000	23.000	3.0	2.5	SKET	JM205149 / JM205110	62.0	57.00	80.00	85.00	3.0	2.5	0.65
	90.000	28.000	28.000	23.000	5.0	2.5	SKET	JM205149A / JM205110	66.0	57.00	80.00	85.00	5.0	2.5	0.73
	90.000	32.000	32.000	24.500	1.5	1.5	SKET	33210	58.0	57.00	77.00	86.00	1.5	1.5	0.88
	93.264	30.162	30.302	23.812	1.5	2.0	SKET	50KW / 3720	58.0	56.00	82.00	88.00	1.5	2.0	0.55
	93.264	30.162	30.302	23.812	1.5	2.0	SKET	50KW01 / 3720	66.0	58.00	73.00	81.00	1.5	2.0	0.93
	95.000	8.750	20.000	17.000	1.5	2.0	SKET	L30210	58.0	59.00	79.00	85.00	1.5	2.0	0.54
	100.000	36.000	35.000	30.000	2.5	2.5	SKET	2ED050	66.0	58.00	85.00	96.00	2.5	2.5	1.30
	105.000	32.000	29.000	22.000	3.0	3.0	SKET	JW5049 / JW5010	76.0	60.00	86.00	100.00	3.0	3.0	1.21
	105.000	37.000	36.000	29.000	3.0	2.5	SKET	JHM807045 / JHM807012	69.0	63.00	90.00	100.00	3.0	2.5	1.52
	110.000	22.000	21.996	18.824	0.8	1.3	SKET	396 / 394A	61.0	60.00	101.00	104.00	0.8	1.3	1.04
	110.000	29.250	27.000	23.000	2.5	2.0	SKET	30310	62.0	65.00	95.00	103.00	2.5	2.0	1.32
	110.000	29.250	27.000	20.000	2.5	2.0	SKET	30310C	62.0		95.00	103.00	2.5	2.0	1.32
	110.000	29.250	27.000	19.000	2.5	2.0	SKET	30310D	62.0	65.00	95.00	103.00	2.5	2.0	1.32
	110.000	29.250	27.000	19.000	2.5	2.0	SKET	31310	62.0	62.00	87.00	105.00	2.5	2.0	1.25
110.000	42.250	40.000	33.000	2.5	2.0	SKET	32310	62.0	62.00	90.00	102.00	2.5	2.0	1.88	
110.000	42.250	40.000	33.000	2.5	2.0	SKET	32310C	62.0	62.00	90.00	102.00	2.5	2.0	1.88	
110.000	42.250	40.000	33.000	2.5	2.0	SKET	32310B	62.0	62.00	90.00	102.00	2.5	2.0	1.88	
112.712	26.967	21.996	23.812	0.8	3.3	SKET	396 / 3920	61.0	60.00	99.00	106.00	0.8	3.3	1.21	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
50.000	114.300	44.450	44.450	34.925	3.5	3.3	SKET	TR5011444	60.0	58.00	102.00	108.00	3.5	3.3	2.18
50.800	77.788	12.700	12.700	9.525	1.5	1.5	SKET	LL205449 / LL205410	57.0	55.00	71.00	74.00	1.5	1.5	0.19
	80.962	18.258	18.258	14.288	1.5	1.5	SKET	L305649 / L305610	58.0	56.00	73.00	77.00	1.5	1.5	0.34
	82.000	21.500	24.000	17.000	3.5	0.5	SKET	JLM104946 / 10Z	60.0	55.00	76.00	78.00	3.5	0.5	0.42
	82.000	21.976	22.225	17.000	3.5	0.5	SKET	LM104949 / JLM104910	62.0	55.00	75.00	78.00	3.5	0.5	0.41
	82.550	21.116	23.993	16.510	3.5	1.3	SKET	LM104946 / LM104911	62.0	55.00	73.00	78.00	3.5	1.3	0.43
	82.550	21.590	22.225	16.510	3.5	1.3	SKET	LM104949 / LM104911	62.0	55.00	75.00	78.00	3.5	1.3	0.42
	82.550	23.622	22.225	18.542	3.5	0.8	SKET	LM104949 / LM104911A	62.0	55.00	75.00	78.00	3.5	0.8	0.46
	82.931	21.590	22.225	16.510	3.5	1.3	SKET	LM104949 / LM104912	62.0	55.00	75.00	78.00	3.5	1.3	0.42
	83.312	17.462	17.462	13.495	3.5	1.5	SKET	18790 / 18721	62.0	56.00	77.00	80.00	3.5	1.5	0.40
	85.000	17.462	17.462	13.495	3.5	1.5	SKET	18790 / 18720	62.0	56.00	77.00	80.00	3.5	1.5	0.36
	85.000	19.050	18.263	12.500	1.5	1.5	SKET	10200 / 18335X	59.0	56.00	76.00	81.00	1.5	1.5	0.38
	85.725	19.050	18.263	12.700	1.5	1.5	SKET	18200 / 18337	59.0	56.00	76.00	81.00	1.5	1.5	0.39
	88.900	17.462	17.462	13.495	3.5	1.3	SKET	18790 / 18724	62.0	56.00	78.00	82.00	3.5	1.3	0.42
	88.900	20.637	17.462	16.670	3.5	1.3	SKET	18790 / 18723	62.0	56.00	77.00	80.00	3.5	1.3	0.45
	88.900	20.638	22.225	16.513	1.5	1.3	SKET	368 / 362A	58.0	56.00	81.00	84.00	1.5	1.3	0.50
	88.900	20.638	22.225	16.513	3.5	1.3	SKET	368A / 352A	62.0	56.00	82.00	85.00	3.5	1.3	0.52
	88.900	20.638	22.225	16.513	3.5	1.3	SKET	368A / 362A	62.0	56.00	81.00	84.00	3.5	1.3	0.50
	88.900	20.638	22.225	16.513	1.0	0.9	SKET	368L / 362AL	57.5	56.00	82.00	85.00	1.0	0.9	0.49
	88.900	20.638	22.225	16.513	5.0	1.3	SKET	370A / 362A	65.0	56.00	81.00	84.00	5.0	1.3	0.49
	90.000	20.000	22.225	15.875	1.5	2.0	SKET	368 / 362	58.0	56.00	81.00	84.00	1.5	2.0	0.51
	90.000	20.000	22.225	15.875	3.5	2.0	SKET	368A / 362	62.0	56.00	81.00	84.00	3.5	2.0	0.51
	90.000	20.000	22.225	20.000	3.5	0.8	SKET	368A / 363	62.0	56.00	82.00	85.00	3.5	0.8	0.54
	90.000	20.000	22.225	15.875	1.0	1.5	SKET	368L / 362L	57.5	56.00	82.00	85.00	1.0	1.5	0.47
	92.075	24.608	25.400	19.845	3.5	0.8	SKET	28580 / 28521	63.0	57.00	83.00	87.00	3.5	0.8	0.69
92.075	24.608	25.400	19.845	0.8	0.8	SKET	28580A / 28521	58.0	57.00	83.00	87.00	0.8	0.8	0.70	
93.264	20.638	22.225	15.083	2.3	1.3	SKET	375 / 374	60.0	57.00	85.00	88.00	2.3	1.3	0.59	
93.264	30.162	30.302	23.812	0.8	3.3	SKET	3775 / 3720	58.0	58.00	82.00	88.00	0.8	3.3	0.85	
93.264	30.162	30.302	23.812	0.8	0.8	SKET	3775 / 3730	58.0	58.00	84.00	88.00	0.8	0.8	0.87	
93.264	30.162	30.302	23.812	3.5	3.3	SKET	3780 / 3720	64.0	58.00	82.00	88.00	3.5	3.3	0.84	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
50.800	93.264	30.162	30.302	23.812	3.5	0.8	SKET	3780 / 3730	64.0	58.00	84.00	88.00	3.5	0.8	0.85
	93.264	30.162	30.302	23.812	6.4	3.3	SKET	3784 / 3720	70.0	58.00	82.00	88.00	6.4	3.3	0.82
	95.250	27.783	28.575	22.225	3.5	2.3	SKET	33889 / 33821	64.0	58.00	85.00	90.00	3.5	2.3	0.85
	95.250	27.783	28.575	22.225	3.6	0.8	SKET	33889 / 33822	64.0	58.00	86.00	90.00	3.6	0.8	0.87
	95.250	30.162	30.302	23.812	3.5	3.3	SKET	3780 / 3726	64.0	58.00	83.00	89.00	3.5	3.3	0.89
	96.838	21.000	21.946	15.875	2.3	0.8	SKET	385A / 382A	61.0	60.00	89.00	92.00	2.3	0.8	0.67
	96.838	21.000	21.946	15.875	0.8	0.8	SKET	385AX / 382A	58.0	58.00	89.00	92.00	0.8	0.8	0.68
	96.838	24.608	24.608	19.446	3.5	0.8	SKET	28678 / 28621	65.0	58.00	88.00	92.00	3.5	0.8	0.80
	97.630	24.608	24.608	19.446	3.5	0.8	SKET	28678 / 28622	65.0	58.00	88.00	92.00	3.5	0.8	0.83
	98.425	21.001	21.001	21.946	2.3	0.8	SKET	385A / 382	61.0	60.00	89.00	92.00	2.3	0.8	0.71
	98.425	30.162	30.302	23.812	3.5	3.3	SKET	3780 / 3732	64.0	58.00	84.00	90.00	3.5	3.3	0.98
	98.980	24.750	0.870	19.987	3.6	2.4	SKET	28580 / 28520	63.0	57.00	81.00	86.00	3.6	2.4	0.66
	99.985	24.607	25.400	19.845	3.5	3.3	SKET	28580 / 28526	63.0	57.00	83.00	87.00	3.5	3.3	0.73
	101.600	31.750	31.750	25.400	3.5	3.3	SKET	49585 / 49520	66.0	59.00	88.00	96.00	3.5	3.3	1.11
	101.600	34.925	36.068	26.988	0.8	3.3	SKET	529 / 522	59.0	58.00	89.00	95.00	0.8	3.3	1.23
	101.600	34.925	36.068	26.988	3.5	3.3	SKET	529X / 522	65.0	58.00	89.00	95.00	3.5	3.3	1.22
	104.775	30.162	30.958	23.812	6.4	3.3	SKET	45284 / 45220	71.0	59.00	93.00	99.00	6.4	3.3	1.19
	104.775	30.162	30.958	23.812	2.3	3.3	SKET	45285 / 45220	63.0	59.00	93.00	99.00	2.3	3.3	1.21
	104.775	30.162	30.958	23.812	0.8	3.3	SKET	45285A / 45220	60.0	59.00	93.00	99.00	0.8	3.3	1.21
	104.775	30.162	30.958	23.812	0.8	0.8	SKET	45285A / 45221	60.0	59.00	95.00	99.00	0.8	0.8	1.23
	104.775	30.162	29.317	24.605	0.8	3.3	SKET	455 / 453X	60.0	59.00	92.00	98.00	0.8	3.3	1.17
	104.775	30.162	29.317	24.605	3.5	3.3	SKET	455S / 453X	65.0	59.00	92.00	98.00	3.5	3.3	1.16
	104.775	36.512	36.512	28.575	3.5	3.3	SKET	59200 / 59412	68.0	61.00	92.00	99.00	3.5	3.3	1.39
	104.775	36.512	36.512	28.575	0.8	3.3	SKET	59201 / 59412	62.0	61.00	92.00	99.00	0.8	3.3	1.40
	104.775	36.512	36.512	28.575	3.5	3.3	SKET	HM807046 / HM807010	70.0	63.00	89.00	100.00	3.5	3.3	1.49
	104.775	36.512	36.512	28.575	3.5	0.8	SKET	HM807046 / HM807011	70.0	63.00	91.00	100.00	3.5	0.8	1.50
104.775	39.688	40.157	33.338	3.5	3.3	SKET	4580 / 4535	67.0	61.00	90.00	99.00	3.5	3.3	1.61	
107.950	27.783	22.225	16.513	2.0	1.3	SKET	455 / 453A	60.0	59.00	92.00	98.00	2.0	1.3	0.48	
107.950	36.512	36.957	28.575	3.5	3.3	SKET	537 / 532X	65.0	59.00	94.00	100.00	3.5	3.3	1.52	
108.966	34.925	36.512	26.988	3.5	3.3	SKET	59200 / 59429	68.0	61.00	93.00	101.00	3.5	3.3	1.54	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
50.800	110.000	22.000	21.996	18.824	0.8	1.3	SKET	398 / 394A	62.0	61.00	101.00	104.00	0.8	1.3	1.03
	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55200 / 55437	71.0	64.00	92.00	105.00	3.5	3.3	1.28
	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55200C / 55437	71.0	65.00	92.00	105.00	3.5	3.3	1.34
	111.125	30.162	28.575	20.638	3.5	3.3	SKET	HM907643 / HM907614	74.0	65.50	91.00	105.00	3.5	3.3	1.34
	111.125	38.100	36.957	30.162	3.5	3.3	SKET	537 / 532A	65.0	59.00	95.00	100.00	3.5	3.3	1.70
	112.712	30.162	30.162	23.812	0.8	3.3	SKET	39573 / 39520	62.0	61.00	101.00	107.00	0.8	3.3	1.52
	112.712	30.162	30.162	23.812	3.5	3.3	SKET	39575 / 39520	68.0	61.00	101.00	107.00	3.5	3.3	1.49
	112.712	30.162	30.048	23.812	3.5	3.3	SKET	3975 / 3920	68.0	61.00	99.00	106.00	3.5	3.3	1.49
	112.712	30.162	26.909	20.638	3.5	3.3	SKET	55200C / 55443	71.0	65.00	92.00	106.00	3.5	3.3	1.39
	114.300	44.450	44.450	34.925	3.5	3.3	SKET	65395 / 65320	72.0	60.00	97.00	107.00	3.5	3.3	2.14
	117.475	33.338	31.750	23.812	3.5	3.3	SKET	66200 / 66462	71.0	65.00	100.00	111.00	3.5	3.3	1.64
	120.650	41.275	41.275	31.750	3.5	3.3	SKET	619 / 612	67.0	61.00	105.00	115.00	3.5	3.3	2.26
	123.825	36.512	32.791	25.400	3.5	3.3	SKET	72200 / 72487	74.0	66.00	102.00	116.00	3.5	3.3	2.01
	123.825	36.521	32.791	25.400	3.5	3.3	SKET	72200C / 72487	77.0	67.00	102.00	116.00	3.5	3.3	2.19
	123.825	36.521	32.791	25.400	0.8	3.3	SKET	72201C / 72487	77.0	67.00	102.00	116.00	0.8	3.3	2.19
	123.825	38.100	36.678	30.162	2.3	3.3	SKET	555 / 552A	66.0	62.00	109.00	116.00	2.3	3.3	2.30
127.000	44.450	44.450	34.925	3.5	3.3	SKET	65200 / 65500	75.0	69.00	107.00	119.00	3.5	3.3	2.87	
127.000	50.800	52.388	41.275	3.5	3.3	SKET	6279 / 6220	71.0	65.00	108.00	117.00	3.5	3.3	3.30	
51.592	88.900	20.638	22.225	16.513	2.0	1.3	SKET	368S / 362A	59.0	56.00	81.00	84.00	2.0	1.3	0.49
	90.000	20.000	22.225	15.782	2.0	2.0	SKET	368S / 362	59.0	56.00	81.00	84.00	2.0	2.0	0.49
52.388	92.075	24.608	25.400	19.845	3.5	0.8	SKET	28584 / 28521	65.0	58.00	83.00	87.00	3.5	0.8	0.66
	93.264	30.162	30.302	23.812	2.3	3.3	SKET	3767 / 3720	63.0	59.00	82.00	88.00	2.3	3.3	0.81
	95.250	27.783	28.575	22.225	1.5	2.3	SKET	33890 / 33821	61.0	59.00	85.00	90.00	1.5	2.3	0.82
	95.250	27.783	28.575	22.225	1.5	0.8	SKET	33890 / 33822	61.0	59.00	86.00	90.00	1.5	0.8	0.86
	95.250	27.783	28.575	22.225	3.5	2.3	SKET	33891 / 33821	66.0	59.00	85.00	90.00	3.5	2.3	0.84
	95.250	27.783	28.575	22.225	2.3	2.3	SKET	33891R / 33821	66.0	59.00	85.00	90.00	2.3	2.3	0.81
	100.000	25.000	22.225	21.824	2.3	2.0	SKET	377 / 372	62.0	58.00	86.00	90.00	2.3	2.0	0.83
	104.775	30.162	29.317	24.605	1.5	3.3	SKET	468 / 453X	62.0	60.00	92.00	98.00	1.5	3.3	1.12
	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55206 / 55437	72.0	64.00	92.00	105.00	3.5	3.3	1.25
	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55206C / 55437	72.0	64.50	92.00	105.00	3.5	3.3	1.31

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
53.975	88.900	19.050	19.050	13.492	2.3	2.0	SKET	LM806649 / LM806610	63.0	60.00	80.00	85.00	2.3	2.0	0.42
	95.250	27.783	28.575	22.225	1.5	2.3	SKET	33895 / 33821	63.0	60.00	85.00	90.00	1.5	2.3	0.79
	95.250	27.783	28.575	22.225	1.5	0.8	SKET	33895 / 33822	63.0	60.00	86.00	90.00	1.5	0.8	0.79
	96.838	21.000	21.946	15.875	0.8	0.8	SKET	389A / 382A	61.0	60.00	89.00	92.00	0.8	0.8	0.63
	96.838	21.000	21.946	15.875	1.5	0.8	SKET	389AS / 382A	62.5	60.00	89.00	92.00	1.5	0.8	0.644
	98.425	21.001	21.946	17.826	0.8	0.8	SKET	389A / 382	61.0	60.00	89.00	92.00	0.8	0.8	0.70
	104.775	30.162	30.958	23.812	0.8	3.3	SKET	45287 / 45220	62.0	62.00	93.00	99.00	0.8	3.3	1.15
	104.775	30.162	29.317	24.605	3.5	3.3	SKET	456 / 453X	68.0	61.00	92.00	98.00	3.5	3.3	1.10
	104.775	36.512	36.512	28.575	3.5	3.3	SKET	HM807049 / HM807010	73.0	63.00	89.00	100.00	3.5	3.3	1.41
	104.775	36.512	36.512	28.575	1.5	3.3	SKET	HM807049A / HM807010	69.0	63.00	89.00	100.00	1.5	3.3	1.42
	104.775	39.688	40.157	33.338	3.5	3.3	SKET	4595 / 4535	70.0	63.00	90.00	99.00	3.5	3.3	1.54
	107.950	36.512	36.957	28.575	3.5	3.3	SKET	539 / 532X	68.0	61.00	94.00	100.00	3.5	3.3	1.44
	107.950	36.512	36.957	28.575	5.5	3.3	SKET	539A / 532X	72.0	61.00	94.00	100.00	5.5	3.3	1.43
	109.985	28.217	26.909	19.726	3.5	3.0	SKET	55212C / 55434	82.0	65.00	91.00	104.00	3.5	3.0	1.24
	111.125	30.162	26.909	20.638	3.5	3.3	SKET	55212C / 55437	78.0	74.00	100.00	106.00	3.5	3.3	1.27
	111.125	38.100	36.957	30.162	3.5	3.3	SKET	539 / 532A	68.0	61.00	95.00	100.00	3.5	3.3	1.61
	111.125	38.100	36.957	30.162	5.5	3.3	SKET	539A / 532A	72.0	61.00	95.00	100.00	5.5	3.3	1.60
	112.712	30.162	30.162	23.812	3.5	3.3	SKET	39578 / 39520	70.0	64.00	101.00	107.00	3.5	3.3	1.45
	117.475	33.338	31.750	23.812	3.5	3.3	SKET	66212 / 66462	73.0	67.00	100.00	111.00	3.5	3.3	1.58
	120.650	41.275	41.275	31.750	3.5	3.3	SKET	621 / 612	70.0	63.00	105.00	110.00	3.5	3.3	2.18
	122.238	33.338	31.750	23.812	3.5	3.3	SKET	66584 / 66520	75.0	68.00	105.00	116.00	3.5	3.3	1.78
	122.238	43.658	43.764	36.512	3.5	3.3	SKET	5578 / 5535	73.0	67.00	106.00	116.00	3.5	3.3	2.59
	123.825	36.512	32.791	25.400	3.5	3.3	SKET	72212 / 72487	77.0	66.00	102.00	116.00	3.5	3.3	1.95
	123.825	36.512	32.791	25.400	3.5	3.3	SKET	72212C / 72487	79.0	67.00	102.00	116.00	3.5	3.3	2.12
	123.825	38.100	36.678	30.162	3.5	3.3	SKET	5575 / 552A	71.0	65.00	109.00	116.00	3.5	3.3	2.22
	127.000	44.450	44.450	34.925	3.5	3.3	SKET	65212 / 65500	77.0	71.00	107.00	119.00	3.5	3.3	2.86
127.000	50.800	52.388	41.275	3.5	3.3	SKET	6280 / 6220	74.0	67.00	108.00	117.00	3.5	3.3	3.24	
130.175	36.512	33.338	23.812	3.5	3.3	SKET	HM911242 / HM911210	79.0	74.00	91.00	123.00	3.5	3.3	2.22	
136.525	41.275	41.275	31.750	3.5	3.3	SKET	636 / 632	73.0	67.00	118.00	125.00	3.5	3.3	3.10	
140.030	36.512	33.236	23.520	0.8	2.3	SKET	78214C / 78551	79.0	77.00	117.00	132.00	0.8	2.3	2.75	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)									
53.975	140.030	36.512	33.236	23.520	3.5	2.3	SKET	78215C / 78551	84.0	77.00	117.00	132.00	3.5	2.3	2.74
54.488	104.775	36.513	36.512	28.575	3.5	3.3	SKET	HM807048 / HM807010	73.0	63.00	89.00	100.00	3.5	3.3	1.40
54.988	104.775	30.162	29.317	24.605	2.3	3.3	SKET	466 / 453X	66.0	62.00	92.00	98.00	2.3	3.3	1.08
	135.755	53.975	56.007	44.450	3.5	3.3	SKET	6381 / 6320	76.0	70.00	117.00	126.00	3.5	3.3	4.03
54.996	99.979	24.605	25.400	19.050	2.0	1.5	SKET	28970 / 28919	64.0	61.00	92.00	95.00	2.0	1.5	0.85
55.000	80.000	17.000	17.000	14.000	1.0	1.0	SKET	32911	61.0	61.00	72.00	76.00	1.0	1.0	0.27
	90.000	23.000	23.000	17.500	1.5	1.5	SKET	32011X	63.0	63.00	81.00	86.00	1.5	1.5	0.56
	90.000	23.000	26.000	18.500	3.5	0.5	SKET	JLM506848E / JLM506810	67.0	61.00	82.00	86.00	3.5	0.5	0.54
	90.000	23.000	23.000	18.500	1.5	0.5	SKET	JLM506849 / JLM506810	63.0	61.00	82.00	86.00	1.5	0.5	0.55
	90.000	23.000	23.000	17.500	3.0	1.5	SKET	JXC25678CA / Y32011XZ	66.0	63.00	81.00	86.00	3.0	1.5	0.54
	90.000	25.000	23.000	20.500	3.5	0.5	SKET	JLM506849A / JLM506811	67.0	61.00	82.00	86.00	3.5	0.5	0.58
	90.000	27.000	27.000	21.000	1.5	1.5	SKET	33011	63.0	63.00	81.00	86.00	1.5	1.5	0.67
	95.000	29.000	29.000	23.500	1.5	2.5	SKET	JM207049 / JM207010	64.0	62.00	85.00	91.00	1.5	2.5	0.84
	95.000	29.000	29.000	23.500	6.0	2.5	SKET	JM207049A / JM207010	73.0	62.00	85.00	91.00	6.0	2.5	0.81
	95.000	30.000	30.000	23.000	1.5	1.5	SKET	33111	63.0	62.00	83.00	91.00	1.5	1.5	0.88
	96.838	21.000	21.946	15.875	2.3	0.8	SKET	385 / 382A	65.0	61.00	89.00	92.00	2.3	0.8	0.61
	96.838	21.000	21.946	15.875	3.5	0.8	SKET	385X / 382A	67.0	61.00	89.00	92.00	3.5	0.8	0.61
	98.425	21.001	21.946	17.826	2.3	0.8	SKET	385 / 382	65.0	61.00	89.00	92.00	2.3	0.8	0.65
	100.000	22.750	21.000	18.000	2.0	1.5	SKET	30211	65.0	64.00	88.00	94.00	2.0	1.5	0.73
	100.000	26.750	25.000	21.000	2.0	1.5	SKET	32211	65.0	63.00	87.00	95.00	2.0	1.5	0.85
	100.000	32.000	31.000	24.500	2.5	2.0	SKET	R55-8	64.0	61.00	92.00	95.00	2.5	2.0	1.03
	100.000	35.000	35.000	27.000	2.0	1.5	SKET	33211	62.0	85.00	96.00	89.00	2.0	1.5	1.13
	110.000	39.000	39.000	32.000	3.0	2.5	SKET	JH307749 / JH307710	71.0	64.00	97.00	104.00	3.0	2.5	1.69
	110.000	42.250	40.000	33.000	6.5	2.0	SKET	TFS1130A / EH32310J	73.0	61.00	100.00	104.00	6.5	2.0	1.74
	115.000	34.000	31.000	23.500	3.0	3.0	SKET	7FC055	74.0	65.00	90.00	111.00	3.0	3.0	1.60
115.000	34.000	31.000	23.500	3.0	3.0	SKET	JW5549 / JW5510	78.0	66.00	95.00	106.00	3.0	3.0	1.58	
115.000	41.021	41.275	31.496	3.0	3.0	SKET	622X / 614X	70.0	64.00	101.00	108.00	3.0	3.0	1.90	
120.000	29.794	29.007	24.237	0.8	2.0	SKET	475 / 472	67.0	66.00	107.00	114.00	0.8	2.0	1.64	
120.000	31.500	29.000	25.000	2.5	2.0	SKET	30311	67.0	71.00	104.00	111.00	2.5	2.0	1.65	
120.000	31.500	29.000	21.000	2.5	2.0	SKET	30311D	67.0	68.00	94.00	113.00	2.5	2.0	1.58	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
55.000	120.000	31.500	29.000	21.000	2.5	2.0	SKET	31311	67.0	68.00	94.00	113.00	2.5	2.0	1.58
	120.000	40.923	41.275	30.988	3.0	3.0	SKET	622X / 613X	65.0	61.00	110.00	114.00	3.0	3.0	2.10
	120.000	45.500	43.000	35.000	2.5	2.0	SKET	32311	66.0	67.00	99.00	111.00	2.5	2.0	2.37
	120.000	45.500	43.000	35.000	2.5	2.0	SKET	32311B	66.0	67.00	99.00	111.00	2.5	2.0	2.37
	130.000	36.000	33.000	22.000	2.5	2.5	SKET	T7GB055	64.0	61.00	122.00	124.00	2.5	2.5	2.11
55.562	97.630	24.608	24.608	19.446	3.5	0.8	SKET	28680 / 28622	68.0	62.00	88.00	92.00	3.5	0.8	0.75
	122.238	43.658	43.764	36.512	1.3	3.3	SKET	5566 / 5535	70.0	68.00	106.00	116.00	1.3	3.3	2.58
	123.825	36.512	32.791	25.400	3.5	3.3	SKET	72218 / 72487	78.0	66.00	102.00	116.00	3.5	3.3	1.91
	123.825	36.512	32.791	25.400	3.5	3.3	SKET	72218C / 72487	80.0	67.00	102.00	116.00	3.5	3.3	2.08
	127.000	36.512	36.512	26.988	3.5	3.3	SKET	HM813840 / HM813810	76.0	70.00	111.00	121.00	3.5	3.3	2.73
55.575	96.838	21.000	21.946	15.875	2.3	0.8	SKET	389 / 382A	65.0	61.00	89.00	92.00	2.3	0.8	0.60
57.000	85.000	18.500	19.000	14.000	1.5	1.5	SKET	CBK494	70.0	64.00	73.00	79.00	1.5	1.5	0.34
57.150	87.312	18.258	18.258	14.288	1.5	1.5	SKET	L507949 / L507910	65.0	62.00	79.00	83.00	1.5	1.5	0.38
	96.383	24.608	24.608	19.446	3.6	0.8	SKET	28682 / 28621	70.0	63.00	87.00	91.00	3.6	0.8	0.71
	96.838	21.000	21.946	15.875	2.3	0.8	SKET	387 / 382A	66.0	62.00	89.00	92.00	2.3	0.8	0.58
	96.838	21.000	21.946	15.875	3.5	0.8	SKET	387A / 382A	69.0	62.00	89.00	93.00	3.5	0.8	0.57
	96.838	21.000	21.946	15.875	5.0	0.8	SKET	387AS / 382A	72.0	62.00	89.00	92.00	5.0	0.8	0.56
	96.838	21.000	21.946	15.875	0.8	0.8	SKET	387S / 382A	63.0	62.00	89.00	92.00	0.8	0.8	0.58
	96.838	25.400	21.946	20.274	2.3	2.3	SKET	387 / 382S	66.0	62.00	89.00	92.00	2.3	2.3	0.63
	96.838	25.400	21.946	20.274	3.5	2.3	SKET	387A / 382S	69.0	62.00	87.00	91.00	3.5	2.3	0.64
	96.838	25.400	21.946	20.274	3.5	2.3	SKET	387D / 382S	66.0	62.00	87.00	91.00	3.5	2.3	0.65
	96.838	25.400	21.946	20.274	0.8	2.3	SKET	387S / 382S	63.0	62.00	87.00	91.00	0.8	2.3	0.57
	97.630	24.608	24.608	19.446	3.5	0.8	SKET	28682 / 28622	70.0	63.00	88.00	92.00	3.5	0.8	0.73
	98.425	21.000	21.946	17.826	2.4	0.8	SKET	387 / 382	66.0	62.00	89.00	92.00	2.4	0.8	0.65
	98.425	21.000	21.946	17.826	3.5	0.8	SKET	387A / 382	69.0	62.00	90.00	92.00	3.5	0.8	0.62
	98.425	21.001	21.946	17.826	0.8	0.8	SKET	387S / 382	63.0	62.00	89.00	90.00	0.8	0.8	0.65
	100.000	21.000	21.946	17.826	3.5	2.0	SKET	387A / 383A	69.0	62.00	89.00	93.00	3.5	2.0	0.65
	104.775	30.162	30.958	23.812	0.8	3.3	SKET	45289 / 45220	65.0	65.00	93.00	99.00	0.8	3.3	1.08
	104.775	30.162	30.958	23.812	0.8	0.8	SKET	45289 / 45221	65.0	65.00	95.00	99.00	0.8	0.8	1.11
104.775	30.162	30.958	23.812	2.3	3.3	SKET	45290 / 45220	68.0	65.00	93.00	99.00	2.3	3.3	1.08	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
57.150	104.775	30.162	30.958	23.812	6.4	3.3	SKET	45291 / 45220	76.0	65.00	93.00	99.00	6.4	3.3	1.05
	104.775	30.162	30.958	23.812	6.4	0.8	SKET	45291 / 45221	76.0	65.00	95.00	99.00	6.4	0.8	1.06
	104.775	30.162	29.317	24.605	2.3	3.3	SKET	462 / 453X	67.0	63.00	92.00	98.00	2.3	3.3	1.04
	104.775	30.162	29.317	24.605	3.5	3.3	SKET	469 / 453X	70.0	63.00	92.00	98.00	3.5	3.3	1.03
	107.950	27.783	29.317	22.225	3.5	0.8	SKET	469 / 453A	70.0	63.00	97.00	100.00	3.5	0.8	1.09
	110.000	22.000	21.996	18.824	2.3	1.3	SKET	390 / 394A	70.0	66.00	101.00	104.00	2.3	1.3	0.93
	110.000	27.795	29.317	27.000	3.5	2.0	SKET	469 / 454	70.0	63.00	96.00	100.00	3.5	2.0	1.21
	112.712	30.162	30.162	23.812	3.5	3.3	SKET	39580 / 39520	72.0	66.00	101.00	107.00	3.5	3.3	1.37
	112.712	30.162	30.162	23.812	8.0	3.3	SKET	39581 / 39520	81.0	66.00	101.00	107.00	8.0	3.3	1.33
	112.712	30.162	30.048	23.812	3.5	3.3	SKET	3979 / 3920	72.0	66.00	99.00	106.00	3.5	3.3	1.36
	117.475	30.162	30.162	23.812	3.5	0.8	SKET	33225 / 33461	74.0	68.00	104.00	112.00	3.5	0.8	1.54
	117.475	30.162	30.162	23.812	3.5	3.3	SKET	33225 / 33462	74.0	68.00	104.00	112.00	3.5	3.3	1.53
	117.475	33.338	31.750	23.812	3.5	3.3	SKET	66225 / 66462	76.0	69.00	100.00	111.00	3.5	3.3	1.51
	119.985	32.750	30.162	26.949	3.5	0.8	SKET	39580 / 39528	72.0	66.00	110.00	114.00	3.5	0.8	1.74
	120.650	41.275	41.275	31.750	3.5	3.3	SKET	623 / 612	72.0	66.00	105.00	110.00	3.5	3.3	2.09
	122.238	33.338	31.750	23.812	3.5	3.3	SKET	66587 / 66520	77.0	71.00	105.00	116.00	3.5	3.3	1.70
	123.825	36.512	32.791	25.400	3.5	3.3	SKET	72225C / 72487	81.0	67.00	102.00	116.00	3.5	3.3	2.05
	123.825	38.100	36.678	30.162	3.5	3.3	SKET	555S / 552A	73.0	67.00	109.00	116.00	3.5	3.3	2.14
	127.000	44.450	44.450	34.925	3.5	3.3	SKET	65225 / 65500	80.0	71.00	107.00	119.00	3.5	3.3	2.68
	140.030	36.512	33.236	23.520	3.5	2.3	SKET	78225 / 78551	83.0	77.00	117.00	132.00	3.5	2.3	2.56
140.030	36.512	33.236	23.520	3.5	2.3	SKET	78225C / 78551	86.0	77.50	117.00	132.00	3.5	2.3	2.67	
144.983	36.000	33.236	23.007	3.5	3.5	SKET	78225 / 78571	83.0	77.00	118.00	132.00	3.5	3.5	2.76	
149.225	53.975	54.229	44.450	3.5	3.3	SKET	6455 / 6420	81.0	75.00	129.00	140.00	3.5	3.3	5.12	
57.531	96.838	21.000	21.946	15.875	3.5	0.8	SKET	388A / 382A	69.0	63.00	89.00	92.00	3.5	0.8	0.57
	98.425	21.000	21.946	17.826	3.5	0.8	SKET	388A / 382	69.0	63.00	89.00	92.00	3.5	0.8	0.61
58.738	112.712	30.162	30.048	23.812	3.5	3.5	SKET	3981 / 3920	73.0	67.00	99.00	106.00	3.5	3.5	1.33
	112.712	33.338	30.048	26.988	3.5	3.3	SKET	3981 / 3926	73.0	67.00	98.00	106.00	3.5	3.3	1.44
59.972	122.238	33.338	31.750	23.812	0.8	3.3	SKET	66589 / 66520	74.0	73.00	105.00	116.00	0.8	3.3	1.65
59.977	101.600	25.400	25.400	19.845	3.5	3.3	SKET	28980 / 28920	72.0	68.00	96.00	100.00	3.5	3.3	0.80
59.987	104.775	21.433	22.000	15.875	2.3	2.0	SKET	39236 / 39412	71.0	67.00	96.00	100.00	2.3	2.0	0.67

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
59.987	127.000	36.512	36.512	26.988	3.5	3.3	Brand	HM813839 / HM813810	80.0	73.00	111.00	121.00	3.5	3.3	2.61
	130.000	34.100	30.924	22.650	3.5	3.3	SKET	JHM911244 / JHM911211	84.0	74.00	109.00	123.00	3.5	3.3	2.02
	134.983	33.449	30.924	21.948	3.6	3.6	SKET	HM911244 / HM911216	84.0	74.00	112.00	123.00	3.6	3.6	2.18
	146.050	41.275	39.688	25.400	3.5	3.3	SKET	H913840 / H913810	88.0	82.00	124.00	138.00	3.5	3.3	3.17
60.000	85.000	17.000	17.000	14.000	1.0	1.0	SKET	32912	66.0	66.00	77.00	81.00	1.0	1.0	0.30
	95.000	23.000	23.000	17.500	1.5	1.5	SKET	32012X	68.0	67.00	85.00	91.00	1.5	1.5	0.62
	95.000	24.000	24.000	19.000	5.0	2.5	SKET	JLM508748 / JLM508710	75.0	66.00	85.00	91.00	5.0	2.5	0.63
	95.000	27.000	27.000	21.000	1.5	1.5	SKET	33012	67.0	68.00	85.00	90.00	1.5	1.5	0.70
	95.000	30.700	26.000	21.000	2.0	2.0	SKET	CR-1252	68.0	67.00	85.00	91.00	2.0	2.0	0.69
	100.000	21.000	20.000	15.500	2.0	2.0	SKET	JP6049 / JP6010	69.0	66.00	91.00	96.00	2.0	2.0	0.61
	100.000	22.000	21.996	18.824	0.8	1.3	SKET	397 / 394A	69.0	68.00	101.00	104.00	0.8	1.3	0.89
	100.000	30.000	30.000	23.000	1.5	1.5	SKET	33112	67.0	67.00	88.00	96.00	1.5	1.5	0.91
	104.775	21.433	22.000	15.875	2.3	2.0	SKET	39236 / 39412	71.0	67.00	96.00	100.00	2.3	2.0	0.75
	107.950	25.400	25.400	19.050	3.5	3.3	SKET	29580 / 29520	75.0	68.00	96.00	103.00	3.5	3.3	0.84
	107.950	25.400	25.400	19.050	0.8	3.3	SKET	29582 / 29520	69.0	68.00	96.00	103.00	0.8	3.3	0.98
	110.000	23.750	22.000	19.000	2.0	1.5	SKET	30212	70.0	70.00	96.00	103.00	2.0	1.5	0.95
	110.000	29.750	28.000	24.000	2.0	1.5	SKET	32212	70.0	69.00	95.00	104.00	2.0	1.5	1.17
	110.000	29.750	28.000	22.000	2.0	1.5	SKET	32212C	70.0	69.00	95.00	104.00	2.0	1.5	1.17
	110.000	38.000	38.000	29.000	2.0	1.5	SKET	33212	70.0	69.00	93.00	105.00	2.0	1.5	1.53
	112.712	30.162	30.048	23.812	3.5	3.3	SKET	3977 / 3920	74.0	68.00	99.00	106.00	3.5	3.3	1.30
	115.000	40.000	39.000	33.000	2.5	2.5	SKET	2EE060	76.0	68.00	103.00	109.00	2.5	2.5	1.86
	115.000	40.000	39.000	33.000	2.5	2.5	SKET	JF6049 / JF6010	76.0	68.00	103.00	109.00	2.5	2.5	1.86
	120.000	29.794	29.007	24.237	2.0	2.0	SKET	476 / 472	73.0	69.00	107.00	114.00	2.0	2.0	1.53
	122.238	33.338	31.750	23.812	3.5	3.3	SKET	66585 / 66520	79.0	73.00	105.00	116.00	3.5	3.3	1.63
	125.000	37.000	33.500	26.000	3.0	3.0	SKET	7FC060	79.0	71.00	96.00	121.00	3.0	3.0	2.00
	125.000	37.000	33.500	26.000	3.0	3.0	SKET	JW6049 / JW6010	84.0	72.00	104.00	119.00	3.0	3.0	2.04
	130.000	33.500	31.000	26.000	3.0	2.5	SKET	30312	74.0	77.00	112.00	120.00	3.0	2.5	2.05
	130.000	33.500	31.000	22.000	3.0	2.5	SKET	31312	74.0	73.00	103.00	124.00	3.0	2.5	2.00
130.000	33.500	31.000	22.000	3.0	2.5	SKET	30312D	74.0	73.00	103.00	124.00	3.0	2.5	2.00	
130.000	48.500	46.000	37.000	3.0	2.5	SKET	32312	74.0	74.00	107.00	120.00	3.0	2.5	2.90	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
60.000	130.000	48.500	46.000	37.000	3.0	2.5	SKET	32312B	74.0	74.00	107.00	120.00	3.0	2.5	2.90
	130.000	48.500	46.000	35.000	3.0	2.5	SKET	32312C	74.0	74.00	107.00	120.00	3.0	2.5	2.90
60.325	99.979	24.605	25.400	19.050	3.5	1.5	SKET	28985 / 28919	73.0	67.00	90.00	96.00	3.5	1.5	0.74
	100.000	25.400	25.400	19.845	3.5	3.3	SKET	28985 / 28921	73.0	67.00	89.00	96.00	3.5	3.3	0.75
	100.000	25.400	25.400	19.845	3.6	0.8	SKET	28985 / 28921A	73.0	67.00	91.00	96.00	3.6	0.8	0.77
	100.000	25.400	25.400	19.845	3.5	0.8	SKET	28985A / 28921A	73.0	67.00	91.00	96.00	3.5	0.8	0.76
	101.200	25.400	25.400	19.845	3.5	3.3	SKET	28985A / 28920	73.0	67.00	90.00	97.00	3.5	3.3	0.77
	101.600	25.400	25.400	19.845	3.5	3.3	SKET	28985 / 28920	93.0	67.00	90.00	97.00	3.5	3.3	0.79
	101.600	25.400	25.400	19.845	5.0	3.3	SKET	28985a / 28920	93.0	67.00	90.00	97.00	5.0	3.3	0.79
	112.712	30.162	30.048	23.812	3.5	3.3	SKET	3980 / 3920	75.0	68.00	99.00	106.00	3.5	3.3	1.29
	122.238	38.100	36.678	30.162	2.3	3.3	SKET	558 / 553X	73.0	69.00	108.00	115.00	2.3	3.3	2.02
	122.238	38.100	38.354	29.718	8.0	1.5	SKET	HM212044 / HM212010	85.0	70.00	110.00	116.00	8.0	1.5	2.03
	122.238	38.100	38.354	29.718	8.0	3.3	SKET	HM212044 / HM212011	85.0	70.00	108.00	116.00	8.0	3.3	1.99
	122.238	43.658	43.764	36.512	0.8	3.3	SKET	5582 / 5535	73.0	72.00	106.00	116.00	0.8	3.3	2.43
	122.238	43.658	43.764	36.512	3.5	3.3	SKET	5583 / 5535	78.0	72.00	106.00	116.00	3.5	3.3	2.40
	123.825	38.100	36.678	30.163	7.9	3.2	SKET	557A / 552A	84.0	69.00	109.00	116.00	7.9	3.2	2.06
	123.825	38.100	36.678	30.162	2.3	3.3	SKET	558 / 552A	73.0	69.00	109.00	116.00	2.3	3.3	2.06
	127.000	34.925	44.450	34.925	3.5	3.3	SKET	65237 / 65500B	82.0	71.00	118.00	121.00	3.5	3.3	2.66
	127.000	36.512	36.512	26.988	3.5	3.3	SKET	HM813841 / HM813810	80.0	73.00	111.00	121.00	3.5	3.3	2.61
	127.000	36.512	36.512	26.988	3.6	1.6	SKET	HM813841 / HM813811	80.0	73.00	113.00	121.00	3.6	1.6	2.65
	127.000	36.512	36.512	26.988	1.5	3.3	SKET	HM813841A / HM813810	76.0	73.00	111.00	121.00	1.5	3.3	2.61
	127.000	44.450	44.450	34.925	3.5	3.3	SKET	65237 / 65500	82.0	71.00	107.00	119.00	3.5	3.3	2.66
127.000	44.450	44.450	34.925	1.5	3.3	SKET	65237A / 65500	78.0	71.00	107.00	119.00	1.5	3.3	2.59	
130.175	36.512	33.338	23.812	5.0	3.3	SKET	HM911245 / HM911210	87.0	74.00	109.00	124.00	5.0	3.3	2.06	
130.175	41.275	41.275	31.750	3.5	3.3	SKET	637 / 633	78.0	72.00	116.00	124.00	3.5	3.3	2.58	
134.983	35.862	33.338	21.948	5.0	3.5	SKET	HM911245 / HM911216	87.0	74.00	112.00	123.00	5.0	3.5	2.18	
135.755	53.975	56.007	44.450	3.5	3.3	SKET	6376 / 6320	81.0	74.00	117.00	126.00	3.5	3.3	3.84	
136.525	46.038	46.038	36.512	3.5	3.3	SKET	H715332 / H715311	84.0	78.00	118.00	132.00	3.5	3.3	3.55	
152.400	52.705	52.705	41.275	3.5	3.3	SKET	HH814542 / HH814510	89.0	83.00	130.00	143.00	3.5	3.3	5.01	
61.912	110.000	22.000	21.996	18.824	0.8	1.3	SKET	392 / 394A	70.0	69.00	101.00	104.00	0.8	1.3	0.86

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
61.912	127.000	36.512	36.512	26.988	3.5	3.3	SKET	HM813843 / HM813810	81.0	81.0	111.00	121.00	3.5	3.3	2.16
	130.175	36.512	33.338	23.812	3.5	3.3	SKET	HM911249 / HM911210	85.0	85.0	109.00	123.00	3.5	3.3	2.03
	136.525	46.038	46.038	36.512	3.5	3.3	SKET	H715334 / H715311	86.0	86.0	118.00	132.00	3.5	3.3	3.49
	146.050	41.275	39.688	25.400	3.5	3.3	SKET	H913842 / H913810	90.0	90.0	124.00	138.00	3.5	3.3	3.11
	146.050	41.275	39.688	25.400	7.0	3.3	SKET	H913843 / H913810	97.0	97.0	124.00	138.00	7.0	3.3	3.12
	152.400	47.625	46.038	31.750	3.5	3.3	SKET	9180 / 9121	90.0	90.0	130.00	145.00	3.5	3.3	3.98
61.976	101.600	24.608	24.608	19.845	2.0	3.3	SKET	28990 / 28920	72.0	72.0	90.00	97.00	2.0	3.3	0.75
62.738	101.600	25.400	25.400	19.845	3.5	3.3	SKET	28995 / 28920	75.0	75.0	90.00	97.00	3.5	3.3	0.74
63.487	94.976	17.000	15.500	12.000	1.0	1.0	SKET	L910349 / L910310	70.0	70.0	85.00	92.00	1.0	1.0	0.38
63.500	92.075	13.495	12.700	9.525	1.5	1.5	SKET	LL510749 / LL510710	70.0	70.0	86.00	88.00	1.5	1.5	0.26
	94.458	19.050	19.050	15.083	1.5	1.5	SKET	L610549 / L610510	71.0	71.0	86.00	91.00	1.5	1.5	0.45
	104.775	21.433	22.000	15.875	2.0	2.0	SKET	39250 / 39412	73.0	73.0	96.00	100.00	2.0	2.0	0.67
	104.775	21.433	22.000	15.875	5.0	2.0	SKET	39250A / 39412	74.0	74.0	96.00	100.00	5.0	2.0	0.6700
	107.950	25.400	25.400	19.050	3.5	3.3	SKET	29585 / 29520	77.0	77.0	96.00	103.00	3.5	3.3	0.91
	107.950	25.400	25.400	19.050	3.5	0.8	SKET	29585 / 29522	77.0	77.0	98.00	103.00	3.5	0.8	0.93
	107.950	25.400	25.400	19.050	1.5	3.3	SKET	29586 / 29520	73.0	73.0	98.00	103.00	1.5	3.3	0.92
	107.950	25.400	25.400	19.050	1.5	0.8	SKET	29586 / 29522	73.0	73.0	99.00	104.00	1.5	0.8	0.92
	107.950	25.400	25.400	19.050	5.0	1.5	SKET	29586a / 29522	73.0	73.0	99.00	104.00	5.0	1.5	0.913
	107.950	25.400	25.400	19.050	5.0	3.0	SKET	29586YA / 29522YA	73.0	73.0	99.00	104.00	5.0	3.0	0.910
	110.000	22.000	21.996	18.824	1.5	1.3	SKET	390A / 394A	73.0	73.0	101.00	104.00	1.5	1.3	0.83
	110.000	22.000	21.996	18.824	1.5	3.3	SKET	390A / 394AS	73.0	73.0	99.00	104.00	1.5	3.3	0.82
	110.000	22.000	21.996	18.824	3.5	1.3	SKET	395 / 394A	77.0	77.0	101.00	104.00	3.5	1.3	0.82
	110.000	25.400	25.400	19.050	3.5	1.3	SKET	29585 / 29521	77.0	77.0	99.00	104.00	3.5	1.3	0.98
	112.712	30.162	30.162	23.812	3.5	3.3	SKET	39585 / 39520	77.0	77.0	101.00	107.00	3.5	3.3	1.22
	112.712	30.162	30.162	23.812	0.8	3.3	SKET	39585A / 39520	72.0	72.0	101.00	107.00	0.8	3.3	1.23
	112.712	30.162	30.048	23.812	3.5	3.3	SKET	3982 / 3920	77.0	77.0	99.00	106.00	3.5	3.3	1.22
	112.712	33.338	30.048	26.988	3.5	3.5	SKET	3982 / 3926	78.0	78.0	98.00	106.00	3.5	3.5	1.33
	117.475	30.162	30.162	23.812	0.8	3.3	SKET	33251 / 33462	86.0	86.0	104.00	112.00	0.8	3.3	0.91
	120.000	29.794	29.007	24.237	0.8	2.0	SKET	477 / 472	73.0	73.0	107.00	114.00	0.8	2.0	1.46
120.000	29.794	29.007	24.237	3.5	2.0	SKET	483 / 472	78.0	78.0	109.00	114.00	3.5	2.0	1.45	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)									
63.500	120.000	29.974	29.007	24.237	3.5	2.0	SKET	483 / 472	78.0	72.00	107.00	114.00	3.5	2.0	1.45
	120.000	29.974	29.007	23.444	3.5	3.3	SKET	483 / 472A	78.0	72.00	110.00	114.00	3.5	3.3	1.28
	120.000	41.000	30.162	23.444	0.8	0.8	SKET	33251 / 33472	70.0	70.00	110.00	114.00	0.8	0.8	2.02
	120.000	41.000	41.000	32.000	2.0	2.5	SKET	524884	70.0	70.00	110.00	114.00	2.0	2.5	2.05
	122.238	38.100	38.354	29.718	3.5	1.5	SKET	HM212046 / HM212010	80.0	73.00	110.00	116.00	3.5	1.5	1.95
	122.238	38.100	38.354	29.718	3.5	3.3	SKET	HM212046 / HM212011	80.0	73.00	108.00	116.00	3.5	3.3	1.94
	122.238	38.100	38.354	29.718	7.0	1.5	SKET	HM212047 / HM212010	87.0	73.00	110.00	116.00	7.0	1.5	1.94
	122.238	38.100	38.354	29.718	7.0	3.3	SKET	HM212047 / HM212011	87.0	73.00	108.00	116.00	7.0	3.3	1.91
	122.238	43.658	43.764	36.512	3.5	3.3	SKET	5584 / 5535	81.0	75.00	106.00	116.00	3.5	3.3	2.29
	122.263	38.100	38.354	29.718	8.0	3.3	SKET	HM212047A / HM212011	88.0	73.00	108.00	116.00	8.0	3.3	1.91
	122.263	38.100	38.354	29.718	8.0	3.2	SKET	HM212047XA1 / 11	88.0	73.00	108.00	116.00	8.0	3.2	1.91
	123.825	38.100	36.678	30.162	3.5	3.3	SKET	559 / 552A	78.0	72.00	109.00	116.00	3.5	3.3	1.97
	127.000	36.512	36.170	28.575	3.5	3.3	SKET	565 / 563	80.0	73.00	112.00	120.00	3.5	3.3	2.08
	127.000	36.512	36.512	26.988	3.5	3.3	SKET	HM813842 / HM813810	82.0	76.00	111.00	121.00	3.5	3.3	2.52
	127.000	36.512	36.512	26.988	0.8	3.3	SKET	HM813842A / HM813810	77.0	76.00	111.00	121.00	0.8	3.3	2.53
	130.000	36.937	33.937	28.000	6.5	3.5	SKET	JHM513640 / JHM513615	82.0	74.00	116.00	124.00	6.5	3.5	2.07
	130.175	41.275	41.275	31.750	3.5	3.3	SKET	639 / 633	81.0	74.00	116.00	124.00	3.5	3.3	2.48
	135.755	53.975	56.007	44.450	4.3	3.3	SKET	6382 / 6320	84.0	77.00	117.00	126.00	4.3	3.3	3.68
	136.525	36.512	33.236	23.520	2.3	3.3	SKET	78250 / 78537	85.0	79.00	115.00	130.00	2.3	3.3	2.26
	136.525	41.275	41.275	31.750	3.5	3.3	SKET	639 / 632	81.0	74.00	117.00	125.00	3.5	3.3	2.81
136.525	41.275	41.275	31.750	3.5	3.3	SKET	H414235 / H414210	82.0	78.00	121.00	129.00	3.5	3.3	2.91	
140.030	36.512	33.236	23.520	2.3	2.3	SKET	78250 / 78551	85.0	79.00	117.00	132.00	2.3	2.3	2.41	
155.575	101.600	46.675	85.725	3.5	1.5	SKET	745S / 742DC	72.0	70.00	140.00	148.00	3.5	1.5	3.46	
177.800	57.150	53.975	37.308	3.5	3.3	SKET	HH914447 / HH914412	105.0	85.00	146.00	165.00	3.5	3.3	6.87	
64.963	127.000	36.512	36.170	28.575	3.5	3.3	SKET	569 / 563	81.0	74.00	112.00	120.00	3.5	3.3	2.07
64.988	112.712	30.162	30.924	23.812	2.3	3.3	SKET	39586 / 39520	76.0	72.00	101.00	107.00	2.3	3.3	1.20
	140.030	36.512	32.923	23.520	3.5	2.3	SKET	78255X / 78551	89.0	79.00	117.00	132.00	3.5	2.3	2.40
	144.983	36.000	32.923	23.007	3.5	3.5	SKET	78255X / 78571	89.0	79.00	118.00	132.00	3.5	3.5	2.57
65.000	90.000	17.000	17.000	14.000	1.0	1.0	SKET	32913	70.0	70.00	81.00	86.00	1.0	1.0	0.33
	100.000	23.000	23.000	17.500	1.5	1.5	SKET	32013X	73.0	72.00	90.00	96.00	1.5	1.5	0.65

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
65.000	100.000	27.000	27.000	21.000	1.5	1.5	SKET	33013	72.0	72.00	89.00	96.00	1.5	1.5	0.75
	105.000	24.000	23.000	18.500	3.0	1.0	SKET	JLM710949 / JLM710910	77.0	71.00	96.00	101.00	3.0	1.0	0.72
	105.000	24.000	23.000	18.500	3.0	1.0	SKET	JLM710949C / JLM710910	77.0	71.00	96.00	101.00	3.0	1.0	0.72
	110.000	28.000	28.000	22.500	3.0	2.5	SKET	JM511946 / JM511910	78.0	72.00	99.00	105.00	3.0	2.5	1.05
	110.000	30.500	30.000	24.000	3.0	3.0	SKET	33113X2	73.0	73.00	96.00	106.00	3.0	3.0	1.10
	110.000	31.000	31.000	25.000	2.0	2.0	SKET	JD6549 / JD6510	76.0	73.00	99.00	105.00	2.0	2.0	1.18
	110.000	34.000	34.000	26.500	1.5	1.5	SKET	33113	73.0	73.00	96.00	106.00	1.5	1.5	1.32
	110.000	52.287	21.996	46.038	2.0	0.8	SKET	399 / 394DC	77.0	71.00	98.00	102.00	2.0	0.8	0.66
	112.712	29.020	30.000	23.812	3.0	3.3	SKET	JM511945 / JM511910	78.0	72.00	99.00	105.00	3.0	3.3	1.20
	120.000	24.750	23.000	20.000	2.0	1.5	SKET	30213	75.0	77.00	106.00	113.00	2.0	1.5	1.16
	120.000	29.002	29.007	23.444	2.3	3.3	SKET	478 / 472A	77.0	73.00	106.00	114.00	2.3	3.3	1.41
	120.000	32.750	31.000	27.000	2.0	1.5	SKET	32213	75.0	76.00	104.00	115.00	2.0	1.5	1.52
	120.000	39.000	38.000	31.000	4.0	2.5	SKET	5ED065	80.0	74.00	108.00	115.00	4.0	2.5	2.10
	120.000	39.000	38.500	32.000	3.0	2.5	SKET	JH211749 / JH211710	80.0	74.00	107.00	114.00	3.0	2.5	1.86
	120.000	39.000	38.500	32.000	7.0	2.5	SKET	JH211749A / JH211710	94.0	74.00	107.00	114.00	7.0	2.5	1.83
	120.000	41.000	41.000	32.000	2.0	1.5	SKET	33213	74.0	74.00	102.00	115.00	2.0	1.5	2.00
	130.000	37.000	33.500	26.000	3.0	3.0	SKET	JW6549 / JW6510	94.0	76.00	109.00	124.00	3.0	3.0	2.14
	130.000	45.000	43.000	35.000	8.0	2.5	SKET	30613	85.0	71.00	112.00	124.00	8.0	2.5	2.60
	130.000	51.000	48.000	39.000	3.5	3.5	SKET	TFS1333A-SLS	77.0	71.00	112.00	124.00	3.5	3.5	2.95
	130.000	51.000	48.000	39.000	3.0	3.0	SKET	TR131305R	77.0	71.00	112.00	124.00	3.0	3.0	2.95
140.000	36.000	33.000	28.000	3.0	2.5	SKET	30313	79.0	83.00	122.00	130.00	3.0	2.5	2.53	
140.000	36.000	33.000	23.000	3.0	2.5	SKET	30313D	79.0	79.00	111.00	133.00	3.0	2.5	2.42	
140.000	36.000	33.000	23.000	3.0	2.5	SKET	31313	79.0	79.00	111.00	133.00	3.0	2.5	2.42	
140.000	40.000	39.000	26.000	3.5	2.0	SKET	30613B	77.0	71.00	130.00	134.00	3.5	2.0	2.74	
140.000	51.000	48.000	39.000	3.0	2.5	SKET	32313	79.0	80.00	117.00	130.00	3.0	2.5	3.63	
140.000	51.000	48.000	39.000	3.0	2.5	SKET	32313B	79.0	80.00	117.00	130.00	3.0	2.5	3.63	
140.000	53.975	56.007	44.450	3.0	3.3	SKET	J6392 / J6327	83.0	77.00	119.00	136.00	3.0	3.3	3.94	
65.088	135.755	53.975	56.007	44.450	3.5	3.3	SKET	6379 / 6320	84.0	77.00	117.00	126.00	3.5	3.3	3.61
	136.525	46.038	46.038	36.512	3.5	3.3	SKET	H715340 / H715311	88.0	82.00	118.00	132.00	3.5	3.3	3.38
65.883	122.238	43.658	43.764	36.512	3.5	3.3	SKET	5595 / 5535	83.0	77.00	106.00	116.00	3.5	3.3	2.21

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
65.987	123.975	41.500	41.500	34.000	7.0	3.5	SKET	H212749 / H212710	91.0	77.00	109.00	118.00	7.0	3.5	2.15
66.675	103.213	17.247	17.247	11.989	1.5	0.8	SKET	L812147 / L812111	75.0	72.00	96.00	99.00	1.5	0.8	0.50
	103.213	17.602	17.602	11.989	1.5	0.8	SKET	L812148 / L812111	74.0	72.00	96.00	99.00	1.5	0.8	0.49
	107.950	25.400	25.400	19.050	3.5	3.3	SKET	29590 / 29520	80.0	73.00	96.00	103.00	3.5	3.3	0.84
	107.950	25.400	25.400	19.050	3.6	0.8	SKET	29590 / 29522	80.0	73.00	96.00	103.00	3.6	0.8	0.86
	110.000	22.000	21.996	18.824	0.8	1.3	SKET	395A / 394A	73.0	73.00	101.00	104.00	0.8	1.3	1.06
	110.000	22.000	21.996	18.824	3.5	1.3	SKET	395S / 394A	79.0	73.00	101.00	104.00	3.5	1.3	0.78
	110.000	25.400	25.400	19.050	3.6	1.3	SKET	29590 / 29521	80.0	73.00	99.00	104.00	3.6	1.3	0.92
	112.712	30.162	30.162	23.812	3.5	3.3	SKET	39590 / 39520	80.0	74.00	101.00	107.00	3.5	3.3	1.13
	112.712	30.162	30.162	23.812	3.5	3.3	SKET	39590 / 39521	80.0	74.00	103.00	107.00	3.5	3.3	1.15
	112.712	30.162	30.162	23.812	5.5	0.8	SKET	39591 / 39520	84.0	74.00	101.00	107.00	5.5	0.8	1.17
	112.712	30.162	30.048	23.812	3.5	1.2	SKET	3984 / 3920	80.0	74.00	99.00	106.00	3.5	1.2	0.78
	112.712	30.162	30.048	23.812	3.5	3.3	SKET	3984 / 3925	80.0	74.00	101.00	106.00	3.5	3.3	1.14
	112.712	30.162	30.048	23.812	3.5	3.3	SKET	CBK337	80.0	74.00	101.00	107.00	3.5	3.3	1.174
	112.712	33.338	30.048	26.988	3.5	0.8	SKET	3984 / 3926	80.0	74.00	98.00	104.00	3.5	0.8	1.13
	117.475	30.162	30.162	23.812	3.5	3.3	SKET	33262 / 33462	81.0	75.00	104.00	112.00	3.5	3.3	1.35
	122.238	38.100	36.678	30.162	3.5	3.3	SKET	560 / 553X	81.0	75.00	108.00	115.00	3.5	3.3	1.83
	122.238	38.100	38.354	29.718	3.5	3.3	SKET	HM212049 / HM212010	82.0	75.00	110.00	116.00	3.5	3.3	1.85
	122.238	38.100	38.354	29.718	3.5	1.5	SKET	HM212049 / HM212011	75.0	72.00	108.00	116.00	3.5	1.5	1.84
	122.238	38.100	38.354	29.718	7.0	3.3	SKET	HM212049X / HM212011	89.0	75.00	108.00	116.00	7.0	3.3	1.81
	123.825	38.100	36.678	30.162	3.5	3.3	SKET	560 / 552A	81.0	75.00	109.00	116.00	3.5	3.3	1.87
	127.000	36.512	36.512	26.988	3.5	3.3	SKET	HM813844 / HM813810	85.0	78.00	111.00	121.00	3.5	3.3	2.42
	127.000	36.512	36.512	26.988	3.5	3.3	SKET	HM813844 / HM813811	85.0	78.00	111.00	121.00	3.5	3.3	1.99
	130.175	41.275	41.275	31.750	3.5	1.5	SKET	641 / 633	83.0	77.00	116.00	124.00	3.5	1.5	2.38
	135.755	53.975	56.007	44.450	4.3	3.3	SKET	6386 / 6320	87.0	77.00	117.00	126.00	4.3	3.3	3.54
135.755	53.975	56.007	44.450	6.4	3.3	SKET	6389 / 6320	91.0	77.00	117.00	126.00	6.4	3.3	3.52	
136.525	41.275	41.275	31.750	3.5	3.3	SKET	641 / 632	83.0	77.00	118.00	125.00	3.5	3.3	2.71	
136.525	41.275	41.275	31.750	3.5	3.3	SKET	H414242 / H414210	85.0	81.00	121.00	129.00	3.5	3.3	2.81	
136.525	46.038	46.038	36.512	3.5	3.3	SKET	H715341 / H715311	89.0	83.00	118.00	132.00	3.5	3.3	3.32	
136.525	46.038	46.038	36.512	7.0	3.3	SKET	H715341A / H715311	90.0	83.00	118.00	132.00	7.0	3.3	3.36	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)									
66.675	177.800	57.150	53.975	37.308	3.5	3.3	SKET	HH914449 / HH914412	106.0	85.00	146.00	156.00	3.5	3.3	6.73
68.262	110.000	22.000	21.996	18.824	3.5	3.3	SKET	399A / 394A	78.0	74.00	101.00	104.00	3.5	3.3	0.74
	110.000	22.000	21.996	18.824	2.3	1.3	SKET	399AS / 394A	83.0	74.00	101.00	104.00	2.3	1.3	0.72
	117.475	30.162	30.162	23.812	5.0	1.3	SKET	33269 / 33462	82.0	76.00	104.00	112.00	5.0	1.3	1.29
	120.000	29.794	30.162	23.444	3.5	3.3	SKET	33269 / 33472	82.0	76.00	107.00	113.00	3.5	3.3	1.32
	120.000	29.794	29.007	24.237	3.5	0.8	SKET	480 / 472	82.0	75.00	106.00	114.00	3.5	0.8	1.34
	122.238	38.100	36.678	30.162	3.5	3.3	SKET	560S / 553X	83.0	76.00	108.00	116.00	3.5	3.3	1.78
	123.825	38.100	36.678	30.162	3.5	3.3	SKET	560S / 552A	83.0	76.00	109.00	116.00	3.5	3.3	1.83
	127.000	36.512	36.170	28.575	3.5	3.3	SKET	570 / 563	83.0	77.00	112.00	120.00	3.5	3.3	1.94
	136.525	41.275	41.275	31.750	3.5	3.3	SKET	H414245 / H414210	86.0	82.00	121.00	129.00	3.5	3.3	2.75
	136.525	41.275	41.275	31.750	8.0	3.3	SKET	H414245a / H414210	95.0	82.00	121.00	129.00	8.0	3.3	2.65
	136.525	41.275	41.275	31.750	9.7	3.3	SKET	H414245X / H414210	98.0	82.00	121.00	129.00	9.7	3.3	2.69
	136.525	46.038	46.038	36.512	3.5	3.3	SKET	H715343 / H715311	90.0	84.00	118.00	132.00	3.5	3.3	3.26
	139.700	46.038	46.038	36.512	3.5	3.3	SKET	H715343 / H715310	90.0	84.00	120.00	133.00	3.5	3.3	3.46
	143.000	42.275	41.275	32.750	8.0	2.5	SKET	TR6814342	94.0	81.00	130.00	137.00	8.0	2.5	3.041
152.400	47.625	46.038	31.750	3.5	3.3	SKET	9185 / 9121	94.0	81.00	130.00	145.00	3.5	3.3	3.83	
161.925	49.212	46.038	31.750	3.5	3.3	SKET	9278 / 9220	97.0	90.50	138.00	153.00	3.5	3.3	4.64	
69.850	99.217	17.000	16.000	13.000	1.5	1.5	SKET	LL713149 / LL713110	77.0	75.00	91.00	95.00	1.5	1.5	0.38
	101.600	19.050	19.050	15.083	1.5	1.5	SKET	L713049 / L713010	78.0	75.00	93.00	98.00	1.5	1.5	0.51
	112.712	22.225	21.996	15.875	1.5	0.8	SKET	LM613449 / LM613410	78.0	76.00	104.00	107.00	1.5	0.8	0.77
	112.712	25.400	25.400	19.050	1.5	3.3	SKET	29675 / 29620	80.0	77.00	101.00	109.00	1.5	3.3	0.95
	117.475	30.162	30.162	23.812	3.5	3.3	SKET	33275 / 33462	84.0	77.00	104.00	112.00	3.5	3.3	1.25
	120.000	29.002	29.007	23.444	3.5	3.3	SKET	482 / 472A	83.0	77.00	107.00	114.00	3.5	3.3	1.27
	120.000	29.794	30.163	23.444	3.5	3.3	SKET	33275 / 33472	84.0	77.00	107.00	113.00	3.5	3.3	1.35
	120.000	29.794	29.007	24.237	3.5	2.0	SKET	482 / 472	83.0	77.00	107.00	114.00	3.5	2.0	1.30
	120.000	32.545	32.545	26.195	3.5	3.3	SKET	47487 / 47420	84.0	78.00	107.00	114.00	3.5	3.3	1.46
	120.000	32.545	32.545	26.195	3.5	0.5	SKET	47487 / 47420A	84.0	78.00	109.00	114.00	3.5	0.5	1.47
	120.650	25.400	25.400	19.050	1.5	3.3	SKET	29675 / 29630	80.0	77.00	104.00	113.00	1.5	3.3	1.16
	120.650	29.794	30.162	23.444	3.5	0.8	SKET	33275 / 33475	84.0	77.00	107.00	113.00	3.5	0.8	1.37
120.650	32.545	32.545	26.195	3.6	0.8	SKET	47487 / 47423	84.0	78.00	109.00	114.00	3.6	0.8	1.50	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
69.850	123.825	30.162	29.007	24.605	3.6	3.2	SKET	482 / 472X	83.0	77.00	109.00	114.00	3.6	3.2	1.45
	127.000	36.512	36.170	28.575	3.5	3.3	SKET	566 / 563	85.0	78.00	112.00	120.00	3.5	3.3	1.89
	127.000	36.512	36.170	28.575	3.5	0.8	SKET	566 / 563X	85.0	78.00	114.00	120.00	3.5	0.8	1.93
	127.000	36.512	41.275	31.750	3.5	3.3	SKET	643 / 633	86.0	80.00	116.00	124.00	3.5	3.3	2.27
	136.525	41.275	41.275	31.750	3.5	3.3	SKET	643 / 632	86.0	80.00	118.00	125.00	3.5	3.3	2.60
	146.050	36.512	33.338	23.812	4.0	3.3	SKET	HM914545 / HM914510	95.0	86.00	122.00	139.00	4.0	3.3	2.80
	146.050	41.275	41.275	31.750	3.5	3.3	SKET	655 / 653	88.0	82.00	131.00	139.00	3.5	3.3	3.24
	146.050	41.275	39.688	25.400	3.5	3.3	SKET	H913849 / H913810	95.0	82.00	124.00	138.00	3.5	3.3	2.85
	149.225	53.975	54.229	44.450	5.0	3.3	SKET	6454 / 6420	94.0	85.00	129.00	140.00	5.0	3.3	4.00
	150.089	44.450	46.672	36.512	3.5	3.3	SKET	745A / 742	88.0	82.00	134.00	142.00	3.5	3.3	3.88
168.275	53.975	56.363	41.275	3.5	3.3	SKET	835 / 832	91.0	84.00	149.00	155.00	3.5	3.3	6.15	
69.952	121.442	24.608	23.012	17.462	2.0	2.0	SKET	34274 / 34478	81.0	78.00	110.00	116.00	2.0	2.0	1.08
	125.052	23.731	23.012	16.400	2.0	2.0	SKET	34274 / 34492A	81.0	78.00	112.00	118.00	2.0	2.0	1.14
69.987	136.525	46.038	46.038	36.512	3.5	3.3	SKET	H715347 / H715311	93.0	87.00	118.00	132.00	3.5	3.3	3.17
	176.212	54.770	53.183	36.512	3.3	3.3	SKET	H916642 / H916610	103.0	95.00	147.00	164.00	3.3	3.3	6.47
70.000	100.000	20.000	20.000	16.000	1.0	1.0	SKET	32914	75.0	77.00	91.00	96.00	1.0	1.0	0.50
	110.000	21.000	20.000	15.500	2.0	2.0	SKET	JP7049 / JP7010	80.0	76.00	101.00	105.00	2.0	2.0	0.69
	110.000	25.000	25.000	19.000	1.5	1.5	SKET	32014X	78.0	78.00	98.00	105.00	1.5	1.5	0.94
	110.000	26.000	25.000	20.500	1.0	2.5	SKET	JLM813049 / JLM813010	78.0	77.00	98.00	105.00	1.0	2.5	0.88
	110.000	31.000	31.000	25.500	1.5	1.5	SKET	33014	78.0	78.00	99.00	105.00	1.5	1.5	1.07
	115.000	29.000	29.000	23.000	3.0	2.5	SKET	JM612949 / JM612910	83.0	77.00	103.00	110.00	3.0	2.5	1.13
	120.000	29.794	29.007	24.237	2.0	2.0	SKET	484 / 472	80.0	77.00	107.00	114.00	2.0	2.0	1.30
	120.000	37.000	37.000	29.000	2.0	1.5	SKET	33114	79.0	85.00	115.00	108.00	2.0	1.5	1.68
	125.000	26.250	24.000	21.000	2.0	1.5	SKET	30214	77.0	80.00	118.00	115.00	2.0	1.5	1.28
	125.000	33.250	31.000	27.000	2.0	1.5	SKET	32214	79.0	80.00	108.00	119.00	2.0	1.5	1.70
	125.000	41.000	41.000	32.000	2.0	1.5	SKET	33214	79.0	79.00	107.00	120.00	2.0	1.5	2.10
	130.000	43.000	42.000	35.000	3.0	2.5	SKET	JF7049 / JF7010	86.0	81.00	116.00	124.00	3.0	2.5	1.76
	130.000	43.000	42.000	35.000	7.0	2.5	SKET	JF7049A / JF7010	94.0	81.00	116.00	124.00	7.0	2.5	1.76
130.000	43.000	42.000	35.000	8.0	2.5	SKET	T2ED070	94.0	81.00	116.00	124.00	8.0	2.5	2.42	
140.000	39.000	35.500	27.000	3.0	3.0	SKET	7FC070	89.0	78.00	110.00	135.00	3.0	3.0	2.50	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
70.000	140.000	140.000	35.500	27.000	3.0	3.0	SKET	JW7049 / JW7010	95.0	82.00	117.00	133.00	3.0	3.0	2.65
	150.000	150.000	35.000	30.000	3.0	2.5	SKET	30314	84.0	89.00	130.00	140.00	3.0	2.5	3.00
	150.000	150.000	35.000	25.000	3.0	2.5	SKET	31314	84.0	84.00	118.00	142.00	3.0	2.5	2.96
	150.000	150.000	35.000	27.000	3.0	2.5	SKET	30314C	84.0	89.00	130.00	140.00	3.0	2.5	3.00
	150.000	150.000	35.000	25.000	3.0	2.5	SKET	30314D	84.0	84.00	118.00	142.00	3.0	2.5	2.96
	150.000	150.000	39.688	25.400	2.0	3.3	SKET	JH913848 / JH913811	92.0	82.00	126.00	146.00	2.0	3.3	3.04
	150.000	150.000	38.000	29.000	3.0	3.0	SKET	T7FC075	91.0	81.00	126.00	146.00	3.0	3.0	3.301
	150.000	150.000	51.000	42.000	3.0	2.5	SKET	32314	83.0	86.00	125.00	140.00	3.0	2.5	1.45
	150.000	150.000	51.000	42.000	3.0	2.5	SKET	32314B	83.0	86.00	125.00	140.00	3.0	2.5	1.45
	150.000	150.000	51.000	39.000	3.0	2.5	SKET	32314C	83.0	86.00	125.00	140.00	3.0	2.5	1.45
	150.089	150.089	46.672	36.512	3.5	3.3	SKET	750 / 742	96.0	90.00	134.00	142.00	3.5	3.3	3.49
161.925	161.925	48.260	38.100	3.5	3.3	SKET	755 / 752	95.0	88.00	144.00	150.00	3.5	3.3	4.68	
70.637	H2.712	112.712	25.400	19.050	1.3	3.3	SKET	29680 / 29620	80.0	78.00	101.00	109.00	1.3	3.3	0.93
71.438	117.475	117.475	30.162	23.812	3.5	3.3	SKET	33281 / 33462	85.0	79.00	104.00	112.00	3.5	3.3	1.18
	120.000	120.000	30.163	23.444	3.6	0.8	SKET	33281 / 33472	85.0	79.00	107.00	113.00	3.6	0.8	1.55
	120.000	120.000	32.545	26.195	3.5	3.3	SKET	47490 / 47420	86.0	79.00	107.00	114.00	3.5	3.3	1.41
	120.650	120.650	30.162	23.444	3.5	0.8	SKET	33281 / 33475	85.0	79.00	107.00	113.00	3.5	0.8	
	127.000	127.000	36.170	28.575	6.4	3.3	SKET	567S / 563	92.0	80.00	112.00	120.00	6.4	3.3	1.87
	127.000	127.000	36.170	28.575	4.8	3.3	SKET	567X / 563	90.0	81.00	112.00	120.00	4.8	3.3	1.81
	127.000	127.000	36.170	28.575	3.5	3.3	SKET	645 / 633	93.0	81.00	116.00	124.00	3.5	3.3	2.20
	127.000	127.000	36.512	26.988	3.5	3.3	SKET	HM813849 / HM813810	91.0	82.00	111.00	121.00	3.5	3.3	2.28
	127.000	127.000	36.512	26.988	3.5	1.6	SKET	HM813849 / HM813811	91.0	82.00	111.00	121.00	3.5	1.6	2.28
	127.000	127.000	36.170	28.575	3.5	3.3	SKET	567A / 563	86.0	80.00	112.00	120.00	3.5	3.3	1.84
	130.175	130.175	41.275	28.575	3.5	3.3	SKET	644 / 633	87.0	81.00	116.00	124.00	3.5	3.3	2.20
	136.525	136.525	29.769	22.225	3.5	3.3	SKET	495S / 493	88.0	82.00	122.00	130.00	3.5	3.3	1.92
	136.525	136.525	41.275	31.750	6.4	3.2	SKET	645 / 632	93.0	81.00	118.00	125.00	6.4	3.2	2.49
	136.525	136.525	41.275	31.750	3.5	3.3	SKET	644 / 632	87.0	81.00	118.00	125.00	3.5	3.3	2.54
	136.525	136.525	41.275	31.750	3.5	3.3	SKET	H414249 / H414210	89.0	83.00	121.00	129.00	3.5	3.3	2.64
	136.525	136.525	46.038	36.512	3.5	3.3	SKET	H715345 / H715311	94.0	88.00	118.00	132.00	3.5	3.3	3.13
139.700	139.700	46.038	36.512	3.5	3.3	SKET	H715345 / H715310	94.0	88.00	120.00	133.00	3.5	3.3	3.27	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
73.000	101.000	17.000	17.000	13.000	1.0	1.0	SKET	306 / 73	79.0	78.00	96.00	98.00	1.0	1.0	0.38
73.025	100.013	16.993	16.993	12.954	1.5	0.4	SKET	8658	82.0	78.00	88.00	94.00	1.5	0.4	0.36
	100.096	16.993	16.993	12.954	1.5	0.4	SKET	8682	82.0	78.00	88.00	94.00	1.5	0.4	0.36
	112.712	25.400	25.400	19.050	3.5	3.3	SKET	29685 / 29620	86.0	80.00	101.00	109.00	3.5	3.3	0.88
	117.475	30.162	30.162	23.812	3.5	3.3	SKET	33287 / 33462	87.0	80.00	104.00	112.00	3.5	3.3	1.17
	120.000	29.794	30.162	23.444	3.5	0.8	SKET	33287 / 33472	87.0	80.00	107.00	113.00	3.5	0.8	1.26
	120.650	29.794	30.162	23.444	3.5	0.8	SKET	33287 / 33475	87.0	80.00	107.00	113.00	3.5	0.8	1.27
	120.650	29.794	30.162	23.444	0.3	0.8	SKET	33287A / 33475	87.0	80.00	107.00	113.00	0.3	0.8	1.29
	123.825	38.887	39.370	26.187	2.8	2.0	SKET	M514546 / M514512	83.0	80.00	114.00	118.00	2.8	2.0	1.47
	125.412	25.400	25.400	19.845	3.5	1.5	SKET	27680 / 27620	88.0	80.00	115.00	120.00	3.5	1.5	1.27
	127.000	36.512	36.170	28.575	3.5	3.3	SKET	567 / 563	88.0	81.00	112.00	120.00	3.5	3.3	1.79
	139.992	36.512	36.098	28.575	3.5	3.3	SKET	576 / 572	90.0	83.00	125.00	133.00	3.5	3.3	2.47
	146.050	41.275	41.275	31.750	3.5	3.3	SKET	657 / 653	91.0	85.00	131.00	139.00	3.5	3.3	3.12
	149.225	53.975	54.229	44.450	3.5	3.3	SKET	6460 / 6420	93.0	87.00	129.00	140.00	3.5	3.3	4.39
	150.089	44.450	46.672	36.512	3.5	3.3	SKET	744 / 742	91.0	85.00	134.00	142.00	3.5	3.3	3.75
161.925	47.625	48.260	38.100	3.5	3.3	SKET	762 / 752	97.0	92.00	144.00	150.00	3.5	3.3	4.79	
73.817	112.712	25.400	25.400	19.050	1.5	3.3	SKET	29688 / 29620	83.0	80.00	101.00	109.00	1.5	3.3	0.86
	120.650	25.400	25.400	19.050	1.5	3.3	SKET	29688 / 29630	83.0	80.00	-i	117.00	1.5	3.3	0.92
	127.000	36.512	36.170	28.575	0.8	3.3	SKET	568 / 563	83.0	82.00	112.00	120.00	0.8	3.3	1.78
74.612	139.992	36.512	36.098	28.575	3.5	3.3	SKET	577 / 572	91.0	85.00	125.00	133.00	3.5	3.3	2.42
75.000	105.000	20.000	20.000	16.000	1.0	1.0	SKET	32915	80.0	80.00	97.00	101.00	1.0	1.0	0.52
	115.000	25.000	25.000	19.000	1.5	1.5	SKET	32015X	83.0	83.00	103.00	110.00	1.5	1.5	0.90
	115.000	25.000	25.000	19.000	3.0	2.5	SKET	JLM714149 / JLM714110	87.0	81.00	104.00	110.00	3.0	2.5	0.85
	115.000	31.000	31.000	25.500	1.5	1.5	SKET	33015	83.0	83.00	104.00	110.00	1.5	1.5	1.15
	120.000	31.000	29.500	25.000	3.0	2.5	SKET	JM714249 / JM714210	88.0	83.00	108.00	115.00	3.0	2.5	1.30
	120.000	31.000	29.500	25.000	6.0	2.5	SKET	JM714249A / JM714210	94.0	83.00	108.00	115.00	6.0	2.5	1.27
	125.000	27.250	25.000	22.000	2.0	1.5	SKET	30215	86.0	85.00	115.00	124.00	2.0	1.5	1.40
	125.000	37.000	37.000	29.000	2.0	1.5	SKET	33115	85.0	84.00	109.00	120.00	2.0	1.5	1.80
	125.000	37.000	37.000	29.000	6.0	1.5	SKET	XAA33115 / Y33115	85.0	84.00	109.00	120.00	6.0	1.5	1.92
125.000	33.250	31.000	27.000	2.0	1.5	SKET	32215	85.0	85.00	114.00	123.00	2.0	1.5	1.75	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
75.000	125.000	41.000	41.000	31.000	2.0	1.5	SKET	33215	85.0	83.00	111.00	125.00	2.0	1.5	2.23
	135.000	44.250	45.000	35.000	2.3	2.3	SKET	7815	86.0	82.00	124.00	129.00	2.3	2.3	2.621
	135.000	44.500	45.000	36.500	2.0	1.5	SKET	30615	86.0	82.00	124.00	129.00	2.0	1.5	2.700
	140.000	34.250	32.000	28.000	0.5	2.0	SKET	580616	93.0	80.00	117.00	133.00	0.5	2.0	2.26
	140.000	34.250	32.000	28.000	0.5	2.0	SKET	S-479505	93.0	80.00	117.00	133.00	0.5	2.0	1.15
	145.000	51.000	51.000	42.000	3.0	2.5	SKET	JH415647 / JH415610	94.0	89.00	129.00	139.00	3.0	2.5	3.79
	150.000	42.000	38.000	29.000	3.0	3.0	SKET	JW7549 / JW7510	107.0	88.00	126.00	142.00	3.0	3.0	3.22
	150.000	42.000	38.000	29.000	3.0	3.0	SKET	7FC075	107.0	88.00	126.00	142.00	3.0	3.0	3.22
	160.000	40.000	37.000	26.000	3.0	2.5	SKET	30315D	89.0	91.00	127.00	151.00	3.0	2.5	3.46
	160.000	40.000	37.000	31.000	3.0	2.5	SKET	30315	95.0	89.00	139.00	149.00	3.0	2.5	3.50
	160.000	40.000	37.000	26.000	3.0	2.5	SKET	31315	91.0	89.00	127.00	151.00	3.0	2.5	3.46
	160.000	58.000	55.000	45.000	3.0	2.5	SKET	32315	91.0	89.00	133.00	149.00	3.0	2.5	5.40
	160.000	58.000	55.000	43.000	3.0	2.5	SKET	32315C	91.0	89.00	133.00	149.00	3.0	2.5	5.40
	160.000	58.000	55.000	45.000	3.0	2.5	SKET	32315B	91.0	89.00	133.00	149.00	3.0	2.5	5.40
180.000	63.500	60.000	45.000	3.0	3.0	SKET	32315X3	91.0	89.00	153.00	169.00	3.0	3.0	7.7950	
75.987	132.000	39.000	39.000	32.000	7.0	3.5	SKET	HM215249 / HM215210	98.0	85.00	118.00	126.00	7.0	3.5	2.11
76.200	105.570	13.495	13.495	9.525	1.5	1.5	SKET	LL714649 / LL714610	83.0	81.00	99.00	102.00	1.5	1.5	0.32
	109.538	19.050	19.050	15.083	1.5	1.5	SKET	L814749 / L814710	84.0	82.00	100.00	105.00	1.5	1.5	0.59
	121.442	24.608	23.012	17.462	2.0	2.0	SKET	34300 / 34478	86.0	83.00	110.00	116.00	2.0	2.0	0.95
	121.442	24.608	23.012	17.462	3.5	2.0	SKET	34301 / 34478	89.0	83.00	110.00	116.00	3.5	2.0	0.94
	127.000	26.988	23.012	19.842	2.0	3.2	SKET	34300 / 34500	86.0	83.00	112.00	118.00	2.0	3.2	1.16
	127.000	30.162	31.000	22.225	3.5	3.3	SKET	42687 / 42620	96.0	84.00	114.00	121.00	3.5	3.3	1.45
	127.000	30.162	31.000	22.225	6.4	3.3	SKET	42688 / 42620	96.0	84.00	114.00	121.00	6.4	3.3	1.39
	133.350	30.162	29.769	22.225	3.5	3.3	SKET	495A / 492A	92.0	86.00	120.00	128.00	3.5	3.3	1.68
	133.350	33.338	33.338	26.195	6.4	3.3	SKET	47678 / 47620	97.0	85.00	119.00	128.00	6.4	3.3	1.87
	133.350	33.338	33.338	26.195	3.5	3.3	SKET	47679 / 47620	91.0	85.00	119.00	128.00	3.5	3.3	1.90
	133.350	33.338	33.338	26.195	0.8	3.3	SKET	47680 / 47620	86.0	85.00	119.00	128.00	0.8	3.3	1.91
	133.350	39.688	39.688	32.545	3.5	3.3	SKET	HM516442 / HM516410	93.0	87.00	118.00	128.00	3.5	3.3	2.36
	135.000	30.162	29.769	22.225	3.5	3.3	SKET	495A / 493A	92.0	86.00	121.00	129.00	3.5	3.3	1.79
135.733	44.450	46.100	34.925	3.5	3.3	SKET	5760 / 5735	94.0	88.00	119.00	130.00	3.5	3.3	2.73	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)									
76.200	136.525	30.162	29.769	22.225	6.4	3.3	SKET	495AX / 493	98.0	86.00	122.00	130.00	6.4	3.3	1.81
	136.525	30.162	29.769	22.225			SKET	495AX / 493A	98.0	86.00	121.00	129.00			1.76
	136.525	30.163	29.769	22.225	3.6	3.2	SKET	495A / 493	92.0	86.00	122.00	130.00	3.6	3.2	1.80
	139.700	36.512	36.098	28.575	3.5	3.3	SKET	575 / 572X	92.0	86.00	125.00	133.00	3.5	3.3	2.39
	139.992	36.512	36.098	28.575	3.5	3.3	SKET	575 / 572	92.0	86.00	125.00	133.00	3.5	3.3	2.37
	139.992	36.512	36.098	28.575	6.8	3.3	SKET	575S / 572	99.0	86.00	125.00	133.00	6.8	3.3	2.33
	139.992	36.512	36.098	28.575	3.5	3.3	SKET	575 / 572	92.0	86.00	125.00	133.00	3.5	3.3	2.44
	146.050	41.275	41.275	31.750	3.5	3.3	SKET	659 / 653	93.0	87.00	131.00	139.00	3.5	3.3	3.02
	149.225	53.975	54.229	44.450	3.5	3.3	SKET	6461 / 6420	96.0	89.00	129.00	140.00	3.5	3.3	4.23
	149.225	53.975	54.229	44.450	9.7	3.3	SKET	6461A / 6420	108.0	89.00	129.00	140.00	9.7	3.3	4.15
	150.000	41.275	41.275	31.750	3.5	3.0	SKET	658 / 653X	92.0	86.00	133.00	141.00	3.5	3.0	3.30
	150.089	44.450	46.672	36.512	3.5	3.3	SKET	748S / 742	93.0	87.00	134.00	142.00	3.5	3.3	3.62
	152.400	39.688	36.322	30.162	3.5	3.3	SKET	590A / 592A	95.0	89.00	135.00	144.00	3.5	3.3	3.20
	152.400	41.275	31.750	41.275	3.5	3.3	SKET	659 / 652	93.0	87.00	134.00	141.00	3.5	3.3	3.37
	152.400	41.275	41.275	31.750	3.6	3.2	SKET	659 / 692	93.0	87.00	134.00	141.00	3.6	3.2	3.41
	161.925	47.625	48.260	38.100	3.5	3.3	SKET	755 / 752	95.0	88.00	144.00	150.00	3.5	3.3	4.85
	161.925	49.212	46.038	31.750	3.5	3.3	SKET	9285 / 9220	103.0	90.00	138.00	153.00	3.5	3.3	4.24
	161.925	53.975	55.100	42.862	6.4	3.3	SKET	6575 / 6535	104.0	92.00	141.00	154.00	6.4	3.3	5.35
	161.925	53.975	55.100	42.862	6.4	0.8	SKET	6575 / 6536	104.0	92.00	144.00	154.00	6.4	0.8	5.41
	161.925	53.975	55.100	42.862	3.5	3.3	SKET	6576 / 6535	99.0	92.00	141.00	154.00	3.5	3.3	5.38
	168.275	53.975	56.363	41.275	0.8	3.3	SKET	837 / 832	90.0	89.00	149.00	155.00	0.8	3.3	5.87
	168.275	53.975	56.363	41.275	6.4	3.3	SKET	843 / 832	101.0	89.00	149.00	155.00	6.4	3.3	5.82
	169.850	53.975	55.100	44.450	3.5	3.3	SKET	6576C / 6520	101.0	94.00	145.00	155.00	3.5	3.3	6.11
	171.450	49.212	46.038	31.750	3.5	3.3	SKET	9380 / 9321	105.0	98.00	147.00	164.00	3.5	3.3	5.10
171.450	52.388	50.800	31.750	3.5	3.3	SKET	9378 / 9321	105.0	98.00	147.00	164.00	3.5	3.3	5.34	
177.800	55.562	50.800	34.925	3.5	3.3	SKET	9378 / 9320	105.0	98.00	148.00	164.00	3.5	3.3	5.95	
180.975	53.975	53.183	35.720	3.5	3.3	SKET	H917840 / H917810	110.0	100.00	152.00	170.00	3.5	3.3	6.54	
190.500	57.150	57.531	46.038	3.5	3.3	SKET	HH221430 / HH221410	101.0	95.00	171.00	179.00	3.5	3.3	8.86	
77.788	117.475	25.400	25.400	19.050	3.5	3.3	SKET	LM814849 / LM814810	91.0	85.00	105.00	113.00	3.5	3.3	0.93
	121.442	24.608	23.012	17.462	3.5	2.0	SKET	34306 / 34478	90.0	84.00	110.00	116.00	3.5	2.0	0.91

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
77.788	121.442	24.608	23.012	17.462	6.4	2.0	SKET	34307 / 34478	96.0	84.00	110.00	116.00	6.4	2.0	0.88
	127.000	30.162	31.000	22.225	3.5	3.3	SKET	42690 / 42620	91.0	85.00	114.00	121.00	3.5	3.3	1.37
	135.733	44.450	46.101	34.925	3.5	3.3	SKET	5795 / 5735	96.0	89.00	119.00	130.00	3.5	3.3	2.68
	136.525	30.162	29.769	22.225	3.5	3.3	SKET	495AS / 493	93.0	87.00	122.00	130.00	3.5	3.3	1.74
	136.525	46.038	46.038	36.512	3.5	3.3	SKET	H715348 / H715311	98.0	88.00	118.00	132.00	3.5	3.3	2.86
	164.976	49.500	46.248	36.251	3.5	3.3	SKET	H816249 / H816210	102.0	92.00	144.00	154.00	3.5	3.3	4.83
79.375	146.050	41.275	41.275	31.750	3.5	3.3	SKET	661 / 653	96.0	90.00	131.00	139.00	3.5	3.3	2.88
	152.400	41.275	41.275	31.750	3.5	3.3	SKET	595A / 592A	99.0	92.00	134.00	141.00	3.5	3.3	3.12
	161.925	47.625	48.260	38.100	8.0	3.3	SKET	756A / 752	106.0	91.00	144.00	150.00	8.0	3.3	4.48
	190.500	57.150	57.531	46.038	3.5	3.3	SKET	HH221431 / HH221410	103.0	97.00	171.00	179.00	3.5	3.3	8.69
79.974	146.975	40.000	40.000	32.500	7.0	3.5	SKET	HM218238 / HM218210	104.0	91.00	133.00	141.00	7.0	3.5	2.78
80.000	110.000	20.000	20.000	16.000	1.0	1.0	SKET	32916	86.0	85.00	101.00	106.00	1.0	1.0	0.55
	125.000	24.000	22.500	17.500	2.0	2.0	SKET	JP8049 / JP8010	89.0	86.00	115.00	120.00	2.0	2.0	0.95
	125.000	29.000	29.000	22.000	1.5	1.5	SKET	32016X	89.0	88.00	112.00	120.00	1.5	1.5	1.30
	125.000	36.000	36.000	29.500	1.5	1.5	SKET	33016	88.0	90.00	112.00	119.00	1.5	1.5	1.61
	130.000	32.000	30.800	25.000	2.5	2.5	SKET	30616	90.0	87.00	120.00	124.00	2.5	2.5	1.56
	130.000	35.000	34.000	28.500	3.0	2.5	SKET	JM515649 / JM515610	94.0	88.00	117.00	125.00	3.0	2.5	1.70
	130.000	35.000	34.000	28.500	3.6	2.5	SKET	T3DD080	94.0	88.00	117.00	125.00	3.6	2.5	1.71
	130.000	37.000	37.000	29.000	2.0	1.5	SKET	33116	89.0	94.00	119.00	125.00	2.0	1.5	1.85
	140.000	28.250	26.000	22.000	2.5	2.0	SKET	30216	92.0	92.00	124.00	132.00	2.5	2.0	1.70
	140.000	28.250	26.000	20.000	2.5	2.0	SKET	30216C	92.0	92.00	124.00	132.00	2.5	2.0	1.70
	140.000	35.250	33.000	28.000	2.5	2.0	SKET	32216	94.0	89.00	133.00	126.00	2.5	2.0	2.03
	140.000	46.000	46.000	35.000	2.5	2.0	SKET	33216	89.0	92.00	119.00	135.00	2.5	2.0	2.94
	160.000	45.000	41.000	31.000	3.0	3.0	SKET	JW8049 / JW8010	108.0	93.00	134.00	152.00	3.0	3.0	3.99
	160.000	45.000	41.000	31.000	3.0	3.0	SKET	7FC080	108.0	93.00	134.00	152.00	3.0	3.0	3.99
	170.000	42.500	39.000	33.000	3.0	2.5	SKET	30316	100.0	94.00	148.00	158.00	3.0	2.5	4.50
	170.000	42.500	39.000	27.000	3.0	2.5	SKET	31316	97.0	94.00	134.00	158.00	3.0	2.5	4.10
	170.000	42.500	39.000	27.000	3.0	2.5	SKET	30316D	97.0	94.00	134.00	158.00	3.0	2.5	4.10
	170.000	61.500	58.000	48.000	3.0	2.5	SKET	32316	98.0	94.00	142.00	159.00	3.0	2.5	6.43
170.000	61.500	58.000	48.000	3.0	2.5	SKET	32316B	98.0	94.00	142.00	159.00	3.0	2.5	6.43	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
80.000	200.000	52.761	49.212	34.925	3.5	3.3	SKET	98316 / 98788	111.0	105.00	174.00	188.00	3.5	3.3	8.01
80.962	133.350	30.162	29.769	22.225	3.5	3.3	SKET	496 / 492A	95.0	89.00	120.00	128.00	3.5	3.3	1.99
	133.350	33.338	33.338	26.195	3.5	3.3	SKET	47681 / 47620	95.0	89.00	119.00	128.00	3.5	3.3	1.75
	136.525	30.162	29.769	22.225	3.5	3.3	SKET	496 / 493	95.0	89.00	122.00	130.00	3.5	3.3	1.70
	139.700	36.512	36.098	28.575	3.5	3.3	SKET	581 / 572X	96.0	90.00	125.00	133.00	3.5	3.3	2.25
	139.992	36.512	36.098	28.575	3.5	3.3	SKET	581 / 572	96.0	90.00	125.00	133.00	3.5	3.3	2.25
	150.089	44.450	46.672	36.512	5.0	3.3	SKET	740 / 742	101.0	91.00	134.00	142.00	5.0	3.3	3.41
82.000	140.000	36.512	36.098	28.575	10.0	3.5	SKET	NP569484 / 644537	95.0	88.00	128.00	134.00	10.0	3.5	2.14
82.550	115.888	20.638	21.433	16.670	1.5	1.5	SKET	L116149 / L116110	90.0	88.00	108.00	111.00	1.5	1.5	0.65
	125.412	25.400	25.400	19.845	3.5	1.5	SKET	27687 / 27620	96.0	89.00	115.00	120.00	3.5	1.5	1.04
	125.412	25.400	25.400	19.845	3.6	1.6	SKET	CBK-338	96.0	89.00	115.00	120.00	3.6	1.6	1.04
	133.350	30.162	29.769	22.225	3.5	3.3	SKET	495 / 492A	97.0	90.00	120.00	128.00	3.5	3.3	1.62
	133.350	33.338	33.338	26.195	3.5	3.3	SKET	47686 / 47620	97.0	90.00	119.00	128.00	3.5	3.3	1.69
	133.350	33.338	33.338	26.195	3.5	0.8	SKET	47686 / 47620A	97.0	90.00	121.00	128.00	3.5	0.8	1.71
	133.350	33.338	33.338	26.195	6.8	3.3	SKET	47687 / 47620	103.0	90.00	119.00	128.00	6.8	3.3	1.68
	133.350	39.688	39.688	32.545	6.8	3.3	SKET	HM516448 / HM516410	105.0	92.00	118.00	128.00	6.8	3.3	2.08
	133.350	39.688	39.688	32.545	3.5	3.3	SKET	HM516449 / HM516410	99.0	92.00	118.00	128.00	3.5	3.3	2.12
	136.525	30.162	29.769	22.225	3.5	3.3	SKET	495 / 493	97.0	90.00	122.00	130.00	3.5	3.3	1.62
	139.700	36.512	36.098	28.575	3.5	3.3	SKET	580 / 572X	98.0	91.00	125.00	133.00	3.5	3.3	2.14
	139.992	36.512	36.098	28.575	3.5	3.3	SKET	580 / 572	98.0	91.00	125.00	133.00	3.5	3.3	2.14
	139.992	36.512	36.098	28.575	6.8	3.3	SKET	582 / 572	104.0	91.00	125.00	133.00	6.8	3.3	2.20
	146.050	41.275	41.275	31.750	3.5	3.3	SKET	663 / 653	99.0	92.00	131.00	139.00	3.5	3.3	2.87
	150.000	44.455	46.672	35.000	3.5	3.3	SKET	749A / 743	99.0	93.00	134.00	142.00	3.5	3.3	3.30
	150.089	44.450	46.672	36.512	3.5	3.3	SKET	749A / 742	99.0	93.00	134.00	142.00	3.5	3.3	3.33
	150.089	44.450	46.672	36.512	3.5	3.3	SKET	749A / 742A	99.0	93.00	135.00	144.00	3.5	3.3	3.30
	150.089	44.450	46.672	36.512	6.5	3.3	SKET	750A / 742	106.0	93.00	134.00	142.00	6.5	3.3	3.29
	152.400	39.688	36.322	30.162	3.5	3.3	SKET	595 / 592A	100.0	93.00	135.00	144.00	3.5	3.3	3.01
	152.400	41.275	41.275	31.750	3.5	3.3	SKET	663 / 652	99.0	92.00	134.00	141.00	3.5	3.3	3.15
161.925	47.625	48.260	38.100	3.5	3.3	SKET	757 / 752	100.0	94.00	134.00	141.00	3.5	3.3	4.38	
161.925	53.975	55.100	42.862	3.5	3.3	SKET	6559 / 6535	104.0	98.00	141.00	154.00	3.5	3.3	5.04	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
82.550	161.925	53.975	55.100	42.862	3.5	3.3	SKET	6559C / 6535	104.0	98.00	141.00	154.00	3.5	3.3	5.04
	168.275	47.625	48.260	38.100	3.5	3.3	SKET	757 / 753	100.0	94.00	134.00	141.00	3.5	3.3	4.85
	168.275	53.975	56.363	41.275	3.5	3.3	SKET	842 / 832	101.0	94.00	149.00	155.00	3.5	3.3	5.48
	180.975	53.975	53.183	35.720	3.3	3.3	SKET	H917849 / H917810	114.0	100.00	152.00	170.00	3.3	3.3	6.21
83.345	125.412	25.400	25.400	19.845	0.8	1.5	SKET	27689 / 27620	90.0	90.00	115.00	120.00	0.8	1.5	1.03
	125.412	25.400	25.400	19.845	3.5	1.5	SKET	27690 / 27620	96.0	90.00	115.00	120.00	3.5	1.5	1.02
	125.412	25.400	25.400	19.845	6.4	1.5	SKET	27691 / 27620	102.0	90.00	115.00	120.00	6.4	1.5	0.99
84.138	133.350	30.162	29.769	22.225	3.5	3.2	SKET	498 / 492A	98.0	91.00	120.00	128.00	3.5	3.2	1.47
	133.350	30.162	29.769	22.225		3.2	SKET	498A / 492A	98.0	91.00	120.00	128.00		3.2	1.47
	136.525	30.162	29.769	22.225	3.5	3.3	SKET	498 / 493	98.0	91.00	122.00	130.00	3.5	3.3	1.55
	146.050	41.275	41.275	31.750	3.5	3.3	SKET	664 / 653	99.0	93.00	131.00	139.00	3.5	3.3	2.67
	171.450	49.212	46.038	31.750	3.5	3.3	SKET	9385 / 9321	111.0	98.00	147.00	164.00	3.5	3.3	4.73
84.976	177.800	52.388	46.038	34.925	3.5	3.3	SKET	9386H / 9320	111.0	98.30	148.00	164.00	3.5	3.3	5.40
	125.412	25.400	25.400	19.845		1.5	SKET	27695 / 27620	100.0	91.00	115.00	120.00		1.5	0.68
85.000	120.000	23.000	23.000	18.000	1.5	1.5	SKET	32917	93.0	93.00	109.00	115.00	1.5	1.5	0.77
	130.000	29.000	29.000	22.000	1.5	1.5	SKET	32017X	94.0	93.00	117.00	125.00	1.5	1.5	1.35
	130.000	30.000	29.000	24.000	6.0	2.5	SKET	JM716648 / JM716610	104.0	92.00	117.00	125.00	6.0	2.5	1.32
	130.000	30.000	29.000	24.000	3.0	2.5	SKET	JM716649 / JM716610	98.0	92.00	117.00	125.00	3.0	2.5	1.35
	130.000	36.000	36.000	29.500	1.5	1.5	SKET	33017	94.0	93.00	118.00	125.00	1.5	1.5	1.75
	140.000	39.000	38.000	31.51	3.0	2.5	SKET	JHM516849 / JHM516810	100.0	94.00	125.00	134.00	3.0	2.5	2.26
	140.000	41.000	41.000	32.000	2.5	2.5	SKET	33117	98.0	94.00	122.00	135.00	2.5	2.5	2.40
	150.000	30.500	28.000	24.000	2.5	2.0	SKET	30217	98.0	96.00	132.00	141.00	2.5	2.0	2.10
	150.000	30.500	28.000	22.000	2.5	2.0	SKET	30217C	98.0	96.00	132.00	141.00	2.5	2.0	2.10
	150.000	38.500	36.000	30.000	2.5	2.0	SKET	32217	98.0	95.00	130.00	142.00	2.5	2.0	2.76
	150.000	46.000	46.000	38.000	3.0	2.5	SKET	JH217249 / JH217210	101.0	95.00	134.00	142.00	3.0	2.5	3.33
	150.000	49.000	49.000	37.000	2.5	2.0	SKET	33217	98.0	94.00	128.00	144.00	2.5	2.0	3.64
	170.000	48.000	45.000	33.000	4.0	4.0	SKET	7FC085	110.0	100.00	153.00	161.00	4.0	4.0	4.78
	180.000	44.500	41.000	34.000	4.0	3.0	SKET	30317	104.0	106.00	156.00	167.00	4.0	3.0	4.90
180.000	44.500	41.000	28.000	4.0	3.0	SKET	31317	104.0	102.00	143.00	169.00	4.0	3.0	4.80	
180.000	44.500	41.000	28.000	4.0	3.0	SKET	30317D	104.0	102.00	143.00	169.00	4.0	3.0	4.80	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
	180.000	63.500	60.000	49.000	4.0	3.0	SKET	32317	104.0	102.00	150.00	167.00	4.0	3.0	7.37
85.000	180.000	63.500	60.000	49.000	4.0	3.0	SKET	32317B	104.0	102.00	150.00	167.00	4.0	3.0	7.37
	188.912	53.297	52.761	31.750	3.5	3.3	SKET	90334 / 90744	116.0	112.00	161.00	179.00	3.5	3.3	6.65
	200.000	52.761	49.212	34.925	3.5	3.3	SKET	98335 / 98788	115.0	109.00	174.00	188.00	3.5	3.3	7.76
85.026	150.089	44.450	46.672	36.512	3.5	3.3	SKET	749 / 742	101.0	95.00	134.00	142.00	3.5	3.3	3.21
	150.089	44.450	46.672	36.512	5.0	3.3	SKET	749S / 742	104.0	95.00	134.00	142.00	5.0	3.3	3.20
85.275	142.138	42.862	42.862	34.133	4.8	3.3	SKET	HM617049 / HM617010	106.0	95.00	125.00	137.00	4.8	3.3	2.71
85.725	133.350	30.162	29.769	22.225	3.5	3.3	SKET	497 / 492A	99.0	93.00	120.00	128.00	3.5	3.3	1.39
	133.350	30.162	29.769	22.225	6.4	3.3	SKET	497A / 492A	105.0	93.00	120.00	128.00	6.4	3.3	1.39
	136.525	30.162	29.769	22.225	6.4	3.3	SKET	497A / 493	99.0	93.00	122.00	130.00	6.4	3.3	1.50
	136.525	30.163	29.769	22.225	3.5	3.3	SKET	497 / 493	99.0	93.00	122.00	130.00	3.5	3.3	1.60
	146.050	41.275	41.275	31.750	3.5	3.3	SKET	665 / 653	102.0	95.00	131.00	139.00	3.5	3.3	2.63
	146.050	41.275	41.275	31.750	6.4	3.3	SKET	665A / 653	107.0	95.00	131.00	139.00	6.4	3.3	2.58
	152.400	39.688	36.322	30.162	3.5	3.3	SKET	596 / 592A	102.0	96.00	135.00	144.00	3.5	3.3	2.86
	161.925	47.625	48.260	38.100	3.5	3.3	SKET	758 / 752	103.0	97.00	144.00	150.00	3.5	3.3	4.22
	168.275	41.275	41.275	30.162	3.5	3.3	SKET	677 / 672	105.0	99.00	149.00	160.00	3.5	3.3	4.12
168.275	53.975	56.363	41.275	3.5	3.3	SKET	841 / 832	104.0	97.00	149.00	155.00	3.5	3.3	5.29	
87.312	190.500	57.150	57.531	46.038	8.0	3.3	SKET	HH221432 / HH221410	118.0	103.00	171.00	179.00	8.0	3.3	7.75
87.960	148.430	28.575	28.971	21.433	3.0	3.0	SKET	42346 / 42584	103.0	98.00	134.00	142.00	3.0	3.0	1.95
88.900	121.442	15.083	15.083	11.112	1.5	1.5	SKET	LL217849 / LL217810	97.0	94.00	115.00	117.00	1.5	1.5	0.47
	123.825	20.638	20.638	16.670	1.5	1.5	SKET	L217849 / L217810	97.0	94.00	116.00	119.00	1.5	1.5	0.74
	148.430	28.575	28.971	21.433	3.0	3.0	SKET	42350 / 42584	104.0	98.00	134.00	142.00	3.0	3.0	1.92
	148.430	28.575	28.971	21.433	3.0		SKET	42350 / 42356	104.0	98.00	138.00	142.00	3.0		1.92
	149.225	31.750	28.971	24.608	3.0	3.3	SKET	42350 / 42587	104.0	98.00	134.00	142.00	3.0	3.3	2.10
	152.000	39.700	39.688	30.163	6.4	3.2	SKET	HM518445 / HM518410	110.0	98.00	135.00	114.00	6.4	3.2	2.90
	152.400	39.688	36.322	33.338	3.5	3.3	SKET	593 / 592	104.0	98.00	135.00	144.00	3.5	3.3	2.73
	152.400	39.688	36.322	30.162	3.5	3.3	SKET	593 / 592A	104.0	98.00	135.00	144.00	3.5	3.3	2.73
	152.400	39.688	36.322	30.162	6.4	3.3	SKET	593A / 592A	110.0	98.00	135.00	144.00	6.4	3.3	2.70
	161.925	47.625	48.260	38.100	3.5	3.3	SKET	759 / 752	106.0	99.00	144.00	150.00	3.5	3.3	3.97
161.925	47.625	48.260	38.100	7.0	3.3	SKET	766 / 752	113.0	99.00	144.00	150.00	7.0	3.3	4.01	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
88.900	161.925	53.975	55.100	42.862	3.5	3.3	SKET	6580 / 6535	109.0	102.00	141.00	154.00	3.5	3.3	4.67
	168.275	41.275	41.275	30.162	3.5	3.3	SKET	679 / 672	107.0	101.00	149.00	160.00	3.5	3.3	3.98
	168.275	47.625	48.260	38.100	3.5	3.3	SKET	759 / 753	106.0	99.00	147.00	150.00	3.5	3.3	4.57
	168.275	53.975	56.363	41.275	3.5	3.3	SKET	850 / 832	106.0	100.00	149.00	155.00	3.5	3.3	5.10
	190.500	57.150	57.531	44.450	8.0	3.3	SKET	855 / 854	118.0	103.00	170.00	174.00	8.0	3.3	7.67
	190.500	57.150	57.531	46.038	8.0	3.3	SKET	HH221434 / HH221410	120.0	105.00	171.00	179.00	8.0	3.3	8.05
	200.000	52.761	49.212	34.925	3.5	3.3	SKET	98350 / 98788	118.0	112.00	174.00	188.00	3.5	3.3	7.55
89.974	122.000	40.000	40.000	32.000	7.0		SKET	HM218248 / HM218210	112.0	99.00	133.00	141.00	7.0		2.36
	146.975	40.000	40.000	32.500	7.0	3.5	SKET	HM218248 / HM218211	112.0	99.00	133.00	141.00	7.0	3.5	2.52
90.000	125.000	23.000	23.000	18.000	1.5	1.5	SKET	32918	99.0	96.00	114.00	120.00	1.5	1.5	0.81
	140.000	32.000	32.000	24.000	2.0	1.5	SKET	32018X	101.0	99.00	125.00	134.00	2.0	1.5	1.77
	140.000	32.000	32.000	24.000	6.0	1.5	SKET	XAA32018X / Y32018X	110.0	98.00	128.00	134.00	6.0	1.5	1.74
	140.000	39.000	39.000	32.500	2.0	2.0	SKET	33018	101.0	99.00	127.00	135.00	2.0	2.0	2.16
	145.000	35.000	34.000	27.000	3.0	2.5	SKET	JM718149 / JM718110	105.0	99.00	131.00	139.00	3.0	2.5	2.12
	145.000	35.000	34.000	27.000	6.0	2.5	SKET	JM718149A / JM718110	105.0	99.00	131.00	139.00	6.0	2.5	2.12
	145.000	35.000	24.000	27.000	6.5	3.2	SKET	4DC090	105.0	99.00	131.00	139.00	6.5	3.2	2.10
	150.000	38.500	36.000	30.000	2.0	2.5	SKET	TRA181504	112.0	99.00	133.00	141.00	2.0	2.5	2.47
	150.000	45.000	45.000	35.000	2.5	2.0	SKET	33118	100.0	100.00	140.00	144.00	2.5	2.0	3.18
	155.000	44.000	44.000	35.000	3.0	2.5	SKET	JHM318448 / JHM318410	106.0	100.00	140.00	148.00	3.0	2.5	3.30
	160.000	32.500	30.000	26.000	2.5	2.0	SKET	30218	103.0	102.00	140.00	150.00	2.5	2.0	2.73
	160.000	42.500	40.000	34.000	2.5	2.0	SKET	32218	103.0	101.00	138.00	152.00	2.5	2.0	3.45
	160.000	42.500	40.000	34.000	2.5	2.0	SKET	33218	103.0	101.00	138.00	152.00	2.5	2.0	4.69
	175.000	48.000	45.000	33.000	4.0	4.0	SKET	7FC090	114.0	104.00	158.00	166.00	4.0	4.0	5.10
	190.000	46.500	43.000	36.000	4.0	3.0	SKET	30318	109.0	112.00	165.00	177.00	4.0	3.0	5.76
	190.000	46.500	43.000	30.000	4.0	3.0	SKET	31318	109.0	108.00	151.00	179.00	4.0	3.0	5.60
	190.000	46.500	43.000	30.000	4.0	3.0	SKET	30318D	109.0	108.00	151.00	179.00	4.0	3.0	5.60
	190.000	50.800	46.038	31.750	3.5	3.3	SKET	J90354 / J90748	120.0	112.00	162.00	179.00	3.5	3.3	6.12
	190.000	57.150	57.531	46.038	8.0	3.3	SKET	JHH221436 / JHH221413	121.0	106.00	171.00	185.00	8.0	3.3	7.94
190.000	67.500	64.000	53.000	4.0	3.0	SKET	32318	109.0	107.00	157.00	177.00	4.0	3.0	8.60	
90.488	161.925	47.625	48.260	38.100	3.5	3.3	SKET	760 / 752	107.0	101.00	144.00	150.00	3.5	3.3	3.97

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
91.973	142.875	30.000	30.000	22.000	3.5	3.3	SKET	LM718947 / LM718910	106.0	100.00	129.00	138.00	3.5	3.3	1.62
92.075	146.050	33.338	34.925	26.195	3.5	3.3	SKET	47890 / 47820	107.0	101.00	131.00	140.00	3.5	3.3	2.05
	148.430	28.575	28.971	21.433	3.5	3.3	SKET	42362 / 42584	107.0	102.00	134.00	142.00	3.5	3.3	1.75
	150.000	33.992	36.322	27.000	6.4	3.0	SKET	598A / 593X	113.0	101.00	134.00	142.00	6.4	3.0	2.37
	150.000	35.992	36.322	27.000	3.5	3.0	SKET	598 / 593X	107.0	101.00	134.00	142.00	3.5	3.0	2.33
	152.400	39.688	36.322	30.162	3.5	3.3	SKET	598 / 592A	107.0	101.00	135.00	160.00	3.5	3.3	2.61
	152.400	39.688	36.322	33.338	3.5	3.2	SKET	598 / 592	107.0	101.00	135.00	145.00	3.5	3.2	2.66
	152.400	39.688	36.322	30.162	6.4	3.3	SKET	598A / 592A	113.0	101.00	135.00	144.00	6.4	3.3	2.57
	159.000	39.688	36.322	30.162	3.5	3.0	SKET	598 / 592B	107.0	101.00	138.00	146.00	3.5	3.0	2.71
	168.275	41.275	41.275	30.162	3.5	3.3	SKET	681 / 672	110.0	104.00	149.00	160.00	3.5	3.3	3.83
	168.275	41.275	41.275	30.162	6.4	3.3	SKET	681A / 672	116.0	104.00	149.00	160.00	6.4	3.3	3.80
	171.450	47.625	48.260	38.100	3.5	3.3	SKET	77362 / 77675	109.0	103.00	153.00	161.00	3.5	3.3	4.83
180.975	47.625	48.006	38.100	3.5	3.3	SKET	778 / 772	111.0	105.00	161.00	168.00	3.5	3.3	5.57	
190.500	57.150	57.531	44.450	8.0	3.3	SKET	857 / 854	111.0	105.00	161.00	168.00	8.0	3.3	7.45	
93.662	148.430	28.575	28.971	21.433	3.0	3.0	SKET	42368 / 42584	107.0	102.00	134.00	142.00	3.0	3.0	1.75
	150.000	33.992	36.322	27.000	3.5	3.0	SKET	597 / 593X	109.0	102.00	133.00	142.00	3.5	3.0	2.35
	152.400	39.688	36.322	30.162	3.5	3.2	SKET	597 / 592A	109.0	102.00	135.00	144.00	3.5	3.2	2.60
94.975	148.430	28.575	28.971	21.433	3.0	3.0	SKET	42373 / 42584	108.0	110.00	104.00	134.00	3.0	3.0	142.00
95.000	130.000	23.000	23.000	18.000	1.5	1.5	SKET	32919	104.0	101.00	119.00	125.00	1.5	1.5	0.85
	135.000	20.000	20.000	14.000	5.0	2.5	SKET	JL819349 / JL819310	111.0	102.00	123.00	129.00	5.0	2.5	0.83
	145.000	24.000	22.500	17.500	3.0	3.0	SKET	JP10044 / JP10010	108.0	102.00	134.00	140.00	3.0	3.0	1.26
	145.000	32.000	32.000	24.000	2.0	1.5	SKET	32019X	106.0	104.00	130.00	140.00	2.0	1.5	1.86
	145.000	39.000	39.000	32.500	2.0	1.5	SKET	33019	106.0	103.00	131.00	139.00	2.0	1.5	2.32
	150.000	35.000	34.000	27.000	3.0	2.5	SKET	JM719149 / JM719113	109.0	104.00	135.00	143.00	3.0	2.5	2.23
	160.000	42.500	40.000	34.000	5.5	3.0	SKET	TR191604	98.0	97.00	140.00	144.00	5.5	3.0	3.16
	160.000	46.000	46.000	38.000	3.0	3.0	SKET	JF9549 / JF9510	11.0	105.00	145.00	154.00	3.0	3.0	3.75
	160.000	47.000	47.000	38.000	3.0	2.5	SKET	30619	11.0	105.00	145.00	154.00	3.0	2.5	3.69
	170.000	34.500	32.000	27.000	3.0	2.5	SKET	30219	110.0	109.00	149.00	159.00	3.0	2.5	3.27
	170.000	45.500	43.000	37.000	3.0	2.5	SKET	32219	110.0	107.00	145.00	161.00	3.0	2.5	4.30
170.000	58.000	58.000	44.000	3.0	2.5	SKET	33219	110.0	106.00	144.00	163.00	3.0	2.5	5.60	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
95.000	200.000	49.500	45.000	38.000	4.0	3.0	SKET	30319	114.0	117.00	172.00	186.00	4.0	3.0	6.28
	200.000	49.500	45.000	36.000	4.0	3.0	SKET	30319C	114.0	117.00	172.00	186.00	4.0	3.0	6.28
	200.000	49.500	45.000	32.000	4.0	3.0	SKET	30319D	114.0	112.00	157.00	187.00	4.0	3.0	6.60
	200.000	49.500	45.000	32.000	4.0	3.0	SKET	31319	114.0	112.00	157.00	187.00	4.0	3.0	6.60
	200.000	49.500	45.000	32.000	4.0	3.0	SKET	30319D	114.0	112.00	157.00	187.00	4.0	3.0	6.60
	200.000	71.500	67.000	55.000	4.0	3.0	SKET	32319	114.0	114.00	166.00	186.00	4.0	3.0	10.00
95.250	128.588	15.875	15.083	11.908	1.5	1.5	SKET	LL319349 / LL319310	103.0	100.00	122.00	124.00	1.5	1.5	0.54
	130.175	20.638	21.433	16.670	1.5	1.5	SKET	L319249 / L319210	103.0	101.00	122.00	125.00	1.5	1.5	0.79
	146.050	33.338	34.925	26.195	3.5	3.3	SKET	47896 / 47820	110.0	103.00	131.00	140.00	3.5	3.3	1.90
	147.638	35.717	36.322	26.192	5.0	0.8	SKET	594A / 592XE	113.0	104.00	135.00	142.00	5.0	0.8	2.05
	147.638	35.717	36.322	26.192	5.0	3.3	SKET	594A / 592XS	113.0	104.00	133.00	142.00	5.0	3.3	2.03
	148.430	28.575	28.971	21.433	3.0	3.0	SKET	42375 / 42584	108.0	103.00	134.00	142.00	3.0	3.0	1.70
	150.000	35.992	36.322	27.000	3.5	3.0	SKET	594 / 593X	110.0	104.00	134.00	142.00	3.5	3.0	2.21
	152.400	39.688	36.322	33.338	3.5	3.2	SKET	594 / 592	110.0	104.00	135.00	144.00	3.5	3.2	2.48
	152.400	39.688	36.322	30.162	3.5	3.3	SKET	594 / 592A	110.0	104.00	135.00	144.00	3.5	3.3	2.48
	152.400	39.688	36.322	30.162	5.0	3.3	SKET	594A / 592A	113.0	104.00	135.00	144.00	5.0	3.3	2.51
	157.162	36.512	36.116	26.195	3.5	3.3	SKET	52375 / 52618	112.0	106.00	142.00	152.00	3.5	3.3	2.68
	168.275	41.275	41.275	30.162	3.5	3.3	SKET	683 / 672	113.0	106.00	149.00	160.00	3.5	3.3	3.67
	168.275	41.275	41.275	30.162	5.0	3.3	SKET	683XA / 672	116.0	106.00	149.00	160.00	5.0	3.3	3.65
	171.450	47.625	48.260	38.100	3.5	3.3	SKET	77375 / 77675	113.0	106.00	153.00	161.00	3.5	3.3	4.66
190.500	57.150	57.531	46.038	8.0	3.3	SKET	HH221440 / HH221410	125.0	110.00	171.00	179.00	8.0	3.3	7.64	
190.500	57.150	57.531	44.450	8.0	3.3	SKET	864 / 854	123.0	108.00	170.00	174.00	8.0	3.3	7.26	
96.838	148.430	28.575	28.971	21.433	3.5	3.0	SKET	42381 / 42584	110.0	104.00	134.00	142.00	3.5	3.0	1.68
	188.912	50.800	46.038	31.750	3.5	3.3	SKET	90381 / 90744	125.0	113.00	161.00	179.00	3.5	3.3	5.65
98.425	157.162	36.512	36.116	26.195	3.5	3.3	SKET	52387 / 52618	114.0	108.00	142.00	152.00	3.5	3.3	2.55
	168.275	41.275	41.275	30.162	3.5	3.3	SKET	685 / 672	116.0	109.00	149.00	160.00	3.5	3.3	3.50
	180.975	47.625	48.006	38.100	3.5	3.3	SKET	779 / 772	116.0	110.00	161.00	168.00	3.5	3.3	5.05
	184.150	63.500	63.500	52.388	6.4	3.3	SKET	HH421246C / HH421210	127.0	115.00	163.00	176.00	6.4	3.3	7.26
	190.500	57.150	57.531	46.038	3.5	3.3	SKET	HH221442 / HH221410	125.0	110.00	171.00	179.00	3.5	3.3	7.50
99.212	171.450	49.212	49.212	38.100	3.5	3.3	SKET	HM321245 / HM321210	116.0	109.00	155.00	164.00	3.5	3.3	4.57

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
99.974	156.975	42.000	42.000	34.000	3.5	3.3	SKET	HM220149 / HM220110	124.0	120.00	144.00	150.00	3.5	3.3	2.92
	212.725	66.675	66.675	53.975	3.5	3.3	SKET	HH224334 / HH224310	124.0	120.00	192.00	202.00	3.5	3.3	11.50
99.982	190.500	57.150	57.531	46.038	6.4	3.3	SKET	HH221447 / HH221410	126.0	114.00	171.00	179.00	6.4	3.3	7.34
100.000	140.000	25.000	25.000	20.000	1.5	1.5	SKET	32920	109.0	107.00	128.00	135.00	1.5	1.5	1.13
	145.000	24.000	22.500	17.500	3.0	3.0	SKET	4CB100	119.0	107.00	135.00	142.00	3.0	3.0	1.15
	145.000	24.000	22.500	17.500	3.0	3.0	SKET	JP10049 / JP10010	112.0	106.00	134.00	140.00	3.0	3.0	0.90
	145.000	24.000	22.500	17.500	5.0	3.0	SKET	JP10049A / JP10010	116.0	106.00	134.00	140.00	5.0	3.0	1.13
	150.000	32.000	32.000	24.000	2.0	1.5	SKET	32020X	111.0	108.00	134.00	144.00	2.0	1.5	1.90
	150.000	32.000	30.000	26.000	2.3	2.3	SKET	JLM820048 / JLM820012	111.0	107.00	135.00	144.00	2.3	2.3	1.81
	150.000	39.000	39.000	32.500	2.0	1.5	SKET	33020	111.0	107.00	135.00	143.00	2.0	1.5	2.40
	155.000	36.000	35.000	28.000	3.0	2.5	SKET	JM720249 / JM720210	115.0	109.00	140.00	149.00	3.0	2.5	2.34
	160.000	41.000	40.000	32.000	3.0	2.5	SKET	JHM720249 / JHM720210	117.0	109.00	143.00	154.00	3.0	2.5	3.06
	160.000	42.000	40.000	34.000	5.0	3.0	SKET	5ED100	117.0	110.00	146.00	154.00	5.0	3.0	3.26
	165.000	52.000	52.000	40.000	2.5	2.5	SKET	33120	113.0	110.00	142.00	159.00	2.5	2.5	4.25
	180.000	37.000	34.000	29.000	3.0	2.5	SKET	30220	115.0	115.00	157.00	168.00	3.0	2.5	3.80
	180.000	49.000	46.000	39.000	3.0	2.5	SKET	32220	115.0	113.00	154.00	171.00	3.0	2.5	5.20
	180.000	63.000	63.000	48.000	3.0	2.5	SKET	33220	115.0	111.00	151.00	172.00	3.0	2.5	6.90
	215.000	51.500	47.000	39.000	4.0	3.0	SKET	30320	119.0	126.00	184.00	200.00	4.0	3.0	7.70
	215.000	51.500	47.000	34.000	4.0	3.0	SKET	30320D	119.0	120.00	183.00	204.00	4.0	3.0	8.00
	215.000	56.500	51.000	35.000	4.0	3.0	SKET	31320	119.0	119.00	183.00	202.00	4.0	3.0	8.70
215.000	66.675	66.675	53.975	7.0	3.3	SKET	JHH224333 / JHH224315	131.0	120.00	193.00	201.00	7.0	3.3	12.02	
215.000	77.500	73.000	60.000	4.0	3.0	SKET	32320	119.0	122.00	177.00	200.00	4.0	3.0	12.20	
100.012	157.162	36.512	36.116	26.195	3.5	3.3	SKET	52393 / 52618	116.0	109.00	142.00	152.00	3.5	3.3	2.45
101.600	134.938	15.875	15.083	11.908	1.5	1.5	SKET	LL420549 / LL420510	109.0	107.00	128.00	130.00	1.5	1.5	0.56
	136.525	21.433	21.433	16.670	1.5	1.5	SKET	L420449 / L420410	109.0	107.00	128.00	132.00	1.5	1.5	0.84
	146.050	21.433	21.433	16.670	1.5	1.5	SKET	L521945 / L521910	112.0	109.00	136.00	141.00	1.5	1.5	1.15
	146.050	25.400	25.400	19.050	1.5	1.5	SKET	JM720648 / JM720610	110.0	109.00	136.00	141.00	1.5	1.5	1.28
	157.162	36.512	36.116	26.195	3.5	3.3	SKET	52400 / 52618	117.0	111.00	142.00	152.00	3.5	3.3	2.40
	157.162	36.512	36.116	26.195	8.0	3.3	SKET	52401 / 52618	126.0	111.00	142.00	152.00	8.0	3.3	2.38
	161.925	36.512	36.116	26.195	3.5	3.3	SKET	52400 / 52637	117.0	111.00	144.00	154.00	3.5	3.3	2.64

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
101.600	161.925	39.688	36.116	29.370	3.5	3.3	SKET	52400 / 52638	117.0	111.00	143.00	154.00	3.5	3.3	2.88
	168.275	41.275	41.275	30.162	3.5	3.3	SKET	687 / 672	118.0	112.00	149.00	160.00	3.5	3.3	3.35
	177.800	34.925	31.750	19.050	3.3	3.3	SKET	LM921845 / LM921810	123.0	119.00	154.00	172.00	3.3	3.3	3.40
	180.975	47.625	48.006	38.100	3.5	3.3	SKET	780 / 772	119.0	113.00	161.00	168.00	3.5	3.3	5.10
	190.500	57.150	57.531	44.450	8.0	3.3	SKET	861 / 854	129.0	114.00	170.00	174.00	8.0	3.3	6.70
	190.500	57.150	57.531	46.038	8.0	3.3	SKET	HH221449 / HH221410	131.0	116.00	171.00	179.00	8.0	3.3	7.04
	190.500	57.150	57.531	46.038	3.5	3.3	SKET	HH221449A / HH221410	122.0	116.00	171.00	179.00	3.5	3.3	7.25
	200.000	52.761	49.212	34.925	3.5	3.3	SKET	98400 / 98788	128.0	121.00	174.00	188.00	3.5	3.3	6.82
	212.725	66.675	66.675	53.975	7.0	3.3	SKET	941 / 932	130.0	117.00	187.00	193.00	7.0	3.3	11.10
	212.725	66.675	66.675	53.975	7.0	3.3	SKET	HH224335 / HH224310	132.0	121.00	192.00	202.00	7.0	3.3	11.30
	250.825	76.200	73.025	50.800	6.4	6.4	SKET	HH923649 / HH923610	149.0	131.00	207.00	229.00	6.4	6.4	17.40
250.825	76.200	73.025	50.800	6.4	3.3	SKET	HH923649 / HH923611	149.0	131.00	210.00	229.00	6.4	3.3	17.50	
104.775	180.975	47.625	48.006	38.100	3.5	3.3	SKET	782 / 772	122.0	116.00	161.00	168.00	3.5	3.3	4.90
	180.975	47.625	48.006	38.100	6.4	3.3	SKET	786 / 772	128.0	116.00	161.00	168.00	6.4	3.3	4.90
	180.975	47.625	48.006	38.100	7.0	3.3	SKET	787 / 772	129.0	116.00	161.00	168.00	7.0	3.3	4.78
	190.500	47.625	49.212	34.925	3.5	3.3	SKET	71412 / 71750	124.0	118.00	171.00	181.00	3.5	3.3	5.77
105.000	145.000	25.000	25.000	20.000	1.5	1.5	SKET	32921	114.0	112.00	133.00	140.00	1.5	1.5	1.22
	160.000	35.000	35.000	26.000	2.5	2.0	SKET	32021X	117.0	116.00	143.00	154.00	2.5	2.0	2.45
	160.000	43.000	43.000	34.000	2.5	2.0	SKET	33021	118.0	115.00	145.00	153.00	2.5	2.0	3.00
	170.000	56.000	56.000	44.000	3.0	3.0	SKET	30621	115.0	111.00	160.00	164.00	3.0	3.0	4.77
	190.000	39.000	36.000	30.000	3.0	2.5	SKET	30221	120.0	121.00	165.00	178.00	3.0	2.5	4.47
	190.000	53.000	50.000	43.000	3.0	2.5	SKET	32221	120.0	119.00	161.00	180.00	3.0	2.5	6.34
	225.000	53.500	49.000	41.000	4.0	3.0	SKET	30321	124.0	131.00	193.00	209.00	4.0	3.0	9.00
	225.000	53.500	49.000	36.000	4.0	3.0	SKET	30321D	124.0	126.00	193.00	209.00	4.0	3.0	9.00
	225.000	58.000	53.000	36.000	4.0	3.0	SKET	31321	124.0	126.00	193.00	209.00	4.0	3.0	9.00
225.000	81.500	77.000	63.000	4.0	3.0	SKET	32321	124.0	127.00	185.00	209.00	4.0	3.0	14.50	
106.362	165.100	36.512	36.512	26.988	3.5	3.3	SKET	56418 / 56650	122.0	116.00	149.00	159.00	3.5	3.3	2.70
107.950	146.050	21.433	21.433	16.670	1.5	1.5	SKET	L521949 / L521910	116.0	114.00	136.00	141.00	1.5	1.5	0.99
	152.400	21.433	21.433	16.670	1.5	1.5	SKET	L521949 / L521914	116.0	114.00	139.00	144.00	1.5	1.5	1.18
	158.750	23.020	21.438	15.875	3.5	3.3	SKET	37425 / 37625	122.0	115.00	143.00	152.00	3.5	3.3	1.36

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
107.950	158.750	23.020	21.438	15.875	3.5	3.3	SKET	CBK339	118.0	115.00	143.00	152.00	3.5	3.3	1.33
	159.987	34.925	34.925	26.988	3.5	3.3	SKET	LM522546 / LM522510	122.0	116.00	146.00	154.00	3.5	3.3	2.36
	161.925	34.925	34.925	26.988	3.5	3.3	SKET	48190 / 48120	122.0	116.00	146.00	156.00	3.5	3.3	2.34
	165.100	36.512	36.512	26.988	3.5	3.3	SKET	56425 / 56650	123.0	117.00	149.00	159.00	3.5	3.3	2.70
	165.100	36.512	36.512	26.988	8.0	3.3	SKET	56426 / 56650	132.0	117.00	149.00	159.00	8.0	3.3	2.62
	168.275	36.512	36.512	26.988	3.5	3.3	SKET	56425 / 56662	123.0	117.00	151.00	161.00	3.5	3.3	2.85
	171.450	34.000	30.162	25.268	3.5	3.3	SKET	67425 / 67675	123.0	116.00	156.00	164.00	3.5	3.3	2.50
	190.500	47.625	49.212	34.925	3.5	3.3	SKET	71425 / 71750	126.0	120.00	171.00	181.00	3.5	3.3	5.56
	212.725	66.675	66.675	53.975	8.0	3.3	SKET	936 / 932	137.0	122.00	187.00	193.00	8.0	3.3	10.50
	212.725	66.675	66.675	53.975	8.0	3.3	SKET	HH224340 / HH224310	139.0	126.00	192.00	202.00	8.0	3.3	11.00
109.538	158.750	23.020	21.438	15.875	3.5	3.3	SKET	37431 / 37625	123.0	116.00	143.00	152.00	3.5	3.3	1.30
	158.750	23.020	21.438	15.875	5.0	3.3	SKET	37431A / 37625	123.0	116.00	143.00	152.00	5.0	3.3	1.31
109.974	177.800	41.275	41.275	30.162	3.5	3.3	SKET	64432 / 64700	128.0	121.00	160.00	172.00	3.5	3.3	3.70
109.987	159.987	34.925	34.925	26.988	8.0	3.3	SKET	LM522548 / LM522510	133.0	118.00	146.00	154.00	8.0	3.3	2.20
	159.987	34.925	34.925	26.988	3.5	3.3	SKET	LM522549 / LM522510	124.0	118.00	146.00	154.00	3.5	3.3	2.27
109.992	177.800	41.275	41.275	30.162	3.5	3.3	SKET	64433 / 64700	128.0	121.00	160.00	172.00	3.5	3.3	3.70
110.000	150.000	25.000	25.000	20.000	1.5	1.5	SKET	32922	119.0	117.00	138.00	145.00	1.5	1.5	1.22
	165.000	35.000	35.000	26.500	3.0	2.5	SKET	JM822049 / JM822010	124.0	119.00	149.00	159.00	3.0	2.5	2.50
	170.000	38.000	38.000	29.000	2.5	2.0	SKET	32022X	123.0	121.00	152.00	163.00	2.5	2.0	3.01
	170.000	47.000	47.000	37.000	2.5	2.0	SKET	33022	123.0	122.00	152.00	161.00	2.5	2.0	3.75
	180.000	47.000	46.000	38.000	3.0	2.5	SKET	JHM522649 / JHM522610	127.0	122.00	162.00	172.00	3.0	2.5	4.51
	180.000	56.000	56.000	43.000	2.5	2.0	SKET	33122	123.0	120.00	155.00	174.00	2.5	2.0	5.30
	200.000	41.000	38.000	32.000	3.0	2.5	SKET	30222	125.0	128.00	174.00	188.00	3.0	2.5	5.27
	200.000	56.000	53.000	46.000	3.0	2.5	SKET	32222	125.0	125.00	170.00	190.00	3.0	2.5	7.40
	240.000	54.500	50.000	42.000	4.0	3.0	SKET	30322	129.0	140.00	206.00	222.00	4.0	3.0	11.40
	240.000	54.500	50.000	36.000	4.0	3.0	SKET	30322D	129.0	134.00	205.00	222.00	4.0	3.0	11.40
	240.000	63.000	57.000	38.000	4.0	3.0	SKET	31322	129.0	134.00	205.00	222.00	4.0	3.0	11.40
240.000	84.500	80.000	65.000	4.0	3.0	SKET	32322	129.0	136.00	198.00	222.00	4.0	3.0	16.50	
111.125	190.500	47.625	49.212	34.925	3.5	3.3	SKET	71437 / 71750	129.0	123.00	171.00	181.00	3.5	3.3	5.29
	214.312	55.612	52.388	39.688	3.5	3.3	SKET	H924045 / H924010	139.0	131.00	186.00	205.00	3.5	3.3	8.49

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
114.300	152.400	21.433	21.433	16.670	1.5	1.5	SKET	L623149 / L623110	123.0	120.00	143.00	147.00	1.5	1.5	1.03
	177.800	41.275	41.275	30.162	3.5	3.3	SKET	64450 / 64700	131.0	125.00	160.00	172.00	3.5	3.3	3.50
	180.000	41.275	41.275	30.162	3.5	3.3	SKET	64450 / 64708	131.0	125.00	161.00	173.00	3.5	3.3	3.59
	180.000	34.925	31.750	25.400	3.5	0.8	SKET	68450 / 68709	130.0	123.00	165.00	172.00	3.5	0.8	2.95
	180.975	34.925	31.750	25.400	3.5	3.3	SKET	68450 / 68712	130.0	123.00	163.00	172.00	3.5	3.3	2.88
	190.500	47.625	49.212	34.925	3.5	3.3	SKET	71450 / 71750	132.0	125.00	171.00	181.00	3.5	3.3	5.14
	212.725	66.675	66.675	53.975	7.0	3.3	SKET	938 / 932	141.0	128.00	187.00	193.00	7.0	3.3	10.00
	212.725	66.675	66.675	53.975	7.0	3.3	SKET	HH224346 / HH224310	143.0	131.00	192.00	202.00	7.0	3.3	10.20
	228.600	53.975	49.428	38.100	3.5	3.3	SKET	HM926740 / HM926710	146.0	142.00	200.00	219.00	3.5	3.3	9.75
	254.000	77.787	74.612	49.212	3.3	6.4	SKET	EE197045 / 197100	127.0	122.00	240.00	246.00	3.3	6.4	18.20
	273.050	82.550	82.550	53.975	6.4	6.4	SKET	HH926744 / HH926710	164.0	147.00	230.00	253.00	6.4	6.4	22.70
	279.400	82.550	82.550	53.975	6.4	6.4	SKET	HH926744 / HH926716	164.0	147.00	230.00	253.00	6.4	6.4	23.90
279.400	82.550	82.550	53.975	6.4	6.4	SKET	EE514045 / 514110	164.0	147.00	230.00	253.00	6.4	6.4	23.30	
114.975	177.800	41.275	41.275	30.162	9.0	3.3	SKET	64452A / 64700	143.0	126.00	160.00	172.00	9.0	3.3	3.31
	212.725	66.675	66.675	53.975	7.0	3.3	SKET	HH224349 / HH224310	144.0	131.00	192.00	202.00	7.0	3.3	10.30
115.000	165.000	28.000	27.000	21.000	3.3	3.0	SKET	JLM722948 / JLM722912	120.0	121.00	151.00	158.00	3.3	3.0	1.40
115.087	190.500	47.625	49.212	34.925	3.5	3.3	SKET	71453 / 71750	133.0	126.00	171.00	181.00	3.5	3.3	5.08
	190.500	47.625	49.212	34.925	8.0	3.3	SKET	71455 / 71750	141.0	126.00	171.00	181.00	8.0	3.3	5.01
117.475	179.974	34.925	31.750	25.400	3.5	0.8	SKET	68462 / 68709	132.0	125.00	165.00	172.00	3.5	0.8	2.70
	180.975	34.925	31.750	25.400	3.5	3.3	SKET	68462 / 68712	132.0	125.00	163.00	172.00	3.5	3.3	2.80
	180.975	34.925	31.750	25.400	8.0	3.3	SKET	68463 / 68712	140.0	125.00	163.00	172.00	8.0	3.3	2.66
120.000	165.000	29.000	29.000	23.000	1.5	1.5	SKET	32924	129.0	127.00	152.00	160.00	1.5'	1.5	1.73
	170.000	25.400	25.400	19.050	3.3	3.3	SKET	JL724348 / JL724314	132.0	127.00	156.00	163.00	3.3	3.3	1.66
	170.000	27.000	25.000	19.500	3.0	3.0	SKET	4CB120	132.0	130.00	157.00	164.00	3.0	3.0	1.98
	170.000	27.000	25.000	19.500	3.0	3.0	SKET	JP12049 / JP12010	133.0	128.00	158.00	164.00	3.0	3.0	1.73
	170.000	27.000	25.000	19.500	6.0	3.0	SKET	JP12049A / JP12010	133.0	128.00	158.00	164.00	6.0	3.0	1.70
	180.000	36.000	36.000	26.000	3.5	1.5	SKET	JM624649 / JM624610	135.0	128.00	166.00	173.00	3.5	1.5	3.08
	180.000	38.000	38.000	29.000	2.5	2.0	SKET	32024X	133.0	130.00	161.00	173.00	2.5	2.0	3.30
	180.000	38.000	25.000	19.500	3.0	3.0	SKET	4CB120	139.0	128.00	158.00	166.00	3.0	3.0	1.77
180.000	48.000	48.000	38.000	2.5	2.0	SKET	33024	133.0	131.00	160.00	171.00	2.5	2.0	4.07	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
120.000	200.000	62.000	62.000	48.000	2.5	2.0	SKET	33124	133.0	132.00	172.00	192.00	2.5	2.0	7.70
	215.000	43.500	40.000	34.000	3.0	2.5	SKET	30224	135.0	139.00	187.00	203.00	3.0	2.5	6.32
	215.000	61.500	58.000	50.000	3.0	2.5	SKET	32224	135.0	135.00	181.00	204.00	3.0	2.5	9.00
	260.000	59.500	55.000	46.000	4.0	3.0	SKET	30324	139.0	151.00	221.00	239.00	4.0	3.0	13.70
	260.000	59.500	55.000	38.000	4.0	3.0	SKET	30324D	139.0	144.00	219.00	239.00	4.0	3.0	13.00
	260.000	68.000	62.000	42.000	4.0	3.0	SKET	31324	139.0	144.00	221.00	244.00	4.0	3.0	15.35
	260.000	90.500	86.000	69.000	4.0	3.0	SKET	32324	139.0	147.00	213.00	239.00	4.0	3.0	22.10
120.650	160.338	21.433	21.433	16.670	1.5	1.5	SKET	L624549 / 624510	129.0	127.00	150.00	155.00	1.5	1.5	1.14
	169.862	25.400	26.195	20.638	1.5	1.5	SKET	L225842 / L225810	131.0	129.00	160.00	164.00	1.5	1.5	1.84
	172.242	35.720	36.512	27.783	3.5	1.5	SKET	M224749 / M224711	135.0	129.00	162.00	168.00	3.5	1.5	2.54
	174.625	35.720	36.512	27.783	3.5	1.5	SKET	M224749 / M224710	135.0	129.00	163.00	168.00	3.5	1.5	2.68
	190.500	46.038	46.038	34.925	3.5	1.5	SKET	HM624749 / HM624710	138.0	132.00	174.00	184.00	3.5	1.5	4.66
	206.375	47.625	47.625	34.925	3.3	3.3	SKET	795 / 792	139.0	134.00	186.00	198.00	3.3	3.3	6.28
	234.950	63.500	63.500	49.212	6.4	3.3	SKET	95475 / 95925	149.0	137.00	209.00	217.00	6.4	3.3	12.30
	254.000	77.788	82.550	61.912	9.7	6.4	SKET	HH228340 / HH228310	158.0	142.00	223.00	234.00	9.7	6.4	19.40
273.050	82.550	82.550	53.975	6.4	6.4	SKET	HH926749 / HH926710	168.0	147.00	230.00	253.00	6.4	6.4	22.00	
123.825	182.562	39.688	38.100	33.338	3.5	3.3	SKET	48286 / 48220	139.0	133.00	168.00	176.00	3.5	3.3	3.51
	204.775	55.562	60.325	45.237	3.3	3.3	SKET	HM125948 / HM125910	140.0	136.00	185.00	194.00	3.3	3.3	7.16
125.000	175.000	25.400	25.400	18.288	3.3	3.3	SKET	JL725346 / JL725326	138.0	133.00	161.00	168.00	3.3	3.3	1.75
125.298	228.600	53.975	49.428	38.100	3.6	3.2	SKET	HM926745 / HM926710	154.0	143.00	200.00	219.00	3.6	3.2	9.24
127.000	165.895	18.258	17.462	13.495	1.5	1.5	SKET	LL225749 / LL225710	135.0	133.00	158.00	160.00	1.5	1.5	0.91
	169.862	25.400	26.195	20.638	1.5	1.5	SKET	L225849 / L225810	136.0	134.00	160.00	164.00	1.5	1.5	1.60
	180.975	25.400	26.195	20.638	1.5	1.5	SKET	L225849 / L225818	136.0	134.00	164.00	166.00	1.5	1.5	2.09
	182.562	39.688	38.100	33.338	3.5	3.3	SKET	48290 / 48220	141.0	135.00	168.00	176.00	3.5	3.3	3.33
	196.850	46.038	46.038	38.100	3.5	3.3	SKET	67388 / 67322	144.0	138.00	180.00	189.00	3.5	3.3	5.07
	215.900	47.625	47.625	34.925	3.5	3.3	SKET	74500 / 74850	148.0	141.00	196.00	208.00	3.5	3.3	7.02
	228.600	53.975	49.428	38.100	3.5	3.3	SKET	97500 / 97900	151.0	144.00	197.00	213.00	3.5	3.3	8.48
	228.600	53.975	49.428	38.100	3.5	3.3	SKET	HM926747 / HM926710	156.0	143.00	200.00	219.00	3.5	3.3	8.88
	234.950	63.500	63.500	49.212	6.4	3.3	SKET	95500 / 95905	154.0	142.00	207.00	217.00	6.4	3.3	11.60
234.950	63.500	63.500	49.212	6.4	3.3	SKET	95500 / 95925	154.0	142.00	209.00	217.00	6.4	3.3	11.60	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
	254.000	77.788	82.550	61.912	9.7	6.4	SKET	HH228349 / HH228310	164.0	148.00	223.00	234.00	9.7	6.4	18.60
127.000	295.275	82.550	87.312	57.150	13.5	6.4	SKET	HH231637 / HH231615	17.4	150.00	258.00	264.00	13.5	6.4	26.10
	295.275	82.550	67.335	50.800	4.8	4.8	SKET	EE195500X / 195116X	17.4	150.00	258.00	264.00	4.8	4.8	26.85
	304.800	88.900	82.550	57.150	6.4	6.4	SKET	HH932132 / HH932110	182.0	172.00	260.00	288.00	6.4	6.4	30.00
127.792	228.600	53.975	49.428	38.100	3.5	3.3	SKET	HM926749 / HM926710	156.0	143.00	200.00	219.00	3.5	3.3	8.67
128.588	190.500	34.925	31.750	25.400	3.5	3.3	SKET	48506 / 48750	144.0	138.00	170.00	183.00	3.5	3.3	3.07
	206.375	47.625	47.625	34.925	3.3	3.3	SKET	799 / 792	146.0	140.00	186.00	198.00	3.3	3.3	5.70
129.967	219.974	57.150	60.325	44.450	3.3	3.3	SKET	HM227545 / HM227519	147.0	143.00	197.00	202.00	3.3	3.3	7.89
130.000	180.000	32.000	32.000	25.000	2.0	1.5	SKET	32926	141.0	140.00	165.00	174.00	2.0	1.5	2.40
	185.000	29.000	27.000	21.000	3.0	3.0	SKET	4CB130	143.0	140.00	171.00	178.00	3.0	3.0	2.55
	185.000	29.000	27.000	21.000	3.0	3.0	SKET	JP13049 / JP13010	143.0	137.00	172.00	179.00	3.0	3.0	2.20
	185.000	29.000	27.000	21.000	6.0	3.0	SKET	JP13049A / JP13010	149.0	137.00	172.00	179.00	6.0	3.0	2.20
	200.000	45.000	45.000	34.000	2.5	2.0	SKET	32026X	144.0	140.00	190.00	192.00	2.5	2.0	5.02
	200.000	55.000	55.000	43.000	2.5	2.0	SKET	33026	143.0	142.00	178.00	192.00	2.5	2.0	6.15
	206.375	47.625	47.625	34.925	3.5	3.3	SKET	797 / 792	148.0	141.00	186.00	198.00	3.5	3.3	5.65
	230.000	43.750	40.000	34.000	4.0	3.0	SKET	30226	149.0	151.00	203.00	218.00	4.0	3.0	7.20
	230.000	67.750	64.000	54.000	4.0	3.0	SKET	32226	149.0	145.00	193.00	219.00	4.0	3.0	11.80
	240.000	76.000	72.000	60.000	8.0	7.0	SKET	JH429149 / JH429110	161.0	148.00	210.00	234.00	8.0	7.0	14.60
	262.000	78.000	82.000	58.000	10.0	6.4	SKET	EE154512 / 154103	155.0	138.00	252.00	256.00	10.0	6.4	18.47
	280.000	63.750	58.000	49.000	5.0	4.0	SKET	30326	153.0	163.00	239.00	255.00	5.0	4.0	16.80
	280.000	63.750	58.000	41.000	5.0	4.0	SKET	30326D	153.0	154.00	240.00	261.00	5.0	4.0	16.40
	280.000	72.000	66.000	44.000	5.0	4.0	SKET	31326	153.0	154.00	236.00	261.00	5.0	4.0	18.90
280.000	98.750	93.000	78.000	5.0	4.0	SKET	32326	153.0	162.00	226.00	259.00	5.0	4.0	26.40	
130.175	196.850	46.038	46.038	38.100	3.5	3.3	SKET	67389 / 67322	146.0	141.00	180.00	189.00	3.5	3.3	4.95
	203.200	46.038	46.038	38.100	3.5	3.3	SKET	67389 / 67320	146.0	141.00	180.00	189.00	3.5	3.3	4.95
	206.375	47.625	47.625	34.925	3.5	3.3	SKET	799A / 792	148.0	142.00	186.00	198.00	3.5	3.3	5.64
133.350	173.038	19.050	17.462	14.288	1.5	1.5	SKET	LL327049 / LL327010	141.0	139.00	164.00	167.00	1.5	1.5	1.01
	177.008	25.400	26.195	20.638	1.5	1.5	SKET	L327249 / L327210	142.0	140.00	167.00	171.00	1.5	1.5	1.71
	184.150	25.400	25.400	18.258	3.3	3.3	SKET	L826949 / 826914	146.0	141.00	169.00	177.00	3.3	3.3	1.85
	190.500	39.688	39.688	33.338	3.5	3.3	SKET	48385 / 48320	148.0	142.00	177.00	184.00	3.5	3.3	3.55

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
133.350	196.850	46.038	46.038	38.100	3.5	3.3	SKET	67390 / 67322	149.0	143.00	180.00	189.00	3.5	3.3	4.71
	196.850	46.038	46.038	38.100	8.0	3.3	SKET	67391 / 67322	157.0	143.00	180.00	189.00	8.0	3.3	4.63
	215.900	47.625	47.625	34.925	3.5	3.3	SKET	74525 / 74850	152.0	146.00	196.00	208.00	3.5	3.3	6.49
	234.950	63.500	63.500	49.212	9.7	3.3	SKET	95525 / 95925	166.0	148.00	209.00	217.00	9.7	3.3	11.10
	234.950	63.500	63.500	49.212	4.8	3.3	SKET	95528 / 95925	157.0	148.00	209.00	217.00	4.8	3.3	11.00
136.525	190.500	39.688	39.688	33.338	3.5	3.3	SKET	48393 / 48320	151.0	144.00	177.00	184.00	3.5	3.3	3.33
	190.500	39.688	39.688	33.338	3.5	3.3	SKET	48393 / 48320	151.0	144.00	177.00	184.00	3.5	3.3	3.34
	194.975	33.000	33.000	27.500	3.5	3.5	SKET	LM229139 / LM229110	152.0	146.00	182.00	190.00	3.5	3.5	3.10
	215.900	47.625	47.625	34.925	3.5	3.3	SKET	74537 / 74850	155.0	148.00	196.00	208.00	3.5	3.3	6.24
	217.488	47.625	47.625	34.925	3.5	3.3	SKET	74537 / 74856	155.0	148.00	197.00	210.00	3.5	3.3	6.32
	228.600	57.150	57.150	44.450	3.5	3.3	SKET	896 / 892	156.0	150.00	205.00	216.00	3.5	3.3	19.90
139.700	180.975	21.433	20.638	16.670	1.5	1.5	SKET	LL428349 / LL428310	148.0	146.00	172.00	175.00	1.5	1.5	1.30
	187.325	28.575	29.370	23.020	1.5	1.5	SKET	LM328448 / LM328410	149.0	147.00	176.00	182.00	1.5	1.5	2.24
	214.975	47.625	47.625	34.925	3.5	3.3	SKET	74550 / 74845	158.0	151.00	196.00	208.00	3.5	3.3	5.90
	215.900	47.625	47.625	34.925	3.5	3.3	SKET	74550 / 74850	158.0	151.00	196.00	208.00	3.5	3.3	5.99
	222.500	34.925	31.623	23.812	3.5	3.3	SKET	73551 / 73875	156.0	150.00	204.00	207.00	3.5	3.3	4.25
	228.600	57.150	57.150	44.450	3.5	3.3	SKET	898 / 892	160.0	153.00	205.00	216.00	3.5	3.3	8.66
	228.600	57.150	57.150	44.450	6.4	3.3	SKET	898A / 892	165.0	153.00	205.00	216.00	6.4	3.3	8.63
	236.538	57.150	56.642	44.450	3.5	3.2	SKET	HM231132 / HM231110	157.0	153.00	217.00	224.00	3.5	3.2	10.05
	254.000	66.675	66.675	47.625	7.0	3.3	SKET	99550 / 99100	170.0	156.00	227.00	238.00	7.0	3.3	14.00
	288.925	82.550	87.312	57.150	9.7	6.4	SKET	HH231649 / HH231610	177.0	161.00	255.00	264.00	9.7	6.4	24.20
	295.275	82.550	87.312	57.150	9.7	6.4	SKET	HH231649 / HH231615	177.0	161.00	258.00	264.00	9.7	6.4	26.10
307.975	88.900	93.662	66.675	9.7	6.8	SKET	HH234031 / HH234010	180.0	168.00	276.00	285.50	9.7	6.8	31.20	
140.000	190.000	32.000	32.000	25.000	2.0	1.5	SKET	32928	151.0	149.00	174.00	184.00	2.0	1.5	2.50
	195.000	29.000	27.000	21.000	3.0	3.0	SKET	JP14049 / JP14010	153.0	148.00	182.00	189.00	3.0	3.0	2.50
	195.000	29.000	27.000	21.000	3.0	3.0	SKET	4CB140	153.0	148.00	182.00	189.00	3.0	3.0	2.50
	210.000	45.000	45.000	34.000	2.5	2.0	SKET	32028X	153.0	152.00	187.00	202.00	2.5	2.0	5.21
	210.000—	56.000	56.000	44.000	2.5	2.0	SKET	33028	153.0	151.00	186.00	202.00	2.5	2.0	6.60
	250.000	45.750	42.000	36.000	4.0	3.0	SKET	30228	159.0	162.00	219.00	237.00	4.0	3.0	8.80
	250.000	71.750	68.000	58.000	4.0	3.0	SKET	32228	159.0	157.00	210.00	238.00	4.0	3.0	14.70

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
140.000	300.000	67.750	62.000	53.000	5.0	4.0	SKET	30328	163.0	178.00	254.00	273.00	5.0	4.0	20.40
	300.000	67.750	62.000	44.000	5.0	4.0	SKET	30328D	163.0	168.00	254.00	280.00	5.0	4.0	20.00
	300.000	77.000	70.000	47.000	5.0	4.0	SKET	31328	163.0	166.00	254.00	280.00	5.0	4.0	23.20
	300.000	107.750	102.000	85.000	5.0	4.0	SKET	32328	163.0	174.00	246.00	280.00	5.0	4.0	33.50
142.875	193.675	28.575	28.575	23.020	1.6	1.6	SKET	36686 / 36620	155.0	151.00	182.00	188.00	1.6	1.6	2.43
	194.975	33.000	33.000	27.500	3.5	3.5	SKET	LM229146 / LM229110	157.0	150.00	182.00	190.00	3.5	3.5	2.74
	200.025	41.275	39.688	34.130	8.0	3.3	SKET	48684 / 48620	166.0	151.00	185.00	193.00	8.0	3.3	3.84
	200.025	41.275	39.688	34.130	3.5	3.0	SKET	48685 / 48620	158.0	151.00	185.00	193.00	3.5	3.0	3.84
	222.250	34.925	31.623	23.812	3.5	3.3	SKET	73562 / 73875	159.0	152.00	204.00	207.00	3.5	3.3	4.08
146.050	188.120	22.225	20.638	16.670	1.5	1.5	SKET	LL529749 / LL529710	155.0	152.00	179.00	182.00	1.5	1.5	1.39
	193.675	28.575	28.575	23.020	1.5	1.5	SKET	36690 / 36620	155.0	153.00	182.00	188.00	1.5	1.5	2.26
	193.675	28.575	28.575	23.020	4.8	1.5	SKET	36691 / 36620	162.0	153.00	182.00	188.00	4.8	1.5	2.22
	236.538	57.150	56.642	44.450	3.5	3.3	SKET	82576 / 82931	166.0	160.00	213.00	226.00	3.5	3.3	9.24
	236.538	57.150	56.642	44.450	3.5	3.3	SKET	HM231140 / HM231110	164.0	160.00	217.00	224.00	3.5	3.3	9.53
	241.300	57.150	56.642	44.450	3.5	3.3	SKET	82576 / 82950	166.0	160.00	215.00	226.00	3.5	3.3	9.86
	254.000	66.675	66.675	47.625	7.0	3.3	SKET	99575 / 99100	175.0	162.00	227.00	238.00	7.0	3.3	13.20
	268.288	74.612	74.612	57.150	6.4	6.4	SKET	EE107057 / 107105	176.0	166.00	237.00	249.00	6.4	6.4	18.80
	304.800	88.900	82.550	57.150	6.4	6.4	SKET	HH932145 / HH932110	195.0	174.00	260.00	288.00	6.4	6.4	27.80
	311.150	88.900	82.550	57.150	6.4	6.4	SKET	HH932145 / HH932115	195.0	174.00	262.00	288.00	6.4	6.4	29.20
149.225	236.538	57.150	56.642	44.450	6.4	3.3	SKET	HM231148 / HM231110	172.0	163.00	217.00	224.00	6.4	3.3	9.15
	236.538	57.150	56.642	44.450	3.5	3.3	SKET	HM231149 / HM231110	167.0	163.00	217.00	224.00	3.5	3.3	9.21
	254.000	66.675	66.675	47.625	7.0	3.3	SKET	99587 / 99100	178.0	165.00	227.00	238.00	7.0	3.3	12.70
150.000	205.000	28.575	28.575	21.438	3.3	3.3	SKET	JL730646 / JL730612	164.0	158.00	190.00	198.00	3.3	3.3	2.69
	210.000	38.000	38.000	30.000	2.5	2.0	SKET	32930	163.0	162.00	194.00	202.00	2.5	2.0	3.90
	225.000	48.000	48.000	36.000	3.0	2.5	SKET	32030X	165.0	163.00	200.00	216.00	3.0	2.5	6.40
	270.000	49.000	45.000	38.000	4.0	3.0	SKET	30230	169.0	174.00	234.00	255.00	4.0	3.0	10.20
	270.000	77.000	73.000	60.000	4.0	3.0	SKET	32230	169.0	169.00	226.00	254.00	4.0	3.0	18.00
	320.000	72.000	65.000	55.000	5.0	4.0	SKET	30330	173.0	192.00	272.00	292.00	5.0	4.0	25.50
	320.000	72.000	65.000	46.000	5.0	4.0	SKET	30330D	173.0	182.00	270.00	301.00	5.0	4.0	23.90
320.000	82.000	75.000	50.000	5.0	4.0	SKET	31330	173.0	182.00	270.00	301.00	5.0	4.0	23.90	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
150.000	320.000	114.000	108.000	90.000	5.0	4.0	SKET	32330	173.0	186.00	263.00	298.00	5.0	4.0	42.00
152.400	192.088	25.000	24.000	19.000	2.0	2.0	SKET	L630349 / L630310	162.0	158.00	183.00	187.00	2.0	2.0	1.56
	203.200	28.575	28.575	21.438	3.3	3.3	SKET	L730649 / L730610	165.0	160.00	190.00	198.00	3.3	3.3	2.43
	203.200	41.275	41.275	34.925	3.3	3.3	SKET	LM330448 / LM330410	166.0	162.00	189.00	197.00	3.3	3.3	3.48
	222.250	46.830	46.830	34.925	8.0	1.5	SKET	M231648 / M231610	178.0	163.00	207.00	213.00	8.0	1.5	5.70
	222.250	46.830	46.830	34.925	3.5	1.5	SKET	M231649 / M231610	169.0	163.00	207.00	213.00	3.5	1.5	24.20
	254.000	66.675	66.675	47.625	7.0	3.3	SKET	99600 / 99100	181.0	170.00	227.00	238.00	7.0	3.3	12.60
	268.288	74.612	74.612	57.150	6.4	6.4	SKET	EE107060 / 107105	181.0	171.00	237.00	249.00	6.4	6.4	17.90
	307.975	88.900	93.662	61.912	9.7	6.8	SKET	EE450601 / 451212	189.0	177.00	269.00	275.00	9.7	6.8	28.60
307.975	88.900	93.662	66.675	9.7	6.8	SKET	HH234048 / HH234010	191.0	179.00	276.00	285.00	9.7	6.8	29.10	
155.575	330.200	85.725	79.375	53.975	6.4	6.4	SKET	H936340 / H936310	209.0	193.00	282.00	311.00	6.4	6.4	31.60
	342.900	85.725	79.375	53.975	6.4	6.4	SKET	H936340 / H936316	209.0	193.00	287.00	311.00	6.4	6.4	34.40
158.750	205.583	23.812	23.812	18.258	1.5	1.5	SKET	L432349 / L432310	168.0	166.00	195.00	199.00	1.5	1.5	1.90
	225.425	41.275	39.688	33.338	3.5	3.3	SKET	46780 / 46720	176.0	169.00	209.00	218.00	3.5	3.3	5.14
	304.800	66.675	69.106	42.862	6.4	3.3	SKET	EE280626 / 281200	192.0	180.00	279.00	282.00	6.4	3.3	20.30
160.000	220.000	32.000	30.000	23.000	3.0	3.0	SKET	JP16049 / JP16010	174.0	169.00	206.00	213.00	3.0	3.0	3.17
	220.000	38.000	38.000	30.000	2.5	2.0	SKET	32932	173.0	172.00	204.00	212.00	2.5	2.0	4.14
	240.000	46.000	44.500	37.000	3.0	2.5	SKET	JM734445 / JM734410	178.0	173.00	222.00	232.00	3.0	2.5	7.17
	240.000	51.000	51.000	38.000	3.0	2.5	SKET	32032X	179.0	188.00	252.00	269.00	3.0	2.5	7.69
	255.000	63.500	69.850	52.388	1.5	3.3	SKET	JHM133449 / JHM133417	173.0	173.00	231.00	234.00	1.5	3.3	12.50
	290.000	52.000	48.000	40.000	4.0	4.0	SKET	30232	179.0	188.00	252.00	269.00	4.0	4.0	13.20
	290.000	84.000	80.000	67.000	4.0	3.0	SKET	32232	179.0	181.00	242.00	274.00	4.0	3.0	23.30
	340.000	75.000	68.000	58.000	5.0	4.0	SKET	30332	183.0	204.00	289.00	310.00	5.0	4.0	29.10
	340.000	75.000	68.000	48.000	5.0	4.0	SKET	30332D	183.0	194.00	290.00	320.00	5.0	4.0	28.70
340.000	121.000	114.000	95.000	5.0	4.0	SKET	32332	183.0	199.00	277.00	316.00	5.0	4.0	47.80	
160.325	288.925	63.500	63.500	47.625	7.0	3.3	SKET	HM237532 / HM237510	192.0	181.00	266.00	271.00	7.0	3.3	17.80
161.925	374.650	87.312	79.375	60.325	6.4	3.3	SKET	EE117063 / 117148	207.0	197.00	322.00	341.00	6.4	3.3	41.60
165.000	288.925	63.500	63.500	47.625	7.0	3.3	SKET	94649 / 94113	197.0	186.00	259.00	272.00	7.0	3.3	16.90
165.100	215.900	26.195	26.195	20.638	1.5	1.5	SKET	L433749 / L433710	174.0	172.00	205.00	209.00	1.5	1.5	2.35
	225.425	41.275	39.687	33.338	3.5	3.3	SKET	46790 / 46720	181.0	174.00	209.00	218.00	3.5	3.3	4.69

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d	D	T	B	C	R	r	Brand	Bearing No.	da	db	Da	Db	Ra	ra	kg
Bore	Cup Outer Diameter	Bearing Width	Cone Width	Cup Width	(min)	(min)							(max)	(max)	
165.100	231.976	45.000	44.000	35.999	3.5	3.5	SKET	M533349S / M533310	181.0	175.50	214.00	225.00	3.5	3.5	5.53
	247.650	47.625	47.625	38.100	3.5	3.5	SKET	67780 / 67720	185.0	179.00	229.00	240.00	3.5	3.5	7.88
	254.000	46.038	46.038	33.338	4.8	3.3	SKET	86650 / 86100	185.0	176.00	234.00	239.00	4.8	3.3	7.64
	254.000	46.038	46.038	33.338	4.8	3.3	SKET	M235145 / M235113	185.0	179.00	235.00	240.00	4.8	3.3	7.91
	288.925	63.500	63.500	47.625	7.0	3.3	SKET	HM237535 / HM237510	195.0	184.00	266.00	271.00	7.0	3.3	17.20
	311.150	82.550	82.550	65.088	6.4	6.4	SKET	H238140 / H238110	198.0	188.00	280.00	289.00	6.4	6.4	28.30
	336.550	92.075	95.250	69.850	3.3	6.4	SKET	HH437549 / HH437510	196.0	196.00	297.00	308.00	3.3	6.4	38.10
166.687	225.425	41.275	39.688	33.338	3.5	3.3	SKET	46792 / 46720	182.0	175.00	209.00	218.00	3.5	3.3	4.51
168.275	247.650	47.625	47.625	38.100	3.5	3.3	SKET	67782 / 67720	187.0	181.00	229.00	240.00	3.5	3.3	7.57
	330.200	85.725	79.375	53.975	6.4	6.4	SKET	H936349 / H936310	218.0	193.00	282.00	311.50	6.4	6.4	29.60
170.000	230.000	32.000	30.000	23.000	3.0	3.0	SKET	4DB170	184.0	179.00	217.00	223.00	3.0	3.0	3.40
	230.000	32.000	30.000	23.000	3.0	3.0	SKET	JP17049 / JP17010	184.0	179.00	217.00	223.00	3.0	3.0	3.39
	230.000	38.000	38.000	34.000	2.5	2.0	SKET	32934	183.0	182.00	213.00	222.00	2.5	2.0	4.44
	230.000	39.000	38.000	31.000	3.0	2.5	SKET	JHM534149 / JHM534110	184.0	178.00	217.00	224.00	3.0	2.5	4.32
	240.000	46.000	44.500	37.000	3.0	2.5	SKET	JM734449 / JM734410	185.0	180.00	222.00	232.00	3.0	2.5	6.28
	254.000	46.038	46.038	33.338	4.8	3.3	SKET	86669 / 86110	189.0	180.00	234.00	239.00	4.8	3.3	7.08
	260.000	57.000	57.000	43.000	3.0	2.5	SKET	32034X	185.0	186.00	230.00	249.00	3.0	2.5	10.40
	310.000	57.000	52.000	43.000	5.0	4.0	SKET	30234	193.0	201.00	269.00	288.00	5.0	4.0	16.40
	310.000	91.000	86.000	71.000	5.0	4.0	SKET	32234	193.0	194.00	259.00	294.00	5.0	4.0	28.70
	360.000	80.000	72.000	62.000	5.0	4.0	SKET	30334	193.0	217.00	306.00	329.00	5.0	4.0	34.16
	360.000	80.000	72.000	50.000	5.0	4.0	SKET	30334D	193.0	210.00	310.00	333.00	5.0	4.0	33.00
360.000	127.000	120.000	100.000	5.0	4.0	SKET	32334	193.0	199.00	295.00	337.00	5.0	4.0	55.90	
171.450	222.250	25.400	24.608	19.050	1.5	1.5	SKET	L435049 / L435010	181.0	179.00	211.00	215.00	1.5	1.5	2.30
	260.350	66.675	66.675	52.388	3.5	3.3	SKET	HM535349 / HM535310	192.0	188.00	236.00	250.00	3.5	3.3	12.40
	342.900	79.375	80.962	53.975	6.4	6.4	SKET	EE590675 / 591350	205.0	196.00	215.00	307.00	6.4	6.4	30.70
174.625	247.650	47.625	47.625	38.100	8.0	3.5	SKET	67786 / 67720	200.0	185.00	229.00	240.00	8.0	3.5	6.82
	247.650	47.625	47.625	38.100	3.5	3.5	SKET	67787 / 67720	192.0	185.00	229.00	240.00	3.5	3.5	6.93
	260.350	53.975	53.975	41.275	3.5	3.3	SKET	M236845 / M236810	193.0	189.00	241.00	249.00	3.5	3.3	9.42
	288.925	63.500	63.500	47.625	7.0	3.3	SKET	94687 / 94113	204.0	193.00	259.00	272.00	7.0	3.3	15.70
	288.925	63.500	63.500	47.625	7.0	3.3	SKET	HM237542 / HM237510	202.0	191.00	266.00	271.00	7.0	3.3	15.90

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
174.625	298.450	82.550	82.550	63.500	6.4	6.4	SKET	EE219068 / 219117	204.0	193.00	269.00	282.00	6.4	6.4	22.50
	311.150	82.550	82.550	63.500	6.4	6.4	SKET	EE219068 / 219122	204.0	193.00	275.00	282.00	6.4	6.4	25.50
	311.150	82.550	82.550	65.088	6.4	6.4	SKET	H238148 / H238110	205.0	195.00	280.00	289.00	6.4	6.4	26.60
177.800	215.900	20.638	20.638	15.083	1.5	1.5	SKET	LL735449 / LL735410	186.0	184.00	207.00	212.00	1.5	1.5	1.44
	227.012	30.162	30.162	23.020	1.5	1.5	SKET	36990 / 36920	188.0	186.00	214.00	221.00	1.5	1.5	2.89
	247.650	47.625	47.625	38.100	3.5	3.3	SKET	67790 / 67720	194.0	188.00	229.00	240.00	3.5	3.3	6.55
	247.650	47.625	47.625	38.100	10.5	3.3	SKET	67791 / 67720	208.0	188.00	229.00	240.00	10.5	3.3	6.39
	260.350	53.975	53.975	41.275	0.8	3.3	SKET	M236848 / M236810	204.0	191.00	241.00	249.00	0.8	3.3	8.92
	260.350	53.975	53.975	41.275	3.5	3.3	SKET	M236849 / M236810	195.0	191.00	241.00	249.00	3.5	3.3	9.02
	269.875	55.562	55.562	42.862	3.5	3.3	SKET	M238840 / M238810	198.0	194.00	250.00	256.00	3.5	3.3	11.00
	279.400	61.912	61.912	43.655	3.3	3.3	SKET	82680X / 82620	198.0	195.00	251.00	265.00	3.3	3.3	13.00
	288.925	63.500	63.500	47.625	7.0	3.3	SKET	94700 / 94113	207.0	195.00	259.00	272.00	7.0	3.3	15.20
	288.925	63.500	63.500	47.625	7.0	3.3	SKET	HM237545 / HM237510	205.0	194.00	266.00	271.00	7.0	3.3	15.90
	289.974	63.500	63.500	48.000	7.0	3.0	SKET	HM237545 / HM237513	205.0	194.00	267.00	272.00	7.0	3.0	15.90
179.975	317.500	63.500	63.500	46.038	3.5	3.3	SKET	93708 / 93125	209.0	204.00	286.00	300.00	3.5	3.3	21.30
	240.000	32.000	30.000	23.000	3.0	3.0	SKET	JP18049 / JP18010	194.0	189.00	227.00	233.00	3.0	3.0	3.42
	250.000	45.000	45.000	34.000	2.5	2.0	SKET	32936	193.0	192.00	225.00	241.00	2.5	2.0	6.62
	250.000	47.000	45.000	37.000	3.0	2.5	SKET	JM736149 / JM736110	196.0	190.00	232.00	243.00	3.0	2.5	6.72
	280.000	64.000	64.000	48.000	3.0	2.5	SKET	32036X	195.0	198.00	247.00	268.00	3.0	2.5	14.10
	320.000	57.000	52.000	43.000	5.0	4.0	SKET	30236	203.0	210.00	278.00	297.00	5.0	4.0	18.10
	320.000	91.000	86.000	71.000	5.0	4.0	SKET	32236	203.0	203.00	267.00	303.00	5.0	4.0	29.20
	380.000	83.000	75.000	64.000	5.0	4.0	SKET	30336	203.0	226.00	318.00	346.00	5.0	4.0	40.00
	380.000	83.000	75.000	52.000	5.0	4.0	SKET	30336D	203.0	224.00	330.00	351.00	5.0	4.0	39.00
	380.000	134.000	126.000	106.000	5.0	4.0	SKET	32336	203.0	214.00	310.00	355.00	5.0	4.0	67.00
	184.150	235.229	34.000	33.000	28.000	2.0	2.0	SKET	LM236749 / LM236710A	195.0	191.00	224.00	229.00	2.0	2.0
236.538		26.192	25.400	19.050	1.5	1.5	SKET	LL537649 / LL537610	194.0	192.00	225.00	230.00	1.5	1.5	2.60
266.700		47.625	46.833	38.100	3.5	3.3	SKET	67883 / 67820	204.0	198.00	246.00	259.00	3.5	3.3	8.34
187.325	266.700	47.625	46.833	38.100	3.5	3.3	SKET	67884 / 67820	206.0	201.00	246.00	259.00	3.5	3.3	8.16

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
187.325	269.875	55.562	55.562	42.862	3.5	3.3	SKET	M238849 / M238810	205.0	201.00	250.00	256.00	3.5	3.3	9.88
	282.575	50.800	47.625	36.512	3.5	3.3	SKET	87737 / 87111	207.0	201.00	261.00	267.00	3.5	3.3	9.77
	319.964	88.900	85.725	65.088	5.5	4.8	SKET	H239649 / H239610	214.0	205.00	293.00	301.00	5.5	4.8	26.40
	320.675	88.900	85.725	65.088	5.5	4.8	SKET	H239649 / H239612	214.0	205.00	293.00	301.00	5.5	4.8	26.60
190.000	260.000	45.000	45.000	34.000	2.5	2.0	SKET	32938	203.0	203.00	235.00	255.00	2.5	2.0	6.76
	260.000	46.000	44.000	36.500	3.0	2.5	SKET	JM738249 / JM738210	206.0	200.00	242.00	252.00	3.0	2.5	6.83
	260.000	46.000	44.000	36.500	8.0	2.5	SKET	JM738249A / JM738210	215.0	200.00	242.00	252.00	8.0	2.5	6.84
	290.000	64.000	64.000	48.000	3.0	2.5	SKET	32038X	205.0	208.00	257.00	279.00	3.0	2.5	14.80
	340.000	60.000	55.000	46.000	5.0	4.0	SKET	30238	213.0	224.00	298.00	318.00	5.0	4.0	21.00
	340.000	97.000	92.000	75.000	5.0	4.0	SKET	32238	209.0	215.00	290.00	330.00	5.0	4.0	34.00
	400.000	86.000	78.000	65.000	6.0	5.0	SKET	30338	219.0	240.00	342.00	370.00	6.0	5.0	46.00
	400.000	86.000	78.000	52.000	6.0	5.0	SKET	30338D	219.0	231.00	350.00	372.00	6.0	5.0	45.00
190.500	400.000	140.000	132.000	109.000	6.0	5.0	SKET	32338	219.0	224.00	330.00	375.00	6.0	5.0	76.50
	266.700	47.625	46.833	38.100	3.5	3.3	SKET	67885 / 67820	209.0	203.00	246.00	259.00	3.5	3.3	7.83
	282.575	50.800	47.625	36.512	3.5	3.3	SKET	87750 / 87111	209.0	203.00	261.00	267.00	3.5	3.3	9.42
	317.500	63.500	63.500	46.038	4.3	3.3	SKET	93750 / 93125	218.0	212.00	286.00	300.00	4.3	3.3	19.80
	336.550	98.425	95.250	73.025	6.4	6.4	SKET	HH840249 / HH840210	234.0	216.00	290.00	318.00	6.4	6.4	36.60
	365.049	92.075	88.897	63.500	6.4	3.3	SKET	EE420751 / 421437	227.0	218.00	329.00	334.00	6.4	3.3	39.60
193.675	428.625	106.362	95.250	61.912	6.4	6.4	SKET	EE350750 / 351687	240.0	237.00	365.00	383.00	6.4	6.4	63.10
193.675	282.575	50.800	47.625	36.512	3.5	3.3	SKET	87762 / 87111	211.0	206.00	261.00	267.00	3.5	3.3	9.06
196.850	241.300	23.812	23.017	17.462	1.5	1.5	SKET	LL639249 / LL639210	205.0	203.00	232.00	236.00	1.5	1.5	2.00
	254.000	28.575	27.783	21.433	1.5	1.5	SKET	L540049 / L540010	207.0	205.00	243.00	247.00	1.5	1.5	3.36
	257.175	39.688	39.688	30.162	3.5	3.3	SKET	LM739749 / LM739710	213.0	206.00	239.00	251.00	3.5	3.3	5.28
	266.700	39.688	39.688	30.162	3.5	3.3	SKET	LM739749 / LM739719	213.0	206.00	243.00	252.00	3.5	3.3	6.20
200.000	270.000	37.000	34.000	27.000	3.0	3.0	SKET	4DB200	218.0	214.00	254.00	262.00	3.0	3.0	5.20
	280.000	51.000	51.000	39.000	3.0	2.5	SKET	32940	215.0	215.00	257.00	271.00	3.0	2.5	9.40
	300.000	65.000	62.000	51.000	3.5	2.5	SKET	JHM840449 / JHM840410	223.0	215.00	273.00	289.00	3.5	2.5	15.50
	310.000	70.000	70.000	53.000	3.0	2.5	SKET	32040X	215.0	220.00	273.00	297.00	3.0	2.5	19.00
	360.000	64.000	58.000	48.000	5.0	4.0	SKET	30240	223.0	237.00	315.00	336.00	5.0	4.0	26.00
	360.000	104.000	98.000	82.000	5.0	4.0	SKET	32240	223.0	224.00	302.00	340.00	5.0	4.0	43.60

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
200.000	420.000	89.000	80.000	67.000	6.0	5.0	SKET	30340	229.0	254.00	354.00	385.00	6.0	5.0	53.40
	420.000	89.000	80.000	56.000	6.0	5.0	SKET	30340D	229.0	247.00	365.00	385.00	6.0	5.0	50.50
	420.000	146.000	138.000	115.000	6.0	5.0	SKET	32340	229.0	239.00	345.00	395.00	6.0	5.0	91.00
200.025	292.100	57.945	57.945	46.038	3.5	3.3	SKET	M241543 / M241510	219.0	215.00	272.00	279.00	3.5	3.3	12.40
	317.500	63.500	63.500	46.038	4.3	3.3	SKET	93787 / 93125	225.0	219.00	286.00	300.00	4.3	3.3	18.30
	384.175	112.712	112.712	90.488	6.4	6.4	SKET	H247535 / H247510	241.0	231.00	346.00	362.00	6.4	6.4	60.30
	393.700	111.125	111.125	84.138	6.4	6.4	SKET	HH144642 / HH144614	235.0	226.00	352.00	357.00	6.4	6.4	60.60
203.200	261.142	28.575	27.783	21.433	1.5	1.5	SKET	LL641149 / LL641110	214.0	212.00	249.00	254.00	1.5	1.5	3.52
	276.225	42.862	42.862	34.133	3.5	3.3	SKET	LM241149 / LM241110	220.0	214.00	260.00	267.00	3.5	3.3	7.03
	282.575	46.038	46.038	36.512	3.5	3.3	SKET	67983 / 67920	222.0	216.00	260.00	275.00	3.5	3.3	8.71
	292.100	57.945	57.945	46.038	3.5	3.3	SKET	M241547 / M241510	221.0	217.00	260.00	275.00	3.5	3.3	12.00
	317.500	63.500	63.500	46.038	4.3	3.3	SKET	93800 / 93125	227.0	222.00	286.00	300.00	4.3	3.3	17.80
203.200	346.075	79.375	80.962	60.325	1.5	3.3	SKET	HM542948 / HM542911	224.0	224.00	315.00	322.00	1.5	3.3	7.35
	365.049	92.075	88.897	63.500	3.3	3.3	SKET	EE420801 / 421437	230.0	227.00	329.00	334.00	3.3	3.3	36.90
	406.400	92.075	85.725	57.150	6.4	6.4	SKET	EE114080 / 114160	246.0	237.00	349.00	374.00	6.4	6.4	46.60
	482.600	117.475	95.250	73.025	6.4	6.4	SKET	EE380080 / 380190	262.0	256.00	402.00	428.00	6.4	6.4	92.50
204.788	292.100	57.945	57.945	46.038	3.5	3.3	SKET	M241549 / M241510	223.0	219.00	272.00	279.00	3.5	3.3	11.70
206.375	282.575	46.038	46.038	36.512	3.5	3.3	SKET	67985 / 67920	224.0	219.00	260.00	275.00	3.5	3.3	8.34
	336.550	98.425	100.012	77.788	3.3	3.3	SKET	H242649 / H242610	231.0	227.00	306.00	318.00	3.3	3.3	33.20
	482.600	117.475	95.250	73.025	6.4	6.4	SKET	EE380081 / 380190	264.0	258.00	402.00	428.00	6.4	6.4	91.70
209.550	282.575	46.038	46.038	36.512	3.5	3.3	SKET	67989 / 67920	227.0	221.00	260.00	275.00	3.5	3.3	7.95
	317.500	63.500	63.500	46.038	4.3	3.3	SKET	93825 / 93125	233.0	227.00	286.00	300.00	4.3	3.3	16.60
212.725	285.750	46.038	46.038	34.925	3.5	3.3	SKET	LM742745 / LM742710	230.0	225.00	266.00	279.00	3.5	3.3	8.05
215.900	285.750	46.038	46.038	34.925	3.5	3.3	SKET	LM742749 / LM742710	233.0	227.00	266.00	279.00	3.5	3.3	7.65
	290.000	31.750	31.750	22.225	3.5	3.3	SKET	543085 / 543114	232.0	226.00	272.00	276.00	3.5	3.3	5.52
216.408	285.750	46.038	49.212	34.925	3.5	3.3	SKET	LM742747 / LM742710	233.0	227.00	266.00	279.00	3.5	3.3	8.58
220.000	300.000	51.000	51.000	39.000	3.0	2.5	SKET	32944	235.0	233.00	275.00	290.00	3.0	2.5	10.10
	340.000	76.000	76.000	57.000	4.0	3.0	SKET	32044X	239.0	242.00	300.00	326.00	4.0	3.0	25.00
	400.000	72.000	65.000	54.000	5.0	4.0	SKET	30244	243.0	262.00	344.00	371.00	5.0	4.0	36.00
	400.000	114.000	108.000	90.000	5.0	4.0	SKET	32244	243.0	259.00	333.00	377.00	5.0	4.0	56.40

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
220.000	460.000	97.000	88.000	73.000	6.0	5.0	SKET	30344	249.0	281.00	386.00	420.00	6.0	5.0	69.00
	460.000	154.000	145.000	122.000	6.0	5.0	SKET	32344	243.0	266.00	375.00	423.00	6.0	5.0	108.00
220.663	314.325	61.912	61.912	49.212	6.4	3.3	SKET	M244249 / M244210	245.0	235.00	293.00	300.00	6.4	3.3	14.60
223.838	295.275	46.038	46.038	34.925	3.5	3.3	SKET	LM844049 / LM844010	241.0	235.00	275.00	288.00	3.5	3.3	8.10
228.397	431.800	92.075	85.725	49.212	6.4	6.4	SKET	EE113089 / EE113170	274.0	267.00	357.00	397.00	6.4	6.4	50.20
228.460	431.800	92.075	85.725	49.212	6.4	6.4	SKET	EE113091 / EE113170	274.0	267.00	375.00	397.00	6.4	6.4	50.20
228.600	295.275	33.338	31.750	23.812	3.5	3.3	SKET	544090 / 544116	244.0	240.00	279.00	284.00	3.5	3.3	5.55
	300.038	33.338	31.750	23.812	3.5	3.3	SKET	544090 / 544118	244.0	240.00	282.00	287.00	3.5	3.3	5.55
	320.675	50.800	49.212	33.338	6.4	3.3	SKET	88900 / 88126	253.0	242.00	299.00	309.00	6.4	3.3	11.00
	327.025	52.388	52.388	36.512	6.4	3.3	SKET	8573 / 8520	255.0	244.00	305.00	313.00	6.4	3.3	13.00
	327.025	52.388	49.212	34.925	6.4	3.3	SKET	88900 / 88128	253.0	242.00	302.00	309.00	6.4	3.3	11.50
	355.600	68.262	66.675	47.625	7.0	3.3	SKET	96900 / 96140	260.0	249.00	318.00	334.00	7.0	3.3	23.30
	355.600	69.850	69.850	49.212	6.8	1.5	SKET	EE130902 / 131400	257.0	247.00	329.00	330.00	6.8	1.5	22.90
	355.600	69.850	69.850	50.800	6.4	6.4	SKET	HM746645 / HM746610	258.0	248.00	324.00	338.00	6.4	6.4	26.69
	355.600	69.850	69.850	50.800	6.4	6.4	SKET	HM746646 / HM746610	258.0	248.00	324.00	339.00	6.4	6.4	26.20
	358.775	71.438	71.438	53.975	3.5	3.3	SKET	M249732 / M249710	256.0	251.00	335.00	343.00	3.5	3.3	26.60
230.188	400.050	88.900	87.312	63.500	10.5	3.3	SKET	EE430900 / 431575	271.0	253.00	360.00	364.00	10.5	3.3	42.90
	488.950	123.825	111.125	73.025	6.4	6.4	SKET	HH949549 / HH949510	297.0	280.00	416.00	456.00	6.4	6.4	99.20
231.775	317.500	47.625	52.388	36.513	3.2	3.2	SKET	LM245846 / LM245810	242.0	238.00	309.00	312.00	3.2	3.2	18.30
231.775	268.288	22.500	21.500	18.500	2.0	2.0	SKET	LL244549 / LL244510	241.0	237.00	259.00	263.00	2.0	2.0	1.85
	300.038	33.338	31.750	23.812	3.5	3.3	SKET	544091 / 544118	247.0	243.00	282.00	287.00	3.5	3.3	5.30
	317.500	47.625	52.388	36.512	3.3	3.3	SKET	LM245848 / LM245810	248.0	245.00	299.00	306.00	3.3	3.3	6.97
	336.550	65.088	65.088	50.800	6.4	3.3	SKET	M246942 / M246910	258.0	249.00	313.00	322.00	6.4	3.3	18.40
	358.775	71.438	71.438	53.975	6.4	3.3	SKET	M249734 / M249710	263.0	254.00	335.00	343.00	6.4	3.3	26.90
234.950	311.150	46.038	46.038	33.338	3.5	3.3	SKET	LM446349 / LM446310	252.0	246.00	294.00	301.00	3.5	3.3	8.78
	314.325	49.212	49.212	36.512	3.5	3.3	SKET	LM545849 / LM545810	252.0	246.00	296.00	306.00	3.5	3.3	9.79
	320.675	50.800	49.212	33.338	6.4	3.3	SKET	88925 / 88126	258.0	246.00	299.00	309.00	6.4	3.3	10.10
	327.025	52.388	52.388	36.512	6.4	3.3	SKET	8575 / 8520	259.0	248.00	305.00	313.00	6.4	3.3	12.00
	327.025	52.388	49.212	34.925	6.4	3.3	SKET	88925 / 88128	258.0	246.00	302.00	309.00	6.4	3.3	11.00
	355.600	68.262	66.675	47.625	7.0	3.3	SKET	96925 / 96140	265.0	254.00	318.00	334.00	7.0	3.3	22.10

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
234.950	381.000	74.612	74.612	57.150	6.4	3.3	SKET	M252330 / M252310	271.0	261.00	356.00	364.00	6.4	3.3	33.80
	384.175	112.712	112.712	90.488	6.4	6.4	SKET	H247549 / H247510	269.0	259.00	346.00	362.00	6.4	6.4	49.70
237.330	336.550	65.088	65.088	50.800	6.4	3.3	SKET	M246949 / M246910	262.0	253.00	313.00	322.00	6.4	3.3	17.40
	358.775	71.438	71.438	53.975	6.4	3.3	SKET	M249736 / M249710	267.0	258.00	335.00	343.00	6.4	3.3	25.30
240.000	320.000	51.000	51.000	39.000	3.0	2.5	SKET	32948	255.0	253.00	294.00	311.00	3.0	2.5	10.80
	360.000	76.000	76.000	57.000	4.0	3.0	SKET	32048X	259.0	260.00	318.00	346.00	4.0	3.0	26.70
	440.000	79.000	72.000	60.000	5.0	4.0	SKET	30248	263.0	286.00	377.00	409.00	5.0	4.0	49.50
	440.000	127.000	120.000	100.000	5.0	4.0	SKET	32248	263.0	281.00	365.00	415.00	5.0	4.0	80.00
	500.000	105.000	95.000	80.000	6.0	5.0	SKET	30348	269.0	307.00	414.00	445.00	6.0	5.0	87.20
	500.000	165.000	155.000	132.000	6.0	5.0	SKET	32348	269.0	297.00	413.00	461.00	6.0	5.0	144.00
241.300	327.025	52.388	52.388	36.512	6.4	3.3	SKET	8578 / 8520	264.0	253.00	305.00	313.00	6.4	3.3	11.10
	349.148	57.150	57.150	44.450	6.4	3.3	SKET	EE127095 / 127135	267.0	257.00	325.00	329.00	6.4	3.3	16.50
	368.300	50.800	50.800	33.338	6.4	3.3	SKET	EE170950 / 171450	269.0	260.00	337.00	340.00	6.4	3.3	17.70
	393.700	73.817	69.850	50.005	6.4	6.4	SKET	EE275095 / 275155	278.0	268.00	366.00	378.00	6.4	6.4	32.00
	444.500	101.600	100.012	76.200	6.4	4.8	SKET	EE923095 / 923175	277.0	268.00	403.00	407.00	6.4	4.8	64.90
244.475	381.000	79.375	76.200	57.150	6.4	4.8	SKET	EE126097 / 126150	275.0	266.00	343.00	358.00	6.4	4.8	30.20
247.650	304.800	22.225	22.225	15.875	1.5	1.5	SKET	28880 / 28820	258.0	256.00	291.00	294.00	1.5	1.5	3.23
	346.075	63.500	63.500	50.800	6.4	6.4	SKET	M348449 / M348410	273.0	263.00	321.00	332.00	6.4	6.4	17.40
	368.300	50.800	50.800	33.338	6.4	3.3	SKET	EE170975 / 171450	274.0	264.00	337.00	340.00	6.4	3.3	16.70
	381.000	74.612	74.612	57.150	6.4	3.3	SKET	M252337 / M252310	280.0	271.00	356.00	364.00	6.4	3.3	30.70
	406.400	115.888	117.475	93.662	6.4	6.4	SKET	HH249949 / HH249910	284.0	275.00	366.00	383.00	6.4	6.4	60.20
249.250	381.000	79.375	76.200	57.150	6.4	4.8	SKET	EE126098 / 126150	279.0	269.00	343.00	358.00	6.4	4.8	29.10
254.000	315.912	31.750	31.750	22.225	3.5	3.3	SKET	LL648449 / LL648415	268.0	262.00	300.00	305.00	3.5	3.3	5.07
	323.850	22.225	22.225	15.875	1.5	1.5	SKET	29875 / 29820	267.0	266.00	310.00	312.00	1.5	1.5	4.44
	358.775	71.438	71.438	53.975	3.5	3.3	SKET	M249749 / M249710	274.0	270.00	335.00	343.00	3.5	3.3	21.20
	365.125	58.738	58.738	42.862	6.4	6.4	SKET	EE134100 / 134143	281.0	272.00	339.00	347.00	6.4	6.4	18.00
	393.700	73.817	69.850	50.005	6.4	6.4	SKET	EE275100 / 275155	287.0	277.00	366.00	378.00	6.4	6.4	29.30
	422.275	86.121	79.771	66.675	6.8	3.3	SKET	HM252343 / HM252310	287.0	281.00	392.00	400.00	6.8	3.3	54.90
	422.275	86.121	79.771	66.675	6.8	3.3	SKET	HM252344 / HM252310	287.0	281.00	392.00	400.00	6.8	3.3	44.00
533.400	133.350	120.650	77.788	6.4	6.4	SKET	HH953749 / HH953710	328.0	306.00	455.00	496.00	6.4	6.4	125.00	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
254.000	558.800	123.825	104.775	69.850	7.9	0.8	SKET	EE620100 / EE620220	317.0	308.00	477.00	501.00	7.9	0.8	126.00
257.175	342.900	57.150	57.150	44.450	6.4	3.3	SKET	M349549 / M349510	281.0	269.00	322.00	333.00	6.4	3.3	13.40
	342.900	57.150	57.150	44.450	10.7	3.3	SKET	M349549A / M349510	289.0	269.00	322.00	333.00	10.7	3.3	13.10
260.000	360.000	63.500	63.500	48.000	3.0	2.5	SKET	32952	275.0	278.00	328.00	347.00	3.0	2.5	18.80
	400.000	87.000	87.000	65.000	5.0	4.0	SKET	32052X	283.0	286.00	352.00	383.00	5.0	4.0	39.40
	480.000	89.000	80.000	67.000	6.0	5.0	SKET	30252	289.0	309.00	415.00	450.00	6.0	5.0	65.00
	480.000	137.000	130.000	106.000	6.0	5.0	SKET	32252	289.0	299.00	400.00	455.00	6.0	5.0	102.00
260.350	365.125	58.738	58.738	42.862	6.4	6.4	SKET	EE134102 / 134143	286.0	276.00	339.00	347.00	6.4	6.4	16.80
	400.050	69.850	67.470	46.038	9.7	6.4	SKET	EE221026 / 221575	296.0	280.00	366.00	372.00	9.7	6.4	27.40
	419.100	85.725	84.138	61.912	6.4	3.3	SKET	EE435102 / 435165	295.0	285.00	376.00	395.00	6.4	3.3	41.40
	422.275	86.121	79.771	66.675	6.8	3.3	SKET	HM252348 / HM252310	292.0	285.00	392.00	400.00	6.8	3.3	41.00
	422.275	86.121	79.771	66.675	6.8	3.3	SKET	HM252349 / HM252310	292.0	285.00	392.00	400.00	6.8	3.3	42.40
263.525	488.950	120.650	120.650	92.075	6.4	6.4	SKET	EE295102 / 295193	299.0	290.00	444.00	451.00	6.4	6.4	96.40
	325.438	28.575	28.575	25.400	1.5	1.5	SKET	38880 / 38820	275.0	275.00	312.00	315.00	1.5	1.5	5.20
266.700	355.600	57.150	57.150	44.450	3.5	3.3	SKET	LM451345 / LM451310	283.0	279.00	335.00	343.00	3.5	3.3	15.40
	323.850	22.225	22.225	15.875	1.5	1.5	SKET	29880 / 29820	277.0	275.00	310.00	312.00	1.5	1.5	3.54
266.700	325.438	28.575	28.575	25.400	1.5	1.5	SKET	38885 / 38820	277.0	277.00	312.00	315.00	1.5	1.5	5.68
	355.600	57.150	57.150	44.450	3.5	3.3	SKET	LM451349 / LM451310	285.0	281.00	335.00	343.00	3.5	3.3	14.80
	355.600	57.150	57.150	44.450	10.5	3.3	SKET	LM451349A / LM451310	299.0	281.00	335.00	343.00	10.5	3.3	14.50
	355.600	57.150	57.150	44.450	9.7	3.3	SKET	LM451349AX / LM451310	297.0	281.00	335.00	343.00	9.7	3.3	14.50
	393.700	73.817	69.850	50.005	6.4	6.4	SKET	EE275105 / 275155	296.0	287.00	366.00	378.00	6.4	6.4	29.30
	444.500	120.650	117.475	88.900	6.4	0.6	SKET	H852849 / H852810	315.0	297.00	390.00	422.00	6.4	0.6	72.70
	269.875	381.000	74.612	74.612	57.150	6.4	3.3	SKET	M252349 / M252310	296.0	287.00	356.00	364.00	6.4	3.3
273.050	393.700	73.817	69.850	50.005	6.4	6.4	SKET	EE275108 / 275155	301.0	291.00	366.00	378.00	6.4	6.4	25.00
276.225	352.425	36.512	34.925	23.812	3.5	3.3	SKET	L853049 / L853010	293.0	288.00	332.00	342.00	3.5	3.3	7.73
279.400	317.500	24.384	24.384	18.288	1.5	1.5	SKET	LL352149 / LL352110	288.0	286.00	309.00	312.00	1.5	1.5	2.59
	374.650	47.625	47.625	34.925	3.5	3.3	SKET	L555233 / L555210	300.0	296.00	355.00	362.00	3.5	3.3	14.00
	469.900	95.250	93.662	69.850	9.7	3.3	SKET	EE722110 / 722185	321.0	314.00	430.00	433.00	9.7	3.3	59.50
	488.950	120.650	120.650	92.075	1.3	6.4	SKET	EE295110 / 295193	304.0	303.00	444.00	451.00	1.3	6.4	88.90
279.982	380.898	65.088	65.088	49.212	3.5	3.3	SKET	LM654642 / LM654610	302.0	298.00	356.00	368.00	3.5	3.3	21.20

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
280.000	380.000	63.500	63.500	48.000	3.0	2.5	SKET	32956	295.0	297.00	347.00	368.00	3.0	2.5	20.00
	406.400	69.850	67.673	53.975	6.4	3.3	SKET	EE128112 / 128160	308.0	307.00	378.00	384.00	6.4	3.3	26.90
	420.000	87.000	87.000	65.000	5.0	4.0	SKET	32056X	303.0	304.00	370.00	405.00	5.0	4.0	41.40
	500.000	89.000	80.000	67.000	6.0	5.0	SKET	30256	309.0	324.00	440.00	475.00	6.0	5.0	67.70
	500.000	137.000	130.000	106.000	6.0	5.0	SKET	32256	309.0	324.00	420.00	474.00	6.0	5.0	108.00
280.192	406.400	52.388	50.211	34.925	6.8	3.3	SKET	EE101103 / 101600	309.0	307.00	376.00	377.00	6.8	3.3	20.00
	406.400	69.850	67.673	53.975	6.8	3.3	SKET	EE128111 / 128160	309.0	307.00	378.00	384.00	6.8	3.3	26.80
285.750	358.775	33.338	31.750	22.225	3.5	3.3	SKET	545112 / 545141	302.0	298.00	340.00	345.00	3.5	3.3	6.90
	380.898	65.088	65.088	49.212	3.5	3.3	SKET	LM654649 / LM654610	306.0	302.00	356.00	368.00	3.5	3.3	19.90
288.925	406.400	77.788	77.788	60.325	6.4	3.3	SKET	M255449 / M255410	316.0	310.00	379.00	388.00	6.4	3.3	30.50
292.100	374.650	47.625	47.625	34.925	3.5	3.3	SKET	L555249 / L555210	309.0	305.00	355.00	362.00	3.5	3.3	11.80
	393.700	63.500	50.800	44.450	3.5	6.4	SKET	84115 / 84155	313.0	309.00	363.00	378.00	3.5	6.4	18.00
	469.900	95.250	93.662	69.850	9.7	3.3	SKET	EE722115 / 722185	330.0	324.00	430.00	433.00	9.7	3.3	55.30
	558.800	136.525	136.525	98.425	6.4	6.4	SKET	EE790114 / 790221	335.0	329.00	501.00	513.00	6.4	6.4	140.00
298.450	444.500	63.500	61.912	39.688	8.0	1.5	SKET	EE291175 / 291750	332.0	320.00	415.00	416.00	8.0	1.5	29.80
299.974	495.300	141.288	141.288	114.300	6.4	6.4	SKET	HH258248 / HH258210	342.0	332.00	448.00	467.00	6.4	6.4	110.00
300.000	420.000	76.000	76.000	57.000	4.0	3.0	SKET	32960	319.0	322.00	383.00	405.00	4.0	3.0	32.20
	460.000	100.000	100.000	74.000	5.0	4.0	SKET	32060X	323.0	327.00	404.00	439.00	5.0	4.0	57.00
	540.000	96.000	85.000	71.000	6.0	5.0	SKET	30260	329.0	349.00	475.00	505.00	6.0	5.0	84.30
	540.000	149.000	140.000	115.000	6.0	5.0	SKET	32260	323.0	342.00	456.00	510.00	6.0	5.0	132.00
300.038	422.275	82.550	82.550	63.500	6.4	3.3	SKET	HM256849 / HM256810	328.0	319.00	394.00	403.00	6.4	3.3	35.10
304.800	393.700	50.800	50.800	38.100	6.4	3.3	SKET	L357049 / L357010	329.0	319.00	374.00	380.00	6.4	3.3	14.40
	406.400	63.500	63.500	47.625	6.4	3.3	SKET	LM757049 / LM757010	331.0	322.00	380.00	393.00	6.4	3.3	21.40
	438.048	76.200	76.992	53.975	6.4	4.8	SKET	EE129120X / 129172	334.0	328.00	406.00	411.00	6.4	4.8	33.70
	444.500	63.500	61.912	39.688	8.0	1.5	SKET	EE291201 / 291750	337.0	324.00	415.00	416.00	8.0	1.5	28.40
	495.300	76.200	74.612	53.975	6.4	3.3	SKET	EE941205 / 941950	339.0	329.00	459.00	463.00	6.4	3.3	52.30
	495.300	95.250	92.075	69.850	16.0	6.4	SKET	EE724120 / 724195	359.0	330.00	450.00	459.00	16.0	6.4	63.30
	499.948	101.600	79.375	53.975	6.4	6.4	SKET	M959442 / M959410	353.0	344.00	438.00	481.00	6.4	6.4	66.10
	546.100	159.128	188.000	128.064	8.0	8.0	SKET	HH159849 / HH159810	326.0	315.00	532.00	538.00	8.0	8.0	143.00
558.800	136.525	136.525	98.425	1.3	6.4	SKET	EE790120 / 790221	335.0	335.00	501.00	513.00	1.3	6.4	134.00	

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
312.738	358.775	22.225	20.638	14.288	2.3	1.5	SKET	LL957049 / LL957010	325.0	322.00	346.00	354.00	2.3	1.5	3.11
314.325	495.300	120.650	119.062	88.900	6.4	6.4	SKET	H859049 / H859010	361.0	344.50	439.00	473.00	6.4	6.4	82.70
317.500	444.500	63.500	61.912	39.688	8.0	1.5	SKET	EE291250 / 291750	346.0	334.00	415.00	416.00	8.0	1.5	25.40
	447.675	85.725	85.725	68.262	3.5	3.3	SKET	HM259048 / HM259010	341.0	337.00	418.00	428.00	3.5	3.3	40.60
	447.675	85.725	85.725	68.262	3.5	3.3	SKET	HM259049 / HM259010	341.0	337.00	418.00	428.00	3.5	3.3	41.80
	596.900	136.525	136.525	98.425	19.8	6.4	SKET	EE720125 / 720236	390.0	353.00	534.00	546.00	19.8	6.4	162.00
	622.300	147.638	131.762	82.550	14.3	12.7	SKET	H961649 / H961610	410.0	373.00	531.00	582.00	14.3	12.7	178.00
320.000	440.000	76.000	76.000	57.000	4.0	3.0	SKET	32964	339.0	341.00	401.00	426.00	4.0	3.0	34.00
	480.000	100.000	100.000	74.000	5.0	4.0	SKET	32064X	343.0	343.00	418.00	461.00	5.0	4.0	58.50
	580.000	104.000	92.000	75.000	6.0	5.0	SKET	30264	349.0	369.00	505.00	540.00	6.0	5.0	108.00
323.850	381.000	28.575	28.575	20.638	3.5	3.3	SKET	LL758744 / LL758715	339.0	333.00	365.00	373.00	3.5	3.3	5.38
325.438	596.900	136.525	136.525	98.425	6.4	6.4	SKET	EE720128 / 720236	369.0	359.00	534.00	546.00	6.4	6.4	158.00
330.200	415.925	47.625	47.625	34.925	12.7	3.3	SKET	L860048 / L860010	367.0	345.00	394.00	402.00	12.7	3.3	13.50
	415.925	47.625	47.625	34.925	3.5	3.3	SKET	L860049 / L860010	349.0	345.00	394.00	402.00	3.5	3.3	14.10
	482.600	60.325	55.562	38.100	7.0	6.4	SKET	EE161300 / 161900	367.0	356.00	451.00	455.00	7.0	6.4	32.80
	482.600	85.725	80.167	60.325	6.4	3.3	SKET	EE526130 / 526190	360.0	351.00	449.00	454.00	6.4	3.3	45.20
333.375	469.900	90.488	90.488	71.438	6.4	3.3	SKET	HM261049 / HM261010	363.0	357.00	439.00	449.00	6.4	3.3	48.60
340.000	460.000	76.000	72.000	63.000	4.0	3.0	SKET	32968	362.0	363.00	446.00	451.00	4.0	3.0	33.50
342.900	450.850	66.675	66.675	52.388	8.5	3.5	SKET	LM361649 / LM361610	373.0	360.00	425.00	435.00	8.5	3.5	26.30
	457.098	68.262	63.500	47.625	3.3	3.3	SKET	LM961548 / LM961511	367.0	363.00	423.00	443.00	3.3	3.3	28.20
	533.400	76.200	76.200	50.800	4.8	3.3	SKET	EE971354 / 972100	373.0	367.00	501.00	501.00	4.8	3.3	56.88
346.075	482.600	60.325	55.562	38.100	7.0	6.4	SKET	EE161363 / 161900	379.0	368.00	451.00	455.00	7.0	6.4	29.10
	482.600	66.675	63.500	44.450	6.8	6.8	SKET	EE203136 / 203190	376.0	366.00	449.00	456.00	6.8	6.8	31.50
	482.600	66.675	63.500	44.450	12.7	6.8	SKET	EE203137 / 203190	388.0	366.00	449.00	456.00	12.7	6.8	31.00
	488.950	95.250	95.250	74.612	6.4	3.3	SKET	HM262748 / HM262710	377.0	367.00	456.00	467.00	6.4	3.3	54.00
	488.950	95.250	95.250	74.612	6.4	3.3	SKET	HM262749 / HM262710	377.0	367.00	456.00	467.00	6.4	3.3	55.90
349.250	501.650	90.488	84.138	69.850	6.4	3.3	SKET	EE333137 / 333197	382.0	372.00	470.00	478.00	6.4	3.3	53.10
355.600	444.500	60.325	60.325	47.625	3.5	3.3	SKET	L163149 / L163110	374.0	370.00	422.00	430.00	3.5	3.3	20.70
	469.900	60.325	55.562	38.100	7.0	6.4	SKET	EE161400 / 161850	386.0	375.00	445.00	455.00	7.0	6.4	24.00
	482.600	60.325	55.562	38.100	7.0	6.4	SKET	EE161400 / 161900	386.0	375.00	451.00	455.00	7.0	6.4	26.80

外形尺寸 Bearing Dimensions(mm)							品牌	轴承代号	安装尺寸 (mm)						重量
d Bore	D Cup Outer Diameter	T Bearing Width	B Cone Width	C Cup Width	R (min)	r (min)	Brand	Bearing No.	da	db	Da	Db	Ra (max)	ra (max)	kg
355.600	501.650	74.612	66.675	50.800	6.4	3.3	SKET	EE231400 / 231975	388.0	379.00	472.00	481.00	6.4	3.3	39.40
	501.650	90.488	84.138	69.850	6.4	3.3	SKET	EE333140 / 333197	387.0	377.00	470.00	478.00	6.4	3.3	50.60
	501.650	90.488	84.138	69.850	6.4	3.3	SKET	EE333140 / 338197	387.0	377.00	470.00	478.00	6.4	3.3	50.60
361.950	401.638	21.430	21.430	15.875	2.0	2.0	SKET	LL762649 / LL762610	371.0	369.00	392.00	397.00	2.0	2.0	3.09
	406.400	23.812	23.812	17.462	2.3	1.5	SKET	LL562749 / LL562710	372.0	371.00	396.00	401.00	2.3	1.5	3.68
368.000	523.875	101.600	101.600	79.375	6.4	6.4	SKET	HM265049 / HM265010	400.0	394.00	487.00	499.00	6.4	6.4	68.50
371.475	501.650	74.612	66.675	50.800	6.4	3.3	SKET	EE231462 / 231975	400.0	390.00	472.00	481.00	6.4	3.3	34.70
374.650	431.800	28.575	28.575	20.638	3.5	3.3	SKET	LL264648 / LL264610	389.0	384.00	417.00	424.00	3.5	3.3	6.19
	522.288	85.725	84.138	61.912	6.4	3.3	SKET	LM565943 / LM565910	407.0	397.00	493.00	500.00	6.4	3.3	51.60
377.825	508.000	63.500	58.738	38.100	6.4	3.3	SKET	EE192148 / 192200	407.0	397.00	478.00	482.00	6.4	3.3	30.47
380.000	520.000	87.000	82.000	71.000	5.0	4.0	SKET	32976	408.0	405.00	500.00	506.00	5.0	4.0	49.50
381.000	479.425	49.212	47.625	34.925	6.4	3.3	SKET	L865547 / L865512	407.0	395.00	456.00	465.00	6.4	3.3	18.80
	508.000	63.500	58.738	38.100	6.4	3.3	SKET	EE192150 / 192200	410.0	400.00	478.00	482.00	6.4	3.3	29.50
	522.288	85.725	84.138	61.912	6.4	3.3	SKET	LM565949 / LM565910	411.0	402.00	493.00	500.00	6.4	3.3	49.20
	523.875	85.725	84.138	61.912	6.4	3.3	SKET	LM565949 / LM565912	411.0	402.00	493.00	500.00	6.4	3.3	50.40
	546.100	104.775	104.775	82.550	6.4	6.4	SKET	HM266447 / HM266410	415.0	405.00	507.00	520.00	6.4	6.4	79.80
	546.100	104.775	104.775	82.550	6.4	6.4	SKET	HM266446 / HM266410	415.0	405.00	507.00	520.00	6.4	6.4	76.50
384.175	590.550	114.300	114.300	88.900	6.4	6.4	SKET	M268730 / M268710	425.0	415.00	549.00	561.00	6.4	6.4	118.00
	441.325	28.575	28.575	20.638	3.5	3.3	SKET	LL365348 / LL365310	399.0	393.00	427.00	433.00	3.5	3.3	6.15
	546.100	104.775	104.775	82.550	6.4	6.4	SKET	HM266448 / HM266410	417.0	407.00	507.00	519.00	6.4	6.4	75.10
	546.100	104.775	104.775	82.550	6.4	6.4	SKET	HM266449 / HM266410	417.0	407.00	507.00	519.00	6.4	6.4	78.20
385.762	514.350	82.550	82.550	63.500	6.4	3.3	SKET	LM665949 / LM665910	415.0	406.00	482.00	495.00	6.4	3.3	45.10
387.248	546.100	87.312	87.312	68.262	6.4	6.4	SKET	M667935 / M667911	424.0	414.00	510.00	528.00	6.4	6.4	65.00
396.875	546.100	76.200	61.120	55.562	6.4	6.4	SKET	EE234156 / 234215	428.0	418.00	504.00	516.00	6.4	6.4	44.00
400.000	540.000	87.000	82.000	71.000	5.0	4.0	SKET	32980	428.0	430.00	500.00	529.00	5.0	4.0	52.50
403.225	460.375	28.575	28.575	20.638	3.5	3.3	SKET	LL566848 / LL566810	418.0	414.00	445.00	452.00	3.5	3.3	6.53
406.400	508.000	61.912	61.912	47.625	3.3	3.3	SKET	L467549 / L467510	426.0	423.00	483.00	492.00	3.3	3.3	26.30
	546.100	76.200	61.120	55.562	6.4	6.4	SKET	EE234160 / 234215	435.0	425.00	504.00	516.00	6.4	6.4	41.10
	549.275	85.725	84.138	61.912	6.4	3.3	SKET	LM567949 / LM567910	437.0	427.00	519.00	525.00	6.4	3.3	53.60
	590.550	107.950	107.950	80.962	9.7	6.4	SKET	EE833160X / 833232	448.0	435.00	549.00	561.00	9.7	6.4	93.80